



SAFE MOTHERHOOD



World Health Organization
Maternal and Child Health & Family Planning
Division of Family Health, Geneva

ABORTION

A TABULATION OF AVAILABLE DATA ON THE
FREQUENCY AND MORTALITY OF UNSAFE ABORTION

BR R300C SH.01.09.F1

WHO/MCH/90.14
Distr.: LIMITED



SAFE MOTHERHOOD



World Health Organization
Maternal and Child Health & Family Planning
Division of Family Health, Geneva

ABORTION

A TABULATION OF AVAILABLE DATA ON THE FREQUENCY AND MORTALITY OF UNSAFE ABORTION

This document is not issued to the general public, and all rights are reserved by the World Health Organization (WHO). The document may not be reviewed, abstracted, quoted, reproduced or translated, in part or in whole, without the prior written permission of WHO. No part of this document may be stored in a retrieval system or transmitted in any form or by any means - electronic, mechanical or other - without the prior written permission of WHO.

The views expressed in documents by named authors are solely the responsibility of those authors.

Abbreviations used:

CS = community study
 E = estimate
 EA = estimated annual
 H = hospital data
 HS = hospital study
 PP = private practice
 PS = provider study
 STA = statistical source
 VAR = various sources

ABO = abortion, unspecified, non-legal
 ABO (L) = abortion unspecified, incl. legal
 HAE = abortion haemorrhage
 ILL = illegal abortion
 IND = induced abortion, non-legal
 PIND = induced and probably induced abortions (non legal)
 PPIND = induced, possibly and probably induced abortions (non-legal)
 SE = septic abortion
 SP = spontaneous abortion

A = per annum, 1-year data
 D = deliveries
 G = gynaecological
 * = data in note column
 P = year of publication

1+ = one plus, one or more
 AA = annual average
 abo = abortion
 abo.adm = abortion admissions
 abo.adm/nat.stat = abortion admissions combined with national statistical data
 abo.adm/W 15-49 = abortion, admissions combined with number of W 15-49 in area of hospital(s)
 abo.compl. = abortion complications
 abo.deaths = abortion deaths
 abos = abortions
 adm = admissions
 ccep = contraceptive
 clin. = clinic
 del. = delivery
 del.adm = delivery admissions
 dem = demographic
 ed = education
 EM = ever married
 EP = ever pregnant
 etn = ethnic
 excl. = excluding
 fam.pl. = family planning
 geogr = geographic areas
 gest = gestational
 gyn = gynaecological
 Hadm = hospital admissions
 hosp = hospital
 hosp.s = hospitals

ill. = illegal
 incl. = including
 ind. = induced
 ins. = insufficiency
 IUD = Intra Uterine Device
 L = legal abortion
 M = married, cohabiting
 M 1x = married 1 time only
 matern. = maternal
 med = medical
 MR = Menstrual Regulation
 MTP = Medical Termination of Pregnancy
 multipar = multiparous
 nat.stat. = national statistical data
 non-L = non-legal abortion
 obs. = obstetric
 obs.adm = obstetric admission
 obs.deaths = obstetric deaths
 pats = patients
 PILL = probably illegal and illegal abortions
 pregn. = pregnant
 pregn.s = pregnancies
 pres. = present
 prev. = previous
 pri-grav = primigravida
 priv. = private
 progr. = programme
 pros.study = prospective study
 prov = provider

RepAge = reproductive age
 repr.age = reproductive age
 retrosp. study = retrospective study
 RRT = Random Response Technique
 RS = Random Sample
 R-U = Rural - Urban
 se = septic
 soc = social
 socec = socio-economic
 socdem = socio-demographic
 sp = spontaneous
 TFR = Total Fertility Rate
 therap. = therapeutic abo(s)
 underest. = underestimate
 un-M = un-married
 var. = various
 w. = with
 W = women
 WM = women, married

DR RSCOC SH.D1.09.ENV

ABORTION

**A tabulation of available data on the
frequency and mortality of unsafe abortion**

Contents

	Contents	Page
1.	Unsafe Abortion: A Worldwide Problem	2
2.	Health Consequences: Morbidity and Mortality	2
3.	Impact on Health Services - the Costs Involved	3
4.	Underreporting	3
5.	The Abortion Database	4
6.	Explanation of the Tabulations	4
	Data Collection	
	Sources of Data	
	Criteria for Inclusion	
	Data Sets	
	Terminology	
	Calculations	
	Note Column	
	Abbreviations	
7.	Explanation of the Columns and Terminology	6
	Region, Country or Area	
	Year	
	Data Characteristics	
	Frequency	
	Mortality	
	Note Column	
8.	Alphabetical List of Abbreviations Used	10
9.	Tabulations of Available Information by Country	13
10.	List of Data Sources	97

Acknowledgements

The World Health Organization gratefully acknowledges the financial assistance provided by the Andrew W. Mellon Foundation for the preparation and printing of these tabulations.

1. UNSAFE ABORTION¹: A WORLDWIDE PROBLEM

Abortion is a medical and social problem of world wide significance. Between 40 and 60 million abortions take place around the world every year. It is estimated that half of these are performed outside authorized health services and/or by unauthorized, often unskilled, providers and most take place in the developing world.

Induced abortion is restricted by law in many countries. In others pregnancy termination is legal for broad medical and social reasons, but often there are not sufficient services to meet the demand or they are unacceptable to the women wishing to terminate an unwanted pregnancy. Many women therefore use unauthorized sources of service.

It is clear that many women will continue to seek to terminate an unwanted pregnancy despite restrictive laws and lack of adequate services. However, while those who can pay high fees may have access to safe abortion, regardless of its legal status, many poor women have to turn to inexpensive unqualified abortionists and put their general and reproductive health, and even their lives, at high risk.

Some 500,000 women die each year from pregnancy related causes worldwide, 98% of them in the developing world. It is estimated that as many as 1/4 to 1/3 of these deaths may be a consequence of the complications of unsafe abortion procedures. Although widespread and maybe increasing, unsafe abortions and their complications are not being recognized as a significant health and social problem because of the controversial and complex political, moral and religious issues involved.

The World Health organization has no "position" with respect to abortion, but is concerned with its health aspects. It is evident that other considerations - social, cultural and religious - influence the attitudes of Member States towards abortion. WHO respects national policies and serves its Member States, who have different health and health-related policies.

As early as 1967, the World Health Assembly, concerned with the public health impact of abortion, passed Resolution No. 20.41 which stated, "recognizing that abortion constituted a serious public health problem in many countries ... urged WHO to assist Member States, upon their request, in their development of family planning services within their basic health services".

From the public health point of view, it has become clear in recent years that the magnitude of mortality and morbidity associated with unsafe abortion practices is immense. The International Conference on Population, held in Mexico in 1984, urged governments "to take appropriate steps to help women avoid abortion, which in no case should be promoted as a method of family planning, and - whenever possible - to provide for the humane treatment and counselling of women who have had recourse to abortion."

Unsafe abortion procedures cause complications which account for up to 50% of maternal deaths in hospitals and an unknown number of additional deaths outside hospitals. In developing countries where maternal mortality rates are high, the risk of death following complications of unsafe abortion procedures is between 100 and 500 times higher than that of an abortion performed professionally under safe conditions.

Unsafe abortion is one of the great neglected problems of health care in developing countries and a serious concern to women during their reproductive lives. Contrary to common belief, most women seeking abortion are married or live in stable unions and already have several children. Abortion serves to limit their family size. However, in all parts of the world, a small but increasing proportion of abortion seekers are unmarried adolescents; in some urban centres in Africa they represent the majority of all abortees.

¹ An induced abortion not provided through approved facilities and/or persons.

2. HEALTH CONSEQUENCES: MORBIDITY AND MORTALITY

The mortality and morbidity risks of induced abortion depend on the facilities and skill of the abortion provider, the method used and certain characteristics of the woman herself, e.g. her general health, age, parity, and stage of pregnancy. They also depend on the availability and utilization of treatment facilities once complications have occurred. Unsafe abortions may be induced by the woman herself, by non-medical persons or even by health workers in unhygienic conditions. Such abortions may be induced by ingestion of harmful substances, exertion of external force, insertion of substances or an object (usually root, twig or catheter) into the uterus, or an unsafe dilatation and curettage procedure.

According to the conditions in which the unsafe abortions are performed and the methods used, both of which are related to the legal status of abortion, a variety of severe complications, such as poisoning, sepsis, septic shock, anaemia, haemorrhage, genital and abdominal trauma and perforated uterus may occur. These complications can lead to death if left untreated. Death may also result from secondary complications such as gas gangrene and acute renal failure.

The long-term consequences may include chronic pelvic pain, pelvic inflammatory disease and secondary infertility. Elevated incidence of ectopic pregnancy, premature delivery and increased risk of spontaneous abortion are other possible consequences of poorly performed abortions.

3. IMPACT ON HEALTH SERVICES - THE COSTS INVOLVED

The treatment of abortion complications in hospitals uses a disproportionate share of resources, including hospital beds, blood supply, medication as well as access to operating theatres, anaesthesia and medical specialists. This often takes place at the expense of other maternity services.

Unsafe abortion and its consequences places great clinical, material and financial demands on the scarce hospital resources of many developing countries. Often, up to 50% of the resources of some hospitals are used to treat patients admitted for complications of unsafe abortions. Some doctors estimate that up to 80% or more of all abortion cases admitted to the hospitals have been induced. While a spontaneous or an uncomplicated abortion may require up to 3 days of hospitalization, complicated cases can require a stay which may be 5 times longer. Spontaneous abortions seldom present complications and are rarely fatal.

4. UNDERREPORTING

Data on the incidence of unsafe abortion are essential for any attempt to deal with this public health issue. However, it must be recognized that all data on this issue are by definition unreliable. Underreporting and/or misreporting of unsafe abortion, because of its legal and ethical/moral status as well as the inherent limitations of hospital and community studies, must be taken into account when studying the data presented in the tabulations.

Collecting data is difficult for any type of abortion, and in particular when induced abortion is not legally provided by the health system. By their very nature, induced abortions are not easily discussed or admitted to, either in hospital or in community studies. Data on unsafe abortion are usually limited to women admitting to interference, and therefore are only exceptionally available and even then, they are most often incomplete. There are indirect attempts to rectify these gaps.

Based on medical evidence and following a WHO protocol² researchers in some hospitals have made the distinction between induced, probably induced and possibly induced abortion. Some indirect methods have also been devised for use in community studies, e.g. the Random Response Technique (RRT)³ to establish the proportion of women ever resorting to induced abortion.

In most developing countries the vital registration system is poor or nonexistent. Deaths, particularly in rural areas, are grossly underreported and even when reported, the cause of death may either not be known, or indicated or it may be purposely concealed. To protect the family, an abortion may not be mentioned. All reference to pregnancy may be avoided, particularly in the case of unmarried women.

Hospital admissions for abortion complications are often used as an indicator of the problem of unsafe abortion but cannot be used to measure the prevalence. Not all women go to the hospital when complications arise. Their decision to seek help depends on the accessibility (geographic and financial) of a hospital, social attitudes and the attitude of hospital staff.

Many studies attempt to collect data by interviewing women hospitalized for abortion complications or by interviewing a random sample of women of reproductive age in the community. The success of both approaches depends on factors such as the legal status of abortion and on the skill of the interviewers. Studies have shown that between 1/4 and 1/2 of the abortions are concealed. However, in some cases as few as 4% of the abortions were admitted to.

Other studies have collected data on all abortion cases admitted to hospital irrespective of whether they are spontaneous or induced. Assuming that spontaneous abortions are relatively constant in a given population, and that they are unlikely to cause sepsis and death, the excess in septic abortions or cases presenting complications may be considered to be the result of unsafe abortion.

5. THE ABORTION DATABASE

Health authorities must confront the problem of unsafe abortions and its associated morbidity and mortality and devise constructive, culturally appropriate solutions that recognize the integral reproductive health needs of women. Progress in planning effective strategies and interventions to prevent and deal with consequences of unsafe abortion has been slow, especially in those countries where they are reaching high levels. This is partly because of the problems in underreporting described in the previous section, and also because of the general reluctance of professionals and public alike to discuss issues that are charged with moral, ethical and cultural overtones.

The data contained in this document are an attempt to bring together all available information on the frequency of unsafe abortions and associated mortality. It is hoped that it will draw attention to the global need for action on the problem of unsafe abortions and the deaths they cause, renew dialogue, stimulate further research studies and provide health managers with comparative information on the nature and dimensions of the problem in their countries. It can also serve as a basic tool for decision-making regarding prevention and intervention strategies besides providing indications of the areas in which further research is needed.

² Figa-Talamanca, I. et al. Illegal abortion: an attempt to assess its costs to the health services and its incidence in the community. International Journal of Health Services, 16(3): 375-389 (1986)

³ Abernathy, J., Greenberg, B. & Horvitz, D. Estimates of Induced Abortion in urban North Carolina. Demography 7(1): 19-29 (1970)

These tabulations are the third in a series related to safe motherhood. Previous publications contain tabulations of maternal mortality rates (FHE/86.3) and of the coverage of maternity care (WHO/FHE/89.2).

6. EXPLANATION OF THE TABULATIONS

Data Collection

All available reports relevant to the issue of unsafe abortion have been examined, and data on frequency and mortality systematically extracted. Every effort has been made to ensure uniformity and consistency in reporting. Responsibility for the accuracy of the data, however, rests with the authors of the reports. Because of the need to provide a picture of the situation, as much information as possible has been included in this first edition of these tabulations.

In establishing the format of the tabulations a compromise had to be reached between the usefulness of different indicators and the type of data that was actually available. The tabulations are a descriptive coding of individual studies, although not all data lend themselves easily to this coding. Some cautious comparisons and conclusions can be drawn from the data presented but the tabulations are not suitable for statistical manipulations nor should they be interpreted vertically without due consideration to the information given in the first six columns.

The database upon which these tabulations are based is continually being updated. Readers are encouraged to share their knowledge and materials to assist WHO in maintaining the database as up-to-date and comprehensive as possible. Information should be sent to the Maternal Health and Safe Motherhood Unit, Division of Family Health, World Health Organization, 1211 Geneva 27, Switzerland.

Sources of Data

The data in the tabulations were extracted from sources that are listed in the final column by means of 4-digit numbers which correspond to the accession number assigned to each piece of information on the WHO/ABO bibliographic database. A list of all the references used in the tabulations is attached. Not all references related to unsafe abortion that were examined have been included. Those not included either duplicate the data reported in the tabulations, or contain information that did not fit the format or the criteria used.

Criteria for Inclusion

Only data that relate specifically or presumably to non-legally induced abortions have been included in the tabulations. If the study also includes legal abortion data, this has been indicated in the 5th or 6th columns.

The cut-off point for inclusion in these tabulations was 1960 although earlier data are stored in the database, as are data on women obtaining abortion abroad.

When data were available for many consecutive years in the same report, only selected years have been tabulated. In other instances, annual data have been grouped. In both instances the availability of yearly data is indicated in the note column.

Data Sets

Each line represents one data set. In some instances two or more lines of information may be included for the same study, e.g. one line for the admitted or identified induced cases and another line for all abortion cases (spontaneous and induced).

Terminology

The terminology used by the authors of the various reports has where possible been retained. If a report refers to "abortions" this is the term used in the tabulations even if it is evident that the data refer to spontaneous and/or non-legally induced abortions. Similarly, the term "induced" has been maintained even in cases when the abortions under study were non-legal and/or most likely unsafe.

Calculations

Often the author of the study has provided the rates and ratios registered in the tabulation. When the necessary figures were provided, they were calculated.

Note Column

The note column contains additional information and explanations. It is also used to draw attention to data that help interpret the results or call for further study. It sometimes gives additional data that did not fit within the existing format, e.g. abortions per 1000 women (abos %.W). An "*" in any of the columns indicates that a comment is noted in the note column.

Abbreviations

An alphabetical list of all abbreviations and symbols used is included on pages 10 and 11 and is also printed on the inside cover of this publication.

7. EXPLANATION OF THE COLUMNS AND TERMINOLOGY**Column 1 - Region, Country or Area**

Countries are arranged by WHO regions. Within countries, the towns/areas under study are presented alphabetically in chronological order.

Column 2 - Year

In Hospital Studies (HS) or Community Studies (CS) the year tabulated is the year in which the data was collected unless otherwise indicated in the note column.

The symbol "P" indicates the year of publication of the report in those cases when the source has not mentioned the year of the study.

DATA CHARACTERISTICS (columns 3-6)**Column 3 - Type of Data**

Describes the nature of the data presented. The following abbreviations are used to describe the type of data.

CS	Community study of a group of women or events as specified in column 5. Usually data reflect the reproductive history of this group. However, at times the research has focused on one year (usually the one preceding the study) or on the reproductive history during a specified period. This has also been mentioned in the note section.
----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

HS	Hospital study. The group of women under study has been drawn from hospital admissions, usually for abortion, delivery or contraception.
H	Hospital statistics or data, i.e., events registered in the hospital during the indicated time.
PP	Private practice, similar to HS.
PS	Provider study. Data have been extracted from a study involving abortion providers.
STA	Data obtained from a statistical source registering events during the period indicated.
VAR	Various or a number of sources have been used for the research, usually to compensate for poor vital statistics.
E	Estimate.
EA	Estimated annual figure.

Column 4 - Number or Sample Size

Indicates the number of individuals or events under study. In some instances this refers to the total number of events or total estimated number of abortions.

Column 5 - Study Group

Describes the group of individuals or events studied in the report. Abbreviations used in this column needing further explanation are:

abo.adm	admissions for complications from abortion (including spontaneous induced, illegal, septic, complete, incomplete and inevitable)
abos	abortions, excluding legal abortions
matern.deaths	maternal deaths, i.e., death of a woman while pregnant or within 42 days of termination of pregnancy, from any cause related to or aggravated by the pregnancy.
10-45	figure indicates the age range in years.

Column 6 - Type of Abortion

Describes the type(s) of abortion being referred to.

ABO	abortion, unspecified but presumed non-legal.
ILL	illegal, criminal or "backstreet" abortion
IND	induced abortion, presumed non-legal
PIND	induced and probably induced abortion (non-legal)
PPIND	induced, and possibly and probably induced abortion (non-legal)

SP	spontaneous abortion
SE	septic abortion
HAE	abortion haemorrhage
ABO(L)	abortion, unspecified but including legal.

FREQUENCY (columns 7 - 12)**Column 7 - Specified Abortions as a Percentage of All Admissions for Abortion**

Frequency of the specified type of abortion as a percentage of all admissions to an institution for abortion care.

Column 8 - Specified Abortions as a Percentage of Gynaecological and Obstetric Admissions

Frequency of the specified type of abortion as a percentage of all gynaecological and obstetric admissions. Letter "H" or "G" or an "*" may follow the percent figure indicating that it represents a percentage of:

- H hospital admissions;
- G gynaecological admissions only;
- * see note column, usually indicating obstetric admissions only

Column 9 - Specified Abortions as a Percentage of Live Births

Frequency of the specified type of abortion as a percentage of live births.

- D deliveries when data on deliveries were available instead of live births.

Column 10 - Specified Abortions as a Percentage of Pregnancies

Frequency of the specified type of abortion as a percentage of pregnancies or conceptions.

Column 11 - Percentage of Women Ever Aborting

Number of women who ever had an abortion of the type specified as a percentage of all women under study.

- A per annum; data refer to the number of women who had an abortion of the type indicated during one year.

Column 12 - Average Number of Abortions per Women Aborting

Indicates the average number of abortions of the type specified, that the women under study have had (they may also have had other kinds of abortion in addition). When the study group is an abortion group, the most recent abortion has been included.

MORTALITY (columns 13 - 16)**Column 13 - Case Fatality**

Number of deaths (as specified) per number of cases (as specified) under study.

Column 14 - Abortion Deaths per 100,000 Live Births

Number of deaths from the specified type of abortion per 100,000 live births.

D deliveries.

Column 15 - Abortion Deaths per 100,000 Women of Reproductive Age

Number of deaths from the specified type of abortion as a fraction of 100,000 women of reproductive age.

Column 16 - Abortion Deaths as a percentage of all Maternal Deaths

Number of deaths from the specified type of abortion as a percentage of all maternal deaths.

* if figure is known to refer only to direct obstetric causes, this has been indicated in the note section.

Column 17 - Note Column

A list of all abbreviations used is given on pages 10-11. The following additional information is useful.

abos %W	number of abortions(non-legal) per 1000 women
ind % W	number of induced(non-legal)abortions per 1000 women
*	is information attached to data in earlier column marked with *
socdem	sociodemographic data in reference
prov	data on provider in reference
gest	data on gestational age in reference
ccep	data on contraceptive practices in reference
socec	data on socioeconomic situation in reference
med	medical data in reference
ed	data on education in reference
RRT	Random Response Technique has been used for data collection

8. ALPHABETICAL LIST OF ABBREVIATIONS USED

1+	one plus, one or more
A	per annum, one-year
AA	annual average
abo	abortion
abo.adm	abortion admissions
abo.adm/nat.stat	abortion admissions combined with national statistical data
abo.adm/W 15-49	abortion admissions combined with number of W 15-49 in area of hospital(s)
ABO	abortion, unspecified but non-legal
ABO(L)	abortion, unspecified (also including legal)
abo.compl.	abortion complications
abo.deaths	abortion deaths
abos	abortions
adm	admissions
ccep	contraceptive
clin.	clinic
CS	community study
D	deliveries
del.	delivery
del.adm	delivery admissions
dem	demographic
E	estimate
EA	estimated annual
ed	education
EM	ever married
EP	ever pregnant
ethn	ethnic
ex.	excluding
excl.	excluding
fam.pl.	family planning
G	gynaecological admissions
geogr	geographic areas
gest	gestational
gyn	gynaecological
H	hospital data
Hadm	hospital admissions
HAE	abortion haemorrhage
hosp	hospital
hosp.s	hospitals
HS	hospital study
ILL	illegal abortion
ill.	illegal
incl.	including
IND	induced abortion, non-legal
ind.	induced
ins.	insufficiency
IUD	Intra Uterine Device
L	legal abortion
M	married, cohabiting
M 1x	married 1 time only
matern.	maternal
med	medical
MR	menstrual regulation
MTP	Medical Termination of Pregnancy

multipar	multiparous
nat.stat.	national statistical data
non-L	non-legal abortion
obs.	obstetric
obs.adm	obstetric admission
obs.deaths	obstetric deaths
P	year of publication
pats	patients
PILL	illegal and probably illegal abortions
PIND	induced and probably induced abortions
PPIND	induced, possibly and probably induced abortions
PP	private practice
pregn.	pregnant
pregn.s	pregnancies
pres.	present
prev.	previous
pri-grav	primigravida
priv.	private
progr.	programme
prosp.study	prospective study
prov	provider
PS	provider study
RepAge	reproductive age
repr.age	reproductive age
retrosp.study	retrospective study
RRT	Random Response Technique
RS	random sample
R-U	rural - urban
SE	septic abortion
se	septic
soc	social
socec	socio-economic
socdem	socio-demographic
SP	spontaneous abortion
sp	spontaneous
STA	statistical source
TFR	Total Fertility Rate
therap.	therapeutic abortion(s)
underest.	underestimate
un-M	un-married
var.	various
VAR	various sources
w.	with
W	women
WM	women, married

UNSAFE ABORTION																
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths			
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies	Live Births	Women RepAge	Live Births	per 100,000	Matern Deaths	Ref. no.					
AFRO																
BENIN																
Cotonou	1967	H	350	abos	ABO										0491	
Cotonou	1981-85	HS	657	ind.abos	IND	35.4		6.6	4.40	3.5		2.9			1272	
BURKINA FASO																
Moko, Karba & rural areas	1969-77	CS	373*	W, pregnant	ABO										1268	
Ouagadougou	1984 P	H	300-400	abo.adm	ABO			28.4		21					0166	
Ouagadougou	1984 P	H	300-400	abo.adm	ILL	25*		40*				5-6			0166	
CAMEROON																
Yaounde	1974	H	805	abo.adm	IND	10.7			0.9 D	0.8					0773	
Yaounde	1974	H	805	abo.adm	SP, IND				8.5 D	7.7					0773	
Yaounde	1976	H	100	10% RS, abo.adm	ILL	29.0									1022	
Yaounde	1985	H	442	RS, abo.adm	IND	14.7									1368	
Yaounde	1985	H	604	emergencies/month	ABO			39.8							1368	
CONGO																
Brazzaville	1977	H	774	abo.adm	SP, IND				15.60						1032	
Brazzaville	1977	H	774	abo.adm	IND	44.5			7.00						1032	
Brazzaville	1981-83	H	3022	sp+ill abo.adm	ILL	24.8		25G				1.6	4.4		0229	
National	1975	STA	6365	abos	SP, IND							0.7			1032	

BR 3300 SH.ON.OA.F8

6P MSCC SH.01.09.Pg V

U N S A F E A B O R T I O N
 Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000				
						Admissions Abortion	GYN OBS	Live Births -				Live Births	Women RepAge	% of all Matern Deaths		
CONGO cont.																
National	1975	STA	6365*	abos	IND										*1413 ind.abos	1032
Pointe-Noire	1978	H	730	abo.adm	SP, IND			7.90								1032
Pointe-Noire	1978	H	730	abo.adm	IND	55.1		4.4D								1032
ETHIOPIA																
Addis Ababa	1967-68	H	205	abos	ABO											0491
Addis Ababa	1980-85	H	216	matern.deaths	ABO		30.7G					214		16.7	Data: parity, age	1295
Addis Ababa	1981-83	CS	9315*	RS, W, pregnant	ABO							142		28.9	*9/954 pregn/two years;	0188
Addis Ababa	1981-83	CS	9316*	RS, W, pregnant	IND							131		26.7	Data: socdem, age *9/957 pregn.s; 12ind.abo/ 13 abo deaths	0280
Addis Ababa	1981-83	CS	45	matern.deaths	ABO							164		29		1084
Addis Ababa	1981-83	CS	100	matern.deaths	ILL							231		25	Data: age, soc, gest, method, parity, med	0124
Addis Ababa	1981-83	H	197	matern.deaths	ABO							114		23.9	All (5) hosp.s and (3) clinics	1086
Addis Ababa	1981-83	H	100	matern.deaths	ABO							241		26	2 major referral hosp.s	1086
Addis Ababa	1984	H		matern.deaths	ILL							241		25		0268
National	1979	H		matern.deaths	SE									30	11 regional hospitals	0268
National	1986 P			ind.abo	IND							14		54		0060
GABON																
Libreville	1984-87	H	48	matern.deaths	ABO							25		16.6		1346
Libreville	1985	H		matern.deaths	ABO		41							10		0455

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
						Admissions	GYN OBS	Live Births -				Live Births	Women RepAge					
GAMBIA Banjul	1976	H	301	10% RS, abo.adm	ILL	21.9			2.4	2.2					Data: age, socdem, med	1022		
Rural	1982-83	CS	672*	all pregnant W	ABO										*among 2800 W 15-45; abo underest.; prosp. study	0190		
GHANA Accra	1963-67	H	12509	abo.adm	ABO				35.5		0.3	93		8.7	Data: yearly, med	0006		
Accra	1963-67	H	12509	abo.adm	IND							40		3.7		0006		
Accra	1963-67	H	12509	abo.adm	SE							71		6.6		0006		
Accra	1967-69	H	2890	AA, abo.adm	ABO				31.2D		0.3	1080			Data: age, parity, resources	0105		
Accra	1967-69	H	2890	AA, abo.adm	ABO				31.2	23.8	0.3*				*1969	0501		
Accra	1967-69	H	2890	AA, abo.adm	IND	58*									*E	0501		
Accra	1968-69	HS	330	sample,abo.adm	ABO						1.5				Data: age, gest, method, med, reason, socdem	0501		
Accra	1968-69	HS	330	sample,abo.adm	SE	35.5									*admitted; Data: method	0501		
Accra	1968-69	HS	330	sample,abo.adm	IND*	25.2									Data: age,socdem, parity, ccep med, method, cost	0007		
Accra	1970	HS	116	ind.abo.adm.	IND										Korle Bu Hosp.	0081		
Accra	1970-72	H	9457	abo.adm	IND,SP												0105	
Accra	1972	H	3275	abo.adm	ABO												0320	
Accra	1972-73	HS	1159	abo.adm	SE	9.7									*2/357 pregn.s; Data: med, age	0320		
Accra	1972-73	HS	1014*	abo.adm	SP, IND					17.1		1.4			resources, socdem			
Accra	1976	H	300	10% RS, abo.adm	ILL	21.3									Data: age, socdem, med	1022		

RB DSOC SH. 01.04. FA
WHO/MCH/90.14
Page 15

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
						Admissions Abortion	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge			
GHANA cont.																
Accra	1981-82	HS	4990	RS, W, del.adm	IND					34				Data: age, ed, ccep	0126	
Accra	1981-82	HS	4990	RS, W, del.adm	IND,SP					55					0126	
Accra	1981-82	HS	757	RS, del.adm W parity 2	IND					38.3	1.4			Data: ed	0126	
Hospital	1982-83	H	1871	ill+sp abo.adm.	ILL	17.5						3.7			0126	
Hospital	1982-83	H	1871	ill+sp abo.adm	ILL,SP							1.0			0126	
Rural	1972	CS	857*	W, 15-44	ABO				10.2					*3924 pregn.s; Data: age, socdem, parity, ccep	1276	
KENYA																
Nairobi	1971	H	1838	abo.adm	SE	16.6						1.3				1388
Nairobi	1972-77	H	99	matern.deaths	SE									22.2 Data: soc, med	0084	
Nairobi	1974	H	2070	abo.adm	SE	19.6						1.5				1388
Nairobi	1974-83	H	37021	abo.adm	ABO							0.3		Data: yearly, med, age, socdem resources; 80% of abo deaths due to ill abos	0170	
Nairobi	1975	H	3048	abo.adm	SE	20.0						1.5				1388
Nairobi	1976	H	3700	abos	ABO							0.3				1022
Nairobi	1976	H	290	10% RS abo.adm	ILL	7.6										1022
Nairobi	1978	H	1424	abo.adm.	SE	15.7						1.3		Data: med, age, soc.	0001	
Nairobi	1981	H	1832	abo.adm	ABO			59.4				0.3				0002
Nairobi	1981	HS	610	RS, 1/3 abo.adm	PIND	62.3						0.5		Data: age, socdem, ccep, prov, method, med, resources	0002	
Nairobi	1981	HS	610	RS, 1/3 abo.adm	IND*	35.6					1.4	0.9		*admitted; Data: prov,method, med, resources, age, socdem, ccep	0002	

6/10/2015 10:09:45 AM

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
						Admissions Abor	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge					
KENYA cont. National	1979	STA		pregnancies	ABO, SE				6								1097	
LIBERIA Monrovia	1984	CS	768	RS, W14-21, un-M	ABO					12.4							1224	
MALAWI Central region	1977	H	118	matern.deaths	ABO												1230	
MALI Bamako	1979-81	HS		W, del.adm obs.adm.	SP												0126	
Bamako	1984 P	H		abo.adm.	IND												0049	
National	1981-82	H	1031	abo.adm.	ILL	10.9	0.5*			9			1.8				Underest.; Data: soc, parity, resources, method, provider	
MAURITIUS Hospital	1970-72	H	2372	abo.adm	IND, SP								0.8				0081	
Hospital	1970-72	H	2289	abo.adm.	IND, SP								1.3				0081	
National	1961	H	1117	abo.adm	ABO				4.3							Data: yearly 1956-81;	0118	
National	1966	H	2132	abo.adm	ABO				8.0							Data: yearly 1956-81;	0118	
National	1968-72	STA		abo.deaths	SP, ILL												1000	
National	1970's			mat.deaths	ILL												0173	
National	1971	H	1738	abo.adm	ABO				8.3							Data: yearly 1956-81;	0118	
National	1972	H	751	abo.adm	ABO								1.5				0105	

BR ARCC SH.01.DA.FIN

UNSAFE ABORTION																		
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																		
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths					
		Admissions	GYN OBS	Live Births -	Pregnancies	Live Births	Women RepAge	Live Births	Matern Deaths	Ref. no.								
MAURITIUS cont.	1973	H*	2454	ind.abos	IND						1.2							
	1973	H	2013	abos	IND	90*									Underest.;*Health centres; Data: yearly 1973-81 *about; Data: yearly 1973-76	0071		
	1973-77	STA		abo.deaths	SP, ILL											1022		
	1976	H	2515	abo.adm	ABO			11.3							Data: yearly 1956-81	1000		
	1976	H	2515	abos	IND	90*									*about; Data: yearly 1973-76	0118		
	1977	H*	3878	ind.abos	IND						1.0				Underest.;*Health centres; Data: yearly 1973-81	0071		
	1977-81	H	14298	abo.adm	ABO			11.8			0.5				Data: yearly, age	0118		
	1977-81	STA		matern.deaths	ABO										50-60	0268		
	1981	H	3097	abo.adm	ABO			13.1			0.3				Data: yearly 1956-81;	0118		
	1981	H*	4037	ind.abos	IND						0.4				Underest.;*Health centres; Data: yearly 1973-81	0071		
	1985 P	H	3500*	ill.abo adm	ILL			15*							*over	0173		
	1970-72	H	1516	abo.adm	IND, SP						1.3				7 rural hosp.s	0081		
NIGERIA																		
Benin	1970-71	H	5000	RS, case notes	SE, IND										12.1		0036	
Benin	1973-85	H	3592	abo.adm	IND										116	20.6	1057	
Benin	1973-85	H	3592	abo.adm	ABO		26.6G	12.2D			1.0	126			22.4	Data: age, med	1057	
Benin	1973-85	CS	165	obs.deaths	ABO										124	22*	*% of obs. deaths	1084
Benin	1973-81	H	1972	abo.adm	IND	40.4					0.4						1277	

BQ 1500C SHA.09. F10V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.	
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
						Admissions Abortion	GYN OBS	Live Births -				Live Births	Women RepAge			
NIGERIA cont.																
Benin	1974-75	H	140	abo.adm	ABO			25.2G							0098	
Benin	1974-75	H	140	abo.adm	ILL	42	10.6G								0098	
Benin	1974-79	H	1418	abo.adm	ABO			28.4G	10.5D						0099	
Benin	1974-79	H	1418	abo.adm	IND	40.5	11.5G	4.3D							0099	
Benin	1981-82	HS		W, del.adm.	IND										0126	
Benin	1981-82	HS		W, del.adm	IND,SP										0126	
Ibadan	1962-71	H	183	matern.deaths	ABO										0097	
Ibadan	1962-71	H	183	matern.deaths	ILL										0097	
Ibadan	1965-67	H	1822	abo.adm	ABO										0491	
Ibadan	1976-78	H	1724	abo.adm	IND	9.9		49.8G							0202	
Ibadan	1976-78	H	1724	abo.adm	PPIND	20.4									1394	
Ibadan	1981-82	CS	841	W, 14-25, un-M	IND										1220	
Ibadan	1982	CS	841	RS, W14-25,un-M	IND										1161	
Ilorin	1972-86	H	53	ill.abo deaths	ILL	6.1		0.4	7.3			6.8	31	1	1161	
Ilorin	1972-86	H	12736	abo.adm	IND,SP							0.4	31	1	0195	
Ilorin	1983-84	H	852	abo.adm	IND	12			10.3			5.9			0491	
Lagos	1962-67	H	11300	abos	ABO			17.5*				11			0098	
Lagos	1963-67	H		abo.adm.	ABO											

BR ASOC SH.OA.OA.PA

BR RSCDC SH.ON.DC1.FMV

UNSAFE ABORTION																			
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																			
Region, Country or Area	Year	Data Characteristics					Frequency					Mortality					Notes	Ref. no.	
							as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
		Admissions Abor-tion	GYN OBS	Live Births -	Preg-nanc-ies	Live Births	Women RepAge	Live Births	Women RepAge	Live Births	Women RepAge	Case Fatality %	per 100,000	per 100,000	Live Births	Women RepAge	Live Births	Women RepAge	
NIGERIA cont.	1964-67	H	620	abo.adm	ABO		16.9G											Data: yearly	0491
	Lagos	1966-72	H	1238	abo.adm.	IND,SP			12.3				1.5	178				Admission serious cases;	0005
	Lagos	1966-72	H	14158	abo.adm	IND,SP			11.2				0.4	50				Data: yearly abo/live birth	0005
	Lagos	1967	H	134	abo.adm	ABO		14 G	13.5										0491
	Lagos	1967	H	134	abo.adm	SE	28.4	4 G											0491
	Lagos	1968-69	H	74	RS, abo.adm.	ILL	46												0005
	Lagos	1970	H	120	matern.deaths	ABO											5.0		1374
	Lagos	1972	H	1990	abo.adm	ABO				10.3D									0105
	Lagos	1972	H	229	abo.adm	ABO							1.3						0105
	Shomolu, Lagos	1982	CS	369	RS,W reprage, 1+children	ILL					5.6							Data: method, prov, ccep	0267
WESTERN NIGERIA	1972	H	93	matern.deaths	ABO									8*				*Hosp. deaths but total births in W. Nigeria	1336
	1973	H	119	matern.deaths	ABO									16*				*Hosp. deaths but total births in W. Nigeria	1336
	SIERRA LEONE																		
Freetown	1970-72	H	670	abo.adm	IND,SP								1.9					Maternity & Connaught Hosp.s	0081
	West	1972	H	244	abo.adm	ABO							2.5						0105
SOUTH AFRICA	Bloemfontein	1980-85	H	81	matern.deaths	ABO								490			17.2		1364
	Cape Province	1973-75	H	5069	abo.adm	ABO							0.1	140			35		0151

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.	
						as a Percent of			% of Women Ever/Abo's.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths			
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abortion	GYN OBS	Live Births	Pregnancies	per W Abort.	Live Births	Women RepAge	Matern Deaths			
SOUTH AFRICA cont.																
Cape Town	1960-65	H	9692	abo.adm	ABO,SE		29.7H							20.6	Data: annual, ethn, med, resources	1330
Cape Town	1960-65	H	136	matern.deaths	ILL*									7.4	*Admitted ill; Data: method	1330
Durban	1975-82	H	258	matern.deaths	ILL									18.6	Data: age, parity, med	0108
Edendale	1973-75	H	4154	abo.adm	ABO,ILL		13.6	16.00						12.7	Data: med, resources, soc.	0015
Edendale	1973-75	H	4154	abo.adm	SE									8.5		0015
National	1972-75	E	112000	ill.abos	ILL										E based on abo deaths in 255 hosp.s and E of 1% mortality	0706
Pietermaritzburg	1964-79	H	13	matern.deaths	ABO									30.8		0152
U. REP. TANZANIA																
	Dar es Salaam	1974-77	H	matern.deaths	SE,HAE									12.9		0129
	Dar es Salaam	1974-77	H	224	matern.deaths	ABO								16.1	Data: med	0092
	Dar es Salaam	1979-80	H	matern.deaths	SE,HAE									24.9		0129
	Dar es Salaam	1983-84	H	85	matern.deaths	SE,HAE								12.9		0129
	Kilimanjaro	1971-77	H	2168	abo.adm	ABO								7.5		0008
	Kilimanjaro	1971-77	H	2168	abo.adm	SE								5.0		0008
	Muhimbili	1974	H	abo.adm	ABO		20.3								Data: yearly 1974-79	0091
	Muhimbili	1975	H	abo.adm	ABO		48.6								Data: yearly 1974-79	0091
	Muhimbili	1977	H	abo.adm	ABO		53.9								Data: yearly 1974-79	0091
	Muhimbili	1979	H	abo.adm	ABO		57.8								Data: yearly 1974-79	0091

UNSAFE ABORTION Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																	
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths				
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions	GYN OBS	Live Births -	Pregnancies	Case Fatality %	per 100,000	Live Births	Women RepAge	% of all Matern Deaths			
U. REP. TANZANIA cont. Mwanza	1981-82	HS		W, del.adm	SP				15							0126	
National	1983-84	H	294*	matern.deaths	SE, HAE						36		16.5	*72% of all matern.deaths; all health institutions around 4 referral hospitals	0123		
Southern Highlands	1983	VAR	115	matern.deaths	SE								17.4		0122		
Southern Highlands	1983	VAR	115	matern.deaths	IND*								8.7	*known cases	0122		
UGANDA																	
Kampala	1962-65	H	4200	abos	ABO			13.4						Data: annual	0491		
Kampala	1967	H	1518	abos	ABO			13.1D			0			Data: yearly 1967-69	0374		
Kampala	1968	H	1830	abos	ABO			13.7D			0.1	15D		Data: yearly 1967-69	0374		
Kampala	1968-69	H	69	matern.deaths	ABO									11.6		0008	
Kampala	1969	H	2120	abos	ABO			14.5D			0.4	62D		Data: yearly 1967-69	0374		
Kampala	1970-72	H	5126	abo.adm	IND, SP						0.2			Mulago Hosp.	0081		
Kampala	1973-74	HS	1377	abo.adm weekday	IND	11.9									0374		
Kampala	1973-74	HS	1377	abo.adm weekday	ABO			57E*	32E		1.3	0.2		Data: socdem, med, resources, age, gest; *E high as based on "living children"	0374		
Kampala	1976	H	300	10% RS, abo.adm	ILL	8.0								Data: age, socdem, med	1022		
National	1966-67	H	420	matern.deaths	ABO						14*		3.6	*E 106'560 hosp. births	0040		
ZAIRE																	
Kinshasa	1972	H	3182	abo.adm	ABO		53.2G	7.2D			0.3	25D			0105		

BR RSCC SH.01.09. P12 v

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -				Live Births	Women RepAge			
ZAIRE cont. Kinshasa	1972	H	3182	abo.adm	SE	40										0105
Kinshasa	1976	H	270	10% RS, abo.adm	ILL	15.9										1022
Kinshasa	1978-79	H	1078*	non-L abo.adm	ABO											0171
Kinshasa	1978-79	H	1078	ill,sp abo.adm	ILL	22.4										1369
National	1982-84	H	2465	abo.adm	IND	25.1										0187
National	1982-84	HS	404	RS, abo.adm	IND	26			33.2							0187
ZAMBIA Lusaka	1974-75	H	54	matern.deaths	ABO											1235
Lusaka	1974-76	H	80	matern.deaths	ABO											1239
Lusaka	1974-76	H	80	matern.deaths	ILL											1239
Lusaka	1976	H	300	10% RS, abo.adm	ILL	33.7										1022
Lusaka	1977-80	H	12449	abo.adm excl.L	ABO			55.7G								0224
Lusaka	1977-80	H	12449	abo.adm excl.L	ILL	2.5	1.5G									0224
Lusaka	1977-78	H		matern deaths	ILL											0224
Lusaka	1977-80	H	12096	abo.adm	SE	2.8										1017
Lusaka	1982-83	H	60	matern.deaths	IND											0266
Lusaka	1982-83	CS	60	matern.deaths	ABO											1084
ZIMBABWE Harare	1976	H	56	matern.deaths	ILL											0025

DR DSCC SH.OA.OA.F13

UNSAFE ABORTION																
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	as a Percent of		% of Women Ever/A Abort.		Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies	Live Births	Women RepAge	Live Births	Women RepAge	Case Fatality %	per 100,000	Live Births	Women RepAge	% of all Matern Deaths		
ZIMBABWE cont.																
Harare	1976	H	56	matern.deaths	SE							106		32.1	Data: age, parity	1324
Harare	1983	H	51	matern deaths	IND									19.6		0180
Harare	1983	H	51	matern.deaths	SE							20		17.6		1384
Harare	1985 P	H	99	abo.pats	PIND	23.2		7.5D							Data: ccep	1287
Salisbury	1972-73	H	56	matern.deaths	ABO							0.7	56D	30.4	Black W only; Data: med	0083
Salisbury	1972-73	H	56	matern.deaths	SE							36D		19.6	Black W only; Data: med	0083
AMRO																
ARGENTINA																
Buenos Aires	1959-63	CS	1500	W, 15-44	ABO			19.0							Period data, study year 1969	0623
Buenos Aires	1964	CS		RS, WM repr.age	ABO			33.3	24.6							0833
Buenos Aires	1964	HS	600	RS,W 35-49,pats	IND				25							1392
Buenos Aires	1964	HS	532	WM, 25-49,pats*	IND			37.6	25.3						*WM among 1721 patients	1392
Buenos Aires	1964	CS		RS, WM repr.age	IND					25					Data: ccep	0833
Buenos Aires	1964-67	CS		W, 20-34	ABO			19.5							Period data, study 1969	0311
Buenos Aires	1964-67	CS		W, 35-44	ABO			35.3							Period data, study 1969	0311
Buenos Aires	1964-67	CS	1500	W, 15-44	SP,IND			28.4	21.7						Period data, retrospect.study 1969; Data:socdem, age 1-year data, study 1969	1249
Buenos Aires	1968	CS		W, 20-34	ABO			16.0	2.5A						1-year data, study 1969	0311
Buenos Aires	1968	CS		W, 35-44	ABO			31.6	1.6A						1-year data, study 1969	0311

BR-R3005 SH. 04.09.1985

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
						Admissions Abortion	GYN OBS	Live Births -				Live Births	Women RepAge					
ARGENTINA cont.																		
Buenos Aires	1968	CS	1500	W, 15-44	SP, IND			24.1	18.8	1.9A					1-year data, study 1969; Data: socdem, age	1249		
Buenos Aires	1968	CS	1363	W, 15-44	IND, SP			24.7	19.5						Retr-study 1968-69; Data: age, socdem	0622		
La Plata	1962-64	STA	18	matern.deaths	ABO				25.3			31		23.3	Data: age, socdem, med	0822		
National	1964			pregnancies	IND											0105		
National	1964 P			ill.abos	IND											0957		
National	1970	STA		matern.deaths	ABO							43		27.9		0125		
National	1978	STA		abo.deaths	ABO							26				0463		
National	1981	STA	472	matern.deaths	ABO							25		35.8		0191		
National	1982	STA	464	matern.deaths	ABO							27		39.9		0230		
National	1987 P	EA		ind.abos	IND				25							0219		
National	1988 P	E	400000	abos	IND											1042		
BARBADOS																0105		
Hospitals	1971	H	800	abo.adm	ABO			160				0.1				1000		
National	1968-72	STA		abo.deaths	SP, ILL								5			1000		
National	1973-77	STA		abo.deaths	SP, ILL								2			1000		
BOLIVIA																0105		
National	1969			pregnancies	IND										*1.2-8.5% of pregn.s	0088		
National	1972	H		abo.adm	ABO			20.20	5*						Social Security Hospitals	0088		

BLR 9300C SH.01.09. FM

UNSAFE ABORTION Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																		
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
						Admissions Abortion	GYN OBS	Live Births -				Live Births	Women RepAge					
BOLIVIA cont.																		
National	1983 P			matern.deaths	IND												1041	
National	1983-84	HS	4371	abo.adm	IND	22.7					0.6	130		27	Underest.; Data:age, region, socdem, parity, med, resources, prov, method, ccep	1041		
BRAZIL																		
Bahia, Salvador	1980	CS		W, 15-44	ABO				14.2	18.2							0115	
Bahia, rural	1980	CS		W, 15-44	ABO				8.2	21.8							0115	
Bahia, urban excl.Salvador	1980	CS		W, 15-44	ABO				10.2	20.8							0115	
Belo Horizonte	1968	H	4000	abo.adm	IND,SP		40 H								Large hospital		0081	
Campinas	1972-79	H	1836	abo.adm	IND	6.9									Data: med, resources		0305	
Caxias do Sul	1973	CS		pregnancies	IND				5.2								0115	
National	1964			pregnancies	IND,SP				18.2								0105	
National	1976	E	875000*	ind.abos	IND										*E 0.5-1.25 million; E based on abo.rate of 0.5-1.5/W and 1976 TFR		0115	
National	1980	CS		pregnancies	IND,SP				30								0182	
National	1980	STA	2551	matern.deaths	ILL										8.6 Data: age		1372	
National	1981 P	E	3000000	ind.abos	IND			80									0115	
National	1983	STA	2116	matern.deaths	ABO												0191	
National	1987 P	EA	3600000	ill.abos	ILL			95				10	*		*10'500 per100'000 Live births		0448	
Pernambuco, Recife	1980	CS		W, 15-44	ABO				16.3	20.2							0115	

BRASCO SH.OA.FMV

UNSAFE ABORTION

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge		
BRAZIL cont. Pernambuco, rural	1980	CS		W, 15-44	ABO				9.3	21.8					0115
Pernambuco, urban excl.	1980	CS		W, 15-44	ABO				13.3	20.1					0115
Recife															
Pernambuco State	1980	CS	1950	W, 15-44	IND,SP				11.7	20.7				Data: socdem, age, ccep, R-U	0009
Pernambuco State	1980	CS	1254	WM, 15-44	IND,SP					33.1					0009
Pernambuco State	1980	CS	1358	W, EM, 15-44	IND,SP					32.6					0009
Piaui, Teresina	1979	CS		W, 15-44	ABO				9.4	13.1					0115
Piaui, excl. Teresina	1979	CS		W, 15-44	ABO				8.4	19.3					0081
Porto Alegre	1968	CS	197	families	IND,SP				22.5						0081
Porto Alegre	1968	CS	197	families	IND				13.6						0081
Porto Alegre	1970	CS	1211	RS gyn.pats,WM, 15-49	IND				15.0	25.2	2.5			*Sao Jose area; Data: method, socdem	0616
Porto Alegre	1970	CS	1211	RS gyn.pats,WM, 15-49	SP,IND				27.6					*Sao Jose area	0616
Porto Alegre	1973	CS		pregnancies	IND				13.2						0115
Ribeirao Preto	1962-64	STA	5	matern.deaths	ABO				9.5	15.2				Data: age, socdem, med	0822
Rio Grande do Norte, urban	1980	CS		W, 15-44	ABO				8.4	18.0					0115
Rio Grande do Norte, rural	1980	CS		W, 15-44	ABO										0115
Rio Grande do Sul	1974-78	STA	633	matern.deaths	ABO									20 Only 2/127 identified sp.abo	0019
Rio de Janeiro	1963	CS		WM, 20-50	IND										0115
Rio de Janeiro	1963	CS	1585	W,20-25, 1+live birth	IND										1392

BR RXCD SH.01.09.F15

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A per W Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %				
		Admissions Abortion	GYN OBS	Live Births -	Live Births	Live Births	Women RepAge	Live Births			Women RepAge	% of all Matern Deaths			
BRAZIL cont.															
Rio de Janeiro	1964	CS	RS, WM reprage	ABO		16.7	14.1								0833
Rio de Janeiro	1969	CS	W, low income pregnancies	IND				22.5							0115
Sao Leopoldo	1973	CS		IND			4.6								0115
Sao Paulo	1962-64	STA	36	matern.deaths	ABO										0822
Sao Paulo	1965	CS		pregnancies	IND		6.2								0115
Sao Paulo	1965	CS		ABO			18.0								0115
Sao Paulo	1965-66	CS	2857	W, 15-49, M 1x	IND	7.3	5.8	10.7	1.8						Data: prov, gest, soc 0519
Sao Paulo	1965-66	CS	2857	W, 15-49, M 1x	SP, IND	22.3	17.8								0519
Sao Paulo	1970	CS		IND			6	9-11							0009
Sao Paulo	1978	CS		ABO			14.8								0115
Sao Paulo	1978	H	302	abo.adm	ABO	28									Hosp.Santo Andre; Data: age 0877
Sao Paulo	1982	H	672	abo.adm	ABO	56									Hosp.Santo Andre; Data: age 0877
Sao Paulo State	1978	CS	2803	W, 15-49	IND, SP		10.9	14.7*							* W, 15-44 0081
Sao Paulo State	1978	CS	1880	WM, 15-44	SP, IND			21.9							Data: R-U 0081
Sao Paulo, State of	1980	STA	397	matern.deaths	ILL										1372
Sao Paulo, rural	1978	CS		ABO				16.8							0115
Sao Paulo, urban excl. Sao Paulo city	1978	CS		ABO				14.1							0115
CANADA				ill.abo.deaths	ILL										
National	1960-65										0.6				0955

BR RJCOL SH.01.04.145V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.	
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
						Admissions Abortion	GYN OBS	Live Births -				Live Births	Women RepAge			
CANADA cont. National	1968-72	STA		abo.deaths	SP,ILL									0.2		1000
CHILE Antofagasta	1963-64	CS	651	RS, W 20-45	ABO				45.8	3.1						0303
Antofagasta	1963-64	CS	651	RS, W 20-45	IND				26.9	3.7						0303
Arica	1972-79	H	1131	abo.adm	IND	17.1			0.4	1	1.4					0305
Cautin, ethn. Mapuches	1969	CS	1200*	RS, W 15-44	IND				5.1							1217
Cautin, ethn. Mapuches	1969	CS	1200*	RS, W 15-44	IND,SP							126		40.4	Data: med, 1950-79	1217
Concepcion	1960-64	H	114	matern.deaths	SE,HAE				31.4	2.2						0303
Concepcion	1963-64	CS	1235	RS, W 20-45	ABO				14.9	2.0						0303
Concepcion	1963-64	CS	1235	RS, W 20-45	IND							87		37.4	Data: med, 1950-79	1164
Concepcion	1965-69	H	91	matern.deaths	SE,HAE							68		25.9	Data: med, 1950-79	1164
Concepcion	1970-74	H	85	matern.deaths	SE,HAE							126		45.5	Data: med, 1950-79	1164
Concepcion	1975-79	H	66	matern.deaths	SE,HAE			22.3							Data: resources, cost	0303
National	1960	H	57368	abo.adm	ABO							107	16	36.3	Data: yearly 1958-74	0110
National	1960	STA	833	matern.deaths	ABO							107	19	35.7		1168
National	1960	STA	48186	abo.adm / nat. stat.	ABO			17.1E		3.0A		109		37.2	Data: yearly 1960-69, prov.	0231
National	1960-64	STA	4351	matern.deaths	ABO								17			0955
National	1960-65			ill.abo.deaths	ILL											

BR R300 SH.0109.F16

UNSAFE ABORTION																	
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																	
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.							
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -	Pregnancies	Case Fatality %	per 100,000	Live Births	Women RepAge	% of all Matern Deaths			
CHILE cont.																	
National	1961	E	117947	abos	ABO				6.2A							E based on 47% hospitalization	0110
National	1964	H	56391*	abo.adm / nat. stat. ind.abo.adm / W 15-49	ABO			18.4		0.6	118			41.6	*866 matern.deaths; Yearly mortality data 1964-77	0161	
National	1964	STA	56391	abo.adm/W15-44	IND			21.2*		2.6A						Data: yearly 1956-65, R-U 1961-65	0300
National	1964-66	STA		pregnancies	IND				3.0A	0.6						*% of obs.adm;	1040
National	1965	E		W repr.age	IND				4.7A							Data: ccep, var. years 1964-83	0105
National	1965	STA	62807*	abo.adm/W repr. age	ABO				3.0A							*16.6-23.2%	
National	1965	H	56130	abo.adm / nat. stat.	ABO			20.7*	20.0							E based on hosp. data	0300
National	1965	E	147622	abos	ABO												
National	1965	STA	56130	abo.adm / nat. stat. pregnancies	IND			20.7*	18.2E	2.9A	0.5	99	16	35.6			1168
National	1965								29.6								1215
National	1965-69	STA	3432	matern deaths	ABO							89		37.2	Data: yearly 1960-69; prov	0231	
National	1966	E	139571	abos	ABO											E based on 45% hospitalization	0110
National	1967	E	150000	abos	IND			33									0102
National	1967			abo.adm	ABO			19.6*								*% of obs.adm.	0954
National	1967 P	H		hospital adm	ABO			8.1H									1392
National	1968	STA		matern.deaths	ABO							84		39.6	Data: 1963-68	1190	
National	1968	H	349	matern.deaths	ABO			68.4*		0.1*	87			65.9	*E 180'000 abortions	1383	

B.R. 1250C SH.01.09. F160V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths			
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abor	GYN OBS	Live Births -				Live Births	Women RepAge				
CHILE cont.																	
National	1970	E	137628	abos	ABO				5.9A		0.3	55			E based on 36% hospitalization	0110	
National	1970	H	44771	abo.adm	ABO		17.2*	18.3			0.4				*% of obs.adm; Data: yearly	0088	
National	1970	STA	44771	abo.adm/W 15-44	ABO		17.2*			2.1A	0.4	66	8	39.1	Data: 1964-73	1040	
National	1970	STA	44771	abo.adm / nat. stat.	ABO			17.2E		2.1A	0.4	43	5	32.6	Data: ccep, var. years 1964-83 ;% of obs.adm.	1168	
National	1973	STA	365	matern.deaths	ABO										Data: yearly 1958-74	0110	
National	1974	H	42160	abo.adm.	ILL		15*								*% of obs.adm.	0668	
National	1974	E	132000	ill.abos	ILL											0668	
National	1975	STA	42155	abo.adm / nat. stat.	ABO										Data: ccep, var.years 1964-83;	1040	
National	1980	STA	37217	abo.adm/W15-44	ABO		12.1*			1.8A	1.4A	0.3	48	5	36.3	*% of obs.adm.	1168
National	1980	STA	38199	abo.adm / nat. stat.	ABO			16.6E		1.4A	0.2	28	3	38.3	Data: annual 1980-86	0041	
National	1981 P	EA	50000	ill.abos	IND				2.5A						Data: ccep, var. years 1964-83	1040	
National	1982	STA	34340	abo.adm/W15-44	ABO		12.0*		1.2A						*% of obs.adm.	1040	
National	1982	STA		matern.deaths	ABO										Data: var. years 1964-83	1040	
National	1985	STA	32086	abo.adm / nat. stat.	ABO			12.1E		1.1A	0.1	17	1	24.7		1168	
National	1986	STA	91	matern.deaths	ABO										Data: annual 1980-86	0237	
Rural areas	1962	H		abo.adm, sample	ABO				34.3D						Data: 1940-64	0507	
Santiago	1960	STA		abo.adm/W repr. age	ABO				45.6						1 year data, study 1962	0209	
Santiago	1961	CS	1890	RS, W<49	ABO											0507	

BR RXOC SH. 04.04. FA

BR RJC/CN SH.DA.09.F17 V

U N S A F E A B O R T I O N
 Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av. No. of Abo's per W Abort.	Case Fatality %	per 100,000						
						Admissions Abortion	GYN OBS	Live Births -				Live Births	Women RepAge	% of all Matern Deaths				
CHILE cont.																		
Santiago	1961	CS	1890	RS, W<49	IND			22.6	4.3A						1-year data; study 1962	0507		
Santiago	1961	CS	1730*	W, 20-44	IND				15.5	4.5A					1-year data; *504 pregnancies	0868		
Santiago	1961	CS	1730*	W, 20-44	IND,SP				32.0	8.9A					1-year data; *504 pregnancies	0868		
Santiago	1962	H		abo.adm, sample	ABO			24.3D								0507		
Santiago	1962	CS	1890	RS, W<49	IND				26.2	2.8					Retrosp.study; 738 ind %W;	0507		
Santiago	1962	CS	1890	RS, W<49	SP,IND				46.3	2.5					Data:socdem, age, prov, method			
Santiago	1962	CS	1890*	W, 18-49	IND				15.6	4.7A					reason, ccep			
Santiago	1962	CS	1890*	W, 18-49	IND,SP				31.2	8.7A					Retrosp.study; 1170 abo %W	0507		
Santiago	1962 P	CS	580*	RS, W 20-45	IND					27	3.2				*Preliminary results of first	0875		
Santiago	1962 P	EA	50000	abos	IND										E based on prel.study & hosp.	0875		
Santiago	1962*	CS	1890**	W, 18-49	IND				16.6						*10-year period data;	0868		
Santiago	1962*	CS	1890**	W, 18-49	IND,SP				28.6						**4/577 pregn.s; 403 ind %W	0868		
Santiago	1962*	CS	1890	RS, W<49	ABO			40.1							*10-year period data;	0868		
Santiago	1962*	CS	1890	RS, W<49	IND			23.3							**4/577 pregn.s; 693 ind,sp %W			
Santiago	1962-64	CS	49	abo.deaths	ABO									22	*10-year period data	0507		
Santiago	1962-64	STA	92	matern.deaths	ABO									166	Data: age, socdem, med	0822		
Santiago	1964	STA	24427	abo.adm/W 15-44	ABO				5.1A						Data: Var. years 1964-83	1040		

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions	Abor	GYN OBS	Live Births	Pregnancies		Live Births	Women RepAge			
CHILE cont.	1964	H		abo.adm	ABO				37 D						Felix Bulnes Hosp.	0954
Santiago	1965 P	CS		W	IND										Data: socec	0833
Santiago	1965-68	CS	804	W, 25-39	IND					18.8					Period data for prosp. study group 1969-70; 55 ind %W	0868
Santiago	1965-68	CS	804	W, 25-39	IND,SP					29.6					Period data for prosp. study group 1969-70; 87 ind,sp %W	0868
Santiago	1965-68	CS	675	W, 25-39	IND					19.1					Period data, study 1969-70; 58 ind %W	0868
Santiago	1965-68	CS	675	W, 25-39	IND,SP					31.6					Period data, study 1969-70; 96 ind,sp %W	0868
Santiago	1966	CS	2388*	W, 20-44	IND					20.1	5.7A				1-year data; *646 pregnancies	0868
Santiago	1966	CS	2388*	W, 20-44	IND,SP					37.2	10.3A				1-year data; *646 pregnancies	0868
Santiago	1967 P	H		abo deaths	ABO											0957
Santiago	1967	STA	21685	abo.adm/W 15-44	ABO										Data: var. years 1964-83	1040
Santiago	1969-70	CS	804	W, 25-39	IND					33.6	3.6A				Prosp.study; Data: 1965-68	0868
Santiago	1969-70	CS	804	W, 25-39	IND,SP					48.2	10.9A				Prosp.study; Data: 1965-68	0868
Santiago	1969-70	CS	804	WM, 25-39	IND,SP					48.2	56					0081
Santiago	1969-70	CS	675	W, 25-39	IND,SP					34.3	7.1A				1-year data; Data: 1965-68	0868
Santiago	1969-70	CS	675	W, 25-39	IND,SP					20.7	4.3A				1-year data; Data: 1965-68	0868
Santiago	1969-70	CS	675	WM, 25-29	IND,SP					34.3	52.3					0081
Santiago	1970	STA	17991	abo.adm/W 15-44	ABO										Data: var. years 1964-83	1040
Santiago	1970's	EA		abos	ILL											0102

BR RSCOC SH-01.04-F18

WHO/MCH/90.14

Page 33

Lk RJCOC SH. 01.09. F 18 V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abortion	GYN OBS	Live Births				Live Births	Women RepAge			
CHILE cont.																
Santiago	1971	H		abo.adm	ABO			27.0						Felix Bulnes Hosp.	0954	
Santiago	1972	H	1587	abo.adm	ABO			20.4D						Felix Bulnes Hosp.	0954	
Santiago	1972-79	H	1701	abo.adm	IND	36.1								Data: med, resources	0305	
Santiago	1973-77	STA	410	matern.deaths	ABO									Data: yearly deaths	0090	
Santiago	1973-77	H	228	matern.deaths	ABO									Data: yearly deaths;several hosp.s	0090	
Santiago	1974	H	3393	abo.adm	ABO			29.1						Data: case fatality 1966-74	0233	
Santiago	1974	HS	597*	abo.adm	SP,IND			80.1	44.0		0.1	26		*2598 pregn.s incl pres.; Data: socdem cost, med, ccep,age, parity; Felix Bulnes Hosp.	0954	
Santiago	1974	HS	597*	abo.adm	SP,IND			38.3	27.3					*2001 previous pregn.; Data: ccep,age,parity;Felix Bulnes H	0954	
Santiago	1974	HS	597*	abo.adm	IND			18.6	13.3		0.2		*2001 previous pregn.;Data:age	0954		
Santiago	1976	STA	15329	abo.adm/W 15-44	ABO					1.7A				Felix Bulnes Hosp.		
Santiago	1980	STA	15818	abo.adm/W 15-44	ABO					1.5A				Data: var. years 1964-83	1040	
Santiago	1982	STA	14874	abo.adm/W 15-44	ABO					1.3A				Data: var. years 1964-83	1040	
Santiago province	1963	E		W, repr.age	IND					4.6A				E based on H; Data: 1965	0300	
Santiago province	1966	E		W, repr.age	IND					5.3A				E based on H; Data: 1964	1022	
Santiago, Quinta Normal	1962-63	CS	580*	RS, W repr.age	IND			36.1	23.2					*2617 pregn.s; Data: socdem, age; 1048 ind %W	1150	
Santiago, Quinta Normal	1962-63	CS	580*	RS, W repr.age	IND,SP			53.6	34.5					*2617 pregnancies; 1557 ind,sp %W	1150	
Santiago, Quinta Normal	1962-63	CS	448	RS, W repr.age	IND					35.3				Data: age, socdem, parity	1265	
Santiago, San Gregorio	1964	CS	1293*	W, 15-44	IND				14.9	4.9A				1-year data; *423 pregn.s; Data: ccep	0868	

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abor	GYN OBS	Live Births -				Live Births	Women RepAge			
CHILE cont. Santiago, San Gregorio	1964	CS	1293*	W, 15-44	IND, SP				31.0	10.1A					1-year data; *423 pregn.s; Data: ccep 1-year data	0868
Santiago, San Gregorio	1964	CS	6163	W	IND			44.3		2.0A						1383
Santiago, San Gregorio	1966	CS	1324*	W, 15-44	IND				12.2	2.9A					1-year data; *311 pregn.s; Data: ccep 1-year data; *311 pregn.s; Data: ccep 1-year data	0868
Santiago, San Gregorio	1966	CS	1324*	W, 15-44	IND, SP				26.7	6.3A						0868
Santiago, San Gregorio	1966	CS	6666	W	IND			37.9		1.3A						1383
Santiago, West distr.	1963	H	3752	abo.adm	ILL						0.5					0299
Santiago, West distr.	1964	CS	15467	IUD acceptors	IND			31.9		43	2.8				1200 ind %.W; Data: parity	0957
Santiago, West distr.	1964	CS	15467	IUD acceptors	SP, IND			45.3							1703 abo %.W	0957
Santiago, area*	1964	STA	5282	abo.adm/W repr. age	ABO					5.2A					*Working class distr.; Data: 1964-68, ccep	0209
Santiago, area*	1968	STA	3727	abo.adm/W repr. age	ABO					2.9A					*Working class distr.; Data: 1964-68, ccep	0209
Santiago, ethn.Mapuches	1962			ind.abos	IND					7					*519 pregnancies	0125
Santiago, ethn.Mapuches	1963	CS	102*	W,15-44	IND				10.7						*519 pregnancies	1217
Santiago, ethn.Mapuches	1963	CS	102*	W,15-44	IND, SP				23.9							1217
Santiago, zone V	1964	H		abo.adm	ABO			37D								0954
Santiago, zone V	1971	H		abo.adm	ABO			27D							Data: yearly 1970-76	0954
Talcahuano	1970	H	567	abo.adm	ABO			18.1D								1286
Talcahuano	1970-76	HS	305	10% RS abo.adm	SE, HAE	41.3									Data: yearly 1970-76	1286
Talcahuano	1976	H	520	abo.adm	ABO			14.0D							Data: yearly 1970-76	1286

BR R3C0C SH-01.09.F19

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.		
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths				
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge				
CHILE cont. Urban, 3 cities	1962-64	CS	3776	RS, W 20-45	ABO					41.3	2.6				1056 abos %W; Data:age,socdem, method, prov; Cities:Santiago, Conception, Antofagasta	0303	
Urban, 3 cities	1962-64	CS	3776	RS, W 20-45	IND					22.6	2.8				640 ind %W; Data:age, socdem, method, prov; Cities:Santiago, Conception, Antofagasta	0303	
Valdivia	1960	STA	583	abo.adm/W repr. age	ABO					3.6A					Data: yearly 1960-80; Fam.pl.progr. 1964	0041	
Valdivia	1970	STA	535	abo.adm/W repr. age	ABO					2.7A					Data: yearly 1960-80; Fam.pl.progr. 1964	0041	
Valdivia	1972-79	H	604	abo.adm	IND	25.3									Data: med, resources	0305	
Valdivia	1977-78	HS	604	RS, abo.adm	IND	36.1									Fam.pl.progr.1964; Data: soc, parity, ccep, med, method	0041	
Valdivia	1977-78	HS	604	RS, abo.adm	ABO										Fam.pl.progr. 1964	0041	
Valdivia	1980	STA	363	abo.adm/W repr. age	ABO					1.5A		1.6	0.3		Data: yearly 1960-80; Fam.pl.progr. 1964	0041	
COLOMBIA																	
Barranquilla	1969-71	H	4106	abo.adm	IND,SP					9.8			0.5		Univ. Hospital	0081	
Bogota	1958-62	CS	1500	W, 15-44	ABO										Period data, study year 1968	0623	
Bogota	1962-64	STA	62	matern.deaths	ABO									36.5	Data: age, socdem, med	0822	
Bogota	1963-66	CS		abos	ABO					11.5					Period data; Study 1968	0462	
Bogota	1963-66	CS		W, 20-34	ABO					12.4					Period data	0311	
Bogota	1963-66	CS		W, 35-44	ABO					13.5					Period data	0311	
Bogota	1963-66	CS	1500	W, 15-44	SP,IND				12.7	11.5					Period data,retrosp.study1968; Data:socdem, age *% of obs.adm	1249	
Bogota	1964	H	1709	obs.adm	ABO		17.3*	22.2								0301	

B2 R3C0C SH.04.09. F19v

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths			
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abor GYN OBS	Live Births -	Pregnancies	Live Births	Women RepAge	Live Births	Women RepAge	% of all Matern Deaths			
COLOMBIA cont.															0064	
Bogota	1964	STA		abos	ABO			11.5							0833	
Bogota	1964	CS		RS, WM repr.age	ABO			13.0	11.7						0833	
Bogota	1964	CS		RS, WM repr.age	IND					30					0301	
Bogota	1965	H	5738	abo.adm	IND	87	16.8								1186	
Bogota	1965	H	4738	abo.adm	ABO		18.5H	25.4			0.1	27	10.9		0301	
Bogota	1965-66	H	4808	abo.adm	ABO		17.8	24.8							0301	
Bogota	1965-66	H	4808	abo.adm	SE	8.1	1.4	2.0			4.4		32.7		0863	
Bogota	1965-69	H	25569	abo.adm	IND	82.6									1186	
Bogota	1966	H	5555	abo.adm	ABO		19.5H	28.0			0.5	126	32.9		0863	
Bogota	1966-67	HS	655	abo.adm	IND	67.2									1-year data	
Bogota	1967	CS		W, 20-34	ABO				13.8	2.2A					0311	
Bogota	1967	CS		W, 35-44	ABO				24.0	1.8A					0311	
Bogota	1967	CS	1500	W, 15-44	SP, IND				17.8	14.7	1.8A				1249	
Bogota	1968	STA		abos	ABO				14.7						0064	
Bogota	1970-78	H	2020	se.abo.adm	SE	3.7						10.4		40.3	Maternal & Child Institute	
Bogota	1970-78	H	54705	abo.adm	IND, SP		18 H					0.5	64	23.4		0081
Bogota	1971	H	64	matern.deaths	IND								102	41.0		1183
Bogota	1972	H	61	matern.deaths	IND										1183	

BR RSCOC SH. ON. DR. E 20

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency						Mortality				Notes	Ref. no.		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of				% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
						Admissions Abortion	GYN OBS	Live Births -	Pregnancies				Live Births	Women RepAge					
COLOMBIA cont.																			
Bogota	1973	H		abos	ILL			33									0140		
Bogota	1973	H	84	matern.deaths	IND								180		45.2		1183		
Bogota	1975	CS		abos	ILL			50									0064		
Bogota	1976-80	CS	263	matern.deaths	ABO								100		40		1084		
Bogota	1977 P	EA		pregnancies	ILL												0064		
Bogota	1977 P	H	30000	gyn+obs adm	ABO			20									0064		
Bogota	1977 P	H	30000	gyn+obs adm	SE	8	2						10				0064		
Bucaramanga	1968 P	H		abo.adm	ABO				1000								0301		
Caldas	1966-68	H	8835	gyn+obs adm	ABO		13.9	18.70					2.3	0.2		Data: age, socdem, med, method gest, cost	0953		
Caldas	1966-68	H	8835	gyn+obs adm	IND	15.5	2.2	2.90									0953		
Cali	1962-64	STA	97	matern.deaths	ABO											Data: age, socdem, med	0822		
Cali	1966-67	CS	1905	RS, W reprage	IND											684 ind %W; City 638'000 inh; Data:age, parity, socdem, prov	0301		
Cali	1968 P	H		abo.adm	ABO												0301		
Candelaria	1966-67	CS	142	RS, W reprage	IND											768 ind %W; Rural 7'600 inh; Data:age, parity, socdem, prov	0301		
Hospitals	1968-69	H	6292	abo.adm	IND,SP											11 hosp.s	0081		
Hospitals	1974-75	H	2923	abo.adm	IND,SP											9 hosp.s	0081		
Manizales	1964-65	H	5143	obs.adm	ABO		18.9*									*% of obs.adm	0301		
Manizales	1966-67	CS	1397	RS, W reprage	IND											967 ind %W; City 222'000 inh; Data:age, parity, socdem, prov	0301		

BR RJCOC SH. 01.09. P 20 v

UNSAFE ABORTION															
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons															
Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of				% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths	
COLOMBIA cont. Medellin	1963-72	H	104	matern.deaths	SE, HAE				13.6					38.5	Data: 1963-67, 1968-72 0074 0105
National	1965-66			pregnancies	IND										Data for three years of period 1000
National	1968-72	STA		abo.deaths	SP, ILL										0125
National	1969	STA		matern.deaths	ABO										Social Security Hospitals 0088
National	1972	H		abo.adm	ABO				18.3D						Data: med, resources 0305
National	1972-79	H	5255	abo.adm	IND	30.3									E based on 58'000 abo.adm. 0117
National	1974	E		ill.abos	ILL										1102
National	1974	H	58717	abo.adm	ABO										0081
National	1976	CS	5378	W, EM, 15-49	IND, SP										0463
National	1977	STA		abo deaths	ABO										0669
National	1979	E	225000*	ill.abos	ILL				29						1500 ill abo deaths 0140
National	1980 P	EA	250000	ill.abos	ILL										0191
National	1981	STA	969	matern.deaths	ABO										0219
National	1987 P	EA	280000	ind.abos	IND										1055
National	1988 P	E		abos	IND					15					0625
National, rural	1969	CS		W, 15-49	ABO					7.6					0081
National, rural	1969	CS	2736	W, 15-49, 1/3un-M	SP, IND					7.6	16.5				0625
National, urban	1969	CS		W, 15-49	ABO					11.1					

BR RSCC SH-01.09.F21

UNSAFE ABORTION																
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000 Live Births	% of all Matern Deaths			
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies	Live Births -	Women RepAge	Abort.	Abort.	per W Abort.	Live Births	Women RepAge	Matern Deaths			
COLOMBIA cont.																
Popayan	1966-67	CS	1001	RS, W repr. age	IND				11.6					570 ind %W; City 77'000 inh; Data:age, parity, socdem, prov *% of obs.deaths	0301	
Valle del Cauca	1982-84	STA	139	obs.deaths	SE									38.8*		1009
Valle del Cauca	1986	STA	31	matern deaths	ILL									38.7		0236
Valle del Cauca	1986	STA	31	matern deaths	ABO									61.3		0236
COSTA RICA																
National	1962-64			pregnancies	IND				11.1							0105
National	1964	STA	42964	abo.adm	ABO	12*			11.9					14	*% of obs.adm; Data: resources	1392
National	1964	CS	2132	W, 20-50	ABO											1392
National	1968-72	STA		abo.deaths	SP, ILL									1.9		1000
National	1972	STA		matern.deaths	ABO									13	13.1	0125
National	1972	H		abo.adm	ABO		14.4D									Social Security Hospitals
National	1973-77	STA		abo.deaths	SP, ILL									1.5	Data for four years of period	0088
National	1979	STA		abo.deaths	ABO									6		1000
National	1983	STA	1	abo.deaths	ABO									1		0463
National	1984	STA	3	abo.deaths	ABO									4		0191
San Jose	1963	CS		W, 20-49	ABO				12.0							0230
San Jose	1964	CS		RS, WM repr. age	ABO		19.1	16.1								0625
San Jose	1964	CS		RS, WM repr. age	IND				34						Data: ccep	0833
																0833

BR RSCC SH. 01.09.F.21

UNSAFE ABORTION																
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av. No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths			
		Admissions	Abortion	GYN OBS	Live Births -	Pregnancies	Live Births	Women RepAge	Live Births	per 100,000	Case Fatality %	per 100,000	Live Births	Women RepAge	Notes	Ref. no.
CUBA	National	1960	STA	matern.deaths	ABO(L)							14	2.2	11.6*	*% of obs.deaths; Data: age, 1960-84 Data for three years of period	0055
	National	1968-72	STA	abo.deaths	SP,ILL							22				1000
	National	1970	STA	ind.abos	ILL							22		30.5*	*% of obs.deaths; Data: age, 1960-84 Data for three years of period	0060
	National	1970	STA	matern.deaths	ABO(L)							1.4				1000
	National	1973-77	STA	abo.deaths	SP,ILL							0.1	14	24.7	Data: 1974-82	1122
	National	1974	STA	33718	non-legal abos	ABO		16.6				12		17.4*	*% of obs.deaths; Data: age, 1960-84 Data: 1974-82	0055
	National	1975	STA	33510	matern.deaths	ABO(L)						0.1	11	15.9	Data: 1974-82	1122
	National	1975	STA	non-legal abos	ABO		17.4					3				0463
	National	1978	STA	abo.deaths	ABO							15		29.1*	*% of obs.deaths; Data: age, 1960-84 Data: 1974-82	0055
	National	1980	STA	matern.deaths	ABO(L)							0.1	10	18.0	Data: 1974-82	1122
	National	1980	STA	24898	non-legal abos	ABO		18.2				10		22.3*	*% of obs.deaths; Data: age, 1960-84 Data: 1974-82	1107
	National	1980-83	STA	matern.deaths	ABO(L)							5		15.4*	*% of obs.deaths; Data: age, 1960-84 MNSA Hosp.	0055
	National	1984	STA	matern.deaths	ABO(L)											0416
DOMINICAN REPUBLIC	Hospital	1982-85	H	10576	abo.adm	ABO	11.8					0.9				1000
	National	1968-72	STA		abo.deaths	SP,ILL						4		4.0		0125
	National	1971	STA		matern. deaths	ABO						1.0			Data for three years	1000
	National	1973-77	STA		abo.deaths	SP,ILL										

b2 RJCOC SH.DA.OA.F22
WHO/MCH/90.14
Page 41

UNSAFE ABORTION																
Region, Country or Area		Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.
			Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths		
							Admissions Abor	GYN OBS	Live Births -	Pregnancies						
DOMINICAN REPUBLIC cont.	National	1978	STA		abo.deaths	ABO							5			0463
	National	1984	STA	120	matern.deaths	ABO										0191
	National	1984-85	H	24811	abo.adm	ABO		10.7*								0416
	National	1985	E	62500*	abos	ABO										0416
	National	1985	H	106	matern.deaths	ABO										0416
	Santiago	1973	H	80	abo.adm/month	IND,SP			14D							0827
	Santo Domingo	1973	H	270	abo.adm/month	IND,SP			18D							0827
	Santo Domingo + Santiago	1973	HS	200*	RS,PIND abo.adm	IND,SP				33						0827
ECUADOR	National	1967			pregnancies	IND,SP				11.1						0105
	National	1968-72	STA		abo.deaths	SP,ILL										1000
	National	1971	STA		matern.deaths	ABO										0125
	National	1972	H		abo.adm	ABO			16.2D							0088
	National	1978	STA		abo.deaths	ABO										0463
	National	1984	STA	384	matern.deaths	ABO										0191
EL SALVADOR	National	1958-63			pregnancies	IND				17.0						0105
	National	1968-72	STA		abo.deaths	SP,ILL										1000

BR RXOC SH.01.09. F 22 V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abor	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge			
EL SALVADOR cont.																
National	1969-73	H	42353	abo.adm	IND,SP		4.8 H								Hospitals and Health Centres	0081
National	1972	STA		matern deaths	ABO											0125
National	1972	H		abo.adm	ABO										Social Security Hosp.s	0088
National	1973-74	STA		matern.deaths	ABO											0761
National	1975	CS	1745	W, EM	ABO					20					Data: R-U	0761
National	1975	CS	2125	W, 15-44	SP,IND					14.8						0081
National	1975	CS	631	WM, 15-44	SP,IND					24.6						0081
National	1977	STA		abo.deaths	ABO											0463
National	1978	CS	2322	W, 15-49	SP,IND					6.1	13.3*				*W 15-44	0081
National	1978	CS	1476	WM, 15-44	SP,IND						19.9				Data: R-U	0081
National	1984	STA	99	matern.deaths	ABO											0191
San Salvador	1961 P	E		ill.abos	ILL											0875
San Salvador	1972-79	H	1465	abo.adm	IND	40.0									Data: med, resources	0305
San Salvador	1972-79	H	1585	abo.adm	IND	2.5									Data: med, resources	0305
San Salvador	1974	H	2838	abo.adm	IND	18.1										1284
San Salvador	1974	HS	206	10% RS,abo.adm	PILL	32.5										1284
San Salvador	1974	H	3485	abo.adm/W repr. age*	ABO					1.6A					*in area; Data: socdem	1284
Sonsonate	1974	HS	49	10% RS,abo.adm	PILL	24.5									Data: age	1284

B12 R5COC SH.01.09.14
WHO/MCH/90.14
Page 43

UNSAFE ABORTION																	
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																	
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.	
						as a Percent of			% of	Av.No. of	per 100,000			% of all Matern Deaths			
		Admissions	GYN OBS	Live Births -	Pregnancies	Women Ever/A	Abort.	Abort.	Case Fata- lity %	Live Births	Women RepAge	Deaths					
EL SALVADOR cont. Sonsonate	1974	H	463	abo.adm/W repr. age*	ABO				0.8A						*in area; Data: age, socdem	1284	
GUATEMALA Guatemala City	1962-64	STA	67	matern.deaths	ABO										Data: age, socdem, med	0822	
Guatemala City	1972-79	H	3207	abo.adm	IND	8.8									Data: med, resources	0305	
National	1964			pregnancies	ILL											0105	
National	1968-72	STA		abo.deaths	SP, ILL										Data for three years of period	1000	
National	1971	H		abo.adm	ABO										Social Security Hosp.s	0088	
National	1971	STA		matern.deaths	ABO											0125	
National	1978	STA		abo.deaths	ABO											0463	
National	1978	CS	2684	W, 15-49	SP, IND				5.4	10.6*					*W 15-44	0081	
National	1978	CS	2684	WM, 15-44	SP, IND					20.4					Data: R	0081	
National	1981	STA	326	matern.deaths	ABO							9			8.6	0191	
GUYANA																	
National	1971	H	1962	abo.adm	ABO			280				0.4	114D			0105	
National	1977	STA		abo.deaths	ABO							26				0463	
National	1979	STA	4	abo.deaths	ABO							17				0191	
HONDURAS Hospital	1962-63	H	602	abo.adm	ABO	17.5*				1.1					*% of obs.adm; Data: resources	1392	

BR ASOC SA.01.09.F23V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abor	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge		
HONDURAS cont.															
National	1962-63			pregnancies	IND				17.5						0105
National	1968-72	STA		abo.deaths	SP,ILL										1000
National	1971	H		abo.adm	ABO				22.2D						0088
National	1972	STA		matern.deaths	ABO										0125
National	1973-77	STA		abo.deaths	SP,ILL										1000
National	1978	STA		abo.deaths	ABO										0463
National	1982	STA	149	matern.deaths	ABO										0191
National	1983	STA	7	abo.deaths	ABO										0230
San Pedro Sula	1972-79	H	823	abo.adm	IND	3.2									0305
Tegucigalpa	1972-79	H	1114	abo.adm	IND	10.6									0305
JAMAICA															
Kingston	1964-68	H	10829	abo.adm	ABO				14.5						0154
Kingston	1964-68	H	82	matern.deaths	ILL	33*									0154
Kingston	1971	H	2586	abo.adm	ABO				18.4D						0105
Kingston	1971	H	5	abo.deaths	IND,SP										0081
National	1960-64	STA	593	matern.deaths	ABO										0154
National	1964-68		82	matern.deaths	ABO										0105
National	1968-72	STA		abo.deaths	SP,ILL										1000

UNSAFE ABORTION																		
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																		
Region, Country or Area	Year	Data Characteristics				Frequency						Mortality				Notes	Ref. no.	
						as a Percent of			% of Women Ever/A	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies	Live Births	Women RepAge	Abort.	per W Abort.	Case Fatality %	per 100,000	Live Births	Women RepAge	Abort.	per 100,000	Live Births	Ref. no.	
JAMAICA cont.																		
National	1977-79	STA	85	matern.deaths	ABO							6		11.8	Data: various periods 1950-83	1177		
National	1981-83	VAR	192	matern.deaths	IND							5		4.7		0321		
MEXICO																		
Merida	1979-80	HS	170	abo.adm	IND	7*										*In follow-up of 118/158 sp. abos 77% admitted ind.abo	1282	
Merida	1979-80	HS	170	abo.adm	ABO				100			1.6				Data:age, socdem, parity, gest, resources; At least 60% ind	1282	
Mexico City	1961	H		abo.adm	SP,ILL		12										1215	
Mexico City	1961	H		abo.adm	ABO			17 D								Hosp. de la Mujer	0875	
Mexico City	1961	H		abo.adm	IND			20 D								Hosp. Juarez	0875	
Mexico City	1962-64	STA	80	matern.deaths	ABO											Data: age, socdem, med	0822	
Mexico City	1964	CS		RS,WM repr.age	ABO			18.4	15.5								0833	
Mexico City	1964	CS		RS, WM repr.age	IND											Data: ccep	0833	
Mexico City	1964 P	HS	1000	RS, fam.pl.pats	ILL											Data:socec,method,prov, reason	0875	
Mexico City	1965	H		abo.adm	SP,ILL		25										1215	
Mexico City	1967-68	CS	1753	RS, W 16-49	IND,SP							26.7					0799	
Mexico City	1967-68	CS	1343	RS, W,EP, 16-49	IND,SP							34.8					0799	
Mexico City	1967-71	HS	61964	abo.adm	ABO		14					4.4A*					Data: socdem	0799
Mexico City	1967-71	HS	61964	abo.adm	PIND	80	11					3.5A*					**% of W 15-44 in Hosp.area; IMSS Hosp.s, low socec; Data: socdem	0799
Mexico City																**% of W 15-44 in Hosp.area; IMSS Hosp.s, low socec; Data:socdem,age	0799	

BR R30C SH-D1.09.C24

U N S A F E A B O R T I O N
 Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.	
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
						Admissions Abor	GYN OBS	Live Births -				Live Births	Women RepAge			
MEXICO cont. Mexico City	1967-71	EA	ind.abos	IND					12A*	3.1				*7-17.5%; E based on HS	0799	
Mexico City	1967-71	HS	3714*	abortees, ccep acceptors abo.adm	IND	64.5			34.9					*32'657pregn.s; retrosp.study; IMSS hosp.s, low socec	0799	
Mexico City	1970 P	H		obs.deaths	PIND										1215	
Mexico City	1971-74	H	129	abo.adm	SE									*% of obs.deaths	1334	
Mexico City	1972-79	H	340	abo.deaths	IND	3.8								Data: med, resources	0305	
National	1968-72	STA		abo.deaths	SP,ILL										1000	
National	1971	EA	700000	ind.abos	IND									E based on HS	0799	
National	1972	STA		matern.deaths	ABO										0125	
National	1972	H		abo.adm	ABO									Social Security Hosp.s	0088	
National	1976	STA		abo.deaths	ABO										0463	
National	1977 P			pregnancies	IND				13.9						0105	
National	1980 P	E	100000	ill.abo deaths	ILL									*More than 100'000	0102	
National	1982	STA	2166	matern deaths	ABO										0191	
National	1984 P	E	140000	ill.abo deaths	ILL										1244	
National	1987 P	EA	800000	ind.abos	IND										0219	
NICARAGUA																
Managua	1968-69	H	2746	abo.adm	ABO				13.90	12.1				Hospital General	0866	
Managua	1968-69	H	2746	abo.adm	ILL	1.8			0.20	0.2				Hospital General	0866	

UNSAFE ABORTION																		
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																		
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths					
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies	Live Births	Women RepAge	Live Births	Women RepAge	Case Fatality %	per 100,000	Live Births	Women RepAge	% of all Matern Deaths				
NICARAGUA cont.																		
National	1972	H		abo.adm	ABO			12.80							Social Security Hosp.s	0088		
National	1973-77	STA		abo.deaths	SP,ILL										Data for four years	1000		
National	1977	STA	4	abo.deaths	ABO							4				0191		
National	1979	STA		matern.deaths	ABO							13	1.2	9.5		0125		
PANAMA																		
National	1968-72	STA		abo.deaths	SP,ILL											1000		
National	1972	STA		matern.deaths	ABO							9	2.1	8.1		0125		
National	1974	STA		abo.deaths	ABO							2				0463		
National	1976	CS	3701	WM, 20-44	SP,IND				7.1							0081		
National	1977 P			pregnancies	IND,SP				30							0105		
Panama City	1959-63	CS	1500	W, 15-44	ABO				11.8						Period data, study year 1969	0623		
Panama City	1963	CS		W, 20-49	ABO				9.8							0625		
Panama City	1963-66	CS		W, 20-34	ABO				16.3	3.7A					Period data	0311		
Panama City	1963-66	CS		W, 35-44	ABO				26.0	1.1A					Period data	0311		
Panama City	1963-67	CS	1500	W, 15-44	SP,IND			20.3	16.5						Period data, retrosp.study 1969 ;Data:socdem, age	1249		
Panama City	1964	CS		RS,WM reprage	ABO				14.8	21.1						0833		
Panama City	1967	CS		W, 20-34	ABO				16.3	3.3A					1-year data	0311		
Panama City	1967	CS		W, 35-44	ABO				43.8	2.3A					1-year data	0311		

BR 1500 SH.01.09. F 251

U N S A F E A B O R T I O N
 Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths			
						Admissions Abortion	GYN OBS	Live Births -	Pregnancies		Live Births	Women RepAge				
PANAMA cont. Panama City	1968	CS	1500	W, 15-44	SP, IND			25.0	19.2	2.7A					1-year data, study 1969; Data: socdem, age Data: med, resources	1249 0305
Panama City	1972-79	H	1248	abo.adm	IND	53.4									Period data, study year 1971; *appr.	0623
PARAGUAY Asuncion	1961-65	CS	1500*	W, 15-44	ABO				11.5						Data: 1965-71, other areas	0625
Asuncion	1965	CS		W, 15-44	ABO				11.0	1.5A					Period data, retrospect.study 1971 ;Data:socdem, age; *appr.	1249
Asuncion	1966-69	CS	1500*	W, 15-44	SP, IND			24.5	19.2						Data: 1965-71, oth areas	0625
Asuncion	1969	CS		W, 15-44	ABO				23.7	3.5A					1-year data, study 1971; Data: socdem, age; *appr.	1249
Asuncion	1970	CS	1500*	W, 15-44	SP, IND			28.9	22.3	3.3A					Data: 1965-71, oth. areas	0625
Asuncion	1971	CS		W, 15-49	ABO				14.6							0105
Asuncion				pregnancies	IND				19.0							1000
National	1961-65															0125
National	1968-72	STA		abo.deaths	SP, ILL											0088
National	1971	STA		matern.deaths	ABO										Social Security Hospitals	0088
National	1971	H		abo.adm	ABO			18.2D							Data for four years of period	1000
National	1973-77	STA		abo.deaths	SP, ILL										Data: R-U, soc	0772
National	1977	CS	1233	W, EM, 15-44	SP, IND											0081
National	1977	CS	2048	W, 15-44	SP, IND											0463
National	1978	STA		abo.deaths	ABO											0191
National	1984	STA	155	matern.deaths	ABO											

BR PSCOC SH. OM.DA. F 26

U N S A F E A B O R T I O N
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %			% of all Matern Deaths		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions	GYN OBS	Live Births -			Live Births	Women RepAge				
PERU																
Cerro de Pasco	1968 P	CS		W	ABO				5.3	20						0102
Lima	1961-65	CS	1500	W, 15-44	ABO				8.0							0623
Lima	1962-64	STA	84	matern.deaths	ABO											0822
Lima	1964	CS		W, 20-44	ABO			17.5		30						0102
Lima	1964	CS	500*	RS, W, 20-39	ABO				15							1264
Lima	1964	CS	500*	RS, W, 20-39	PIND				5							1264
Lima	1965-68	CS		W, 20-34	ABO				10.8							Period data
Lima	1965-68	CS		W, 35-44	ABO				19.1							0311
Lima	1965-68	CS	1500	W, 15-44	SP, IND			14.4	12.3							Period data,retrosp.study 1970 ;Data:socdem, age
Lima	1967 P	HS	939	W	ABO			17.8								0102
Lima	1967 P		500	W, 20-39	IND				5							1392
Lima	1969	CS		W, 20-34	ABO				21.4	4.8A						0311
Lima	1969	CS		W, 35-44	ABO				25.0	1.6A						0311
Lima	1969	CS	1500	W, 15-44	SP, IND			29.4	22.7	3.2A						1-year data, study 1970; Data: socdem, age
Lima	1972-79	H	1844	abo.adm	IND	3.5										Data: med, resources
National	1960			pregnancies	IND				5.5*							*3.8-7.2%
National	1968-72	STA		abo.deaths	SP, ILL											1000
National	1970			matern.deaths	ABO											0125

BR RXCOC SH. 01.09. F 26 V

U N S A F E A B O R T I O N
 Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.
						as a Percent of			% of Women Ever/A per W Abort.	Av.No. of Abo's. per W Abort.	Case Fatal- ty %	per 100,000	% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abor- tion	GYN OBS	Live Births -	Preg- nanc- ies			Live Births	Women RepAge		
PERU cont.	1977	H	9287	abo.adm	ABO	84.7	10.2	13.7			0.2	28	20.7	Data: med, distr.	0102
National	1977	H	9287	abo.adm	IND		8.6	11.6						Data: distr.	0102
National	1978	STA		abo.deaths	ABO		10.5	14.3			0.3	43	25.9	Data: med, distr.	0463
National	1978	H	4651	abo.adm 6months	ABO	82.9	8.7	11.8						Data: distr.	0102
National	1978	H	4651	abo.adm 6months	IND							11	12.5		0191
National	1982	STA	576	matern deaths	ABO								21.4	Data: med, gest.	1160
National	1985	H	168	matern.deaths	SP, IND								16.1		1160
National	1985	H	168	matern.deaths	ILL										
PUERTO RICO	1968-72	STA		abo.deaths	SP, ILL								0.2		1000
National	1973-77	STA		abo.deaths	SP, ILL								0.3	Data for three years of period	1000
TRINIDAD AND TOBAGO	1968-72	STA		abo.deaths	SP, ILL										
National	1973-77	STA		abo.deaths	SP, ILL								8.2	Data for three years of period	1000
National	1977	STA		abo.deaths	ABO								4.9	Data for four years of period	0463
National	1981	STA	13	abo.deaths	ABO								33		0191
National	1983	STA	8	abo.deaths	ABO								41		0230
Port of Spain	1964 P	H		abo.adm	ABO				34.6				24		0105
														Data: cost	

BRASOC SH.01.09. F 2A

UNSAFE ABORTION																
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies							Live Births	Women RepAge			
TRINIDAD AND TOBAGO cont. Port of Spain	1971	H	2803	abo.adm	ABO			350								0105
URUGUAY Montevideo	1964 P			ill.abos	ILL			300								0955
National	1968			pregnancies	IND											0105
National	1968-72	STA		abo.deaths	SP,ILL				32.6							1000
National	1971	STA		matern deaths	ABO											0125
National	1973-77	STA		abo.deaths	SP,ILL										Data for four years of period	1000
National	1978	STA		abo.deaths	ABO											0463
National	1984	STA	5	abo.deaths	ABO											0191
National	1985	STA	23	matern.deaths	ABO											0230
USA																
Atlanta	1969	H	96	L+ill abo.adm	ILL	68.8		1.1								0362
Atlanta	1970	H	204	L+ill abo.adm	ILL	34.8		1.2								0362
Atlanta	1971	H	585	L+ill abo.adm	ILL	15.7		1.6								0362
Atlanta	1972	H	1272	L+ill abo.adm	ILL	3.8		0.9								0362
California	1957-62	STA	551	matern deaths	IND										15.4	1351
California	1957-62	STA	551	matern deaths	ABO										19.6 excl. 1 therapeutic abo.	1351
California	1957-65	HS	1063*	matern.deaths	ILL										21.0 1063/1288 reported; Data: socec, method, prov, parity, age, med, resources	0874

BR RSCC SH. ON.09. F22v

U N S A F E A B O R T I O N
 Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av. No. of Abo's per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge		
USA cont. California	1958-64	EA	100000	ill.abo.deaths	ILL			26.7	18.3						0874
California	1967			matern.deaths	ABO			11.90							0033
Chattanooga	1964-65	H	738*	abo.adm, non-L	ABO			2.8	3.4D						1332
Chattanooga	1964-65	H	738*	abo.adm, non-L	SE			2.6	3.1D						1332
Chattanooga	1964-65	H	738*	abo.adm, non-L	ILL										1332
Detroit	1960's*	H	662	septic abos	SE										*two year period
Georgia	1960-64	STA	270	matern deaths	ILL										0247
Georgia	1963-72	H*		matern.deaths	ABO										0247
Georgia	1965-69	STA	177	matern deaths	ILL										0366
Los Angeles	1966	H	648	L+se abo.adm	SE	99.6		7.2							0366
Los Angeles	1967	H	645	L+se abo.adm	SE	98.9		7.7							0366
Los Angeles	1968	H	828	L+se abo.adm	SE	84.6		7.1							0366
Los Angeles	1969	H	1146	L+se abo.adm	SE	48.8		5.6							0366
Los Angeles	1970	H	3774	L+se abo.adm	SE	8.1		3.1							0366
Michigan	1960-64	STA	120	abo deaths	ABO			30							0462
National	1960's	EA	1000000	ill.abos	ILL										0247
National	1960-64	STA		matern deaths	ILL										0514
National	1964 P	E	1000000	ill.abos	ILL										

B2 R5COC SH.01.09. F28

BR RSCOC SH.01.09.F28 V

U N S A F E A B O R T I O N
 Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	per 100,000		% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abor-tion	Admissions Abor-tion	GYN OBS	Live Births -			Live Births	Women RepAge			
USA cont.	1965-67	STA	matern deaths	ILL							5		16.7	Data:ethn	0247
National	1967	E	829000	ill.abos	ILL			23.5	20-25					E based on N.C. study	0401
National	1967 P	E	.3-2mil	ill.abos	ILL								0.3	Data: age, socdem	1393
National	1968	STA		abo deaths	ABO									Data:yearly 1968-73, ethn	0094
National	1968 P	E	5000	abo.deaths	ILL								0.4	E 1'200'000 ill.abos	0872
National	1968-69	STA	111	ill.abo deaths	ILL				20					Data:yearly 1970-82	0192
National	1968-72	STA		abo.deaths	SP,ILL										1000
National	1971	STA	65	ill.abo deaths	ILL									Data:yearly 1968-82	0192
National	1971	STA		abo deaths	ABO									Data:yearly 1968-73, ethn	0094
National	1972	STA	90	abo.deaths	ILL									43% ill.abos (39);Data:1972-83	0397
National	1972	E	130000	ill.abos	ILL								0.03	39 deaths and E ill. abos	0550
National	1975	STA	5	ill.abo deaths	ILL									Data:yearly 1968-82; +1 PILL	0192
National	1975	STA	48	abo.deaths	ILL									8% ill.abos (4); Data: 1972-83	0397
National	1975-77	STA	8	ill.abo deaths	ILL										0286
National	1975-79	EA	11300*	ill.abos	ILL									*E range 5'000-23'000	0023
National	1976	STA	3	ill.abo deaths	ILL									Data: 1972-76	0471
National	1978	STA		ill.abos	ILL										0103
National	1980	STA	17	abo.deaths	ILL								0.05	6% ill.abos (1); Data: 1972-83	0397

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/Abo's.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge			
USA cont. National	1983	STA	14	abo.deaths	ILL										7% ill.abos (1); Data: 1972-83	0397
National	1985	STA	1	ill.abo deaths	ILL										*E 25 deaths	1043
New York City	1960-70	EA	50000	ill.abos	ILL											0253
New York City	1962	H		abo.adm	SP,ILL											1215
New York City	1963			matern.deaths	ABO											0033
New York City	1965-67	CS	889	WM, 18-38	ILL										*abo attempts; Data: method	0253
New York City	1968	CS*	1251	W, 18-44	ILL										*RRT; Data: ethn.	0483
North Carolina, urban	1962-64	STA	1	matern.deaths	ABO										Data: age, socdem, med	0822
San Francisco	1969-73			matern.deaths	ABO											0033
Texas	1977	H	180	abo.adm	ILL	5										0341
Texas																1215
VENEZUELA	1959-63	H	41816	abo.adm	ABO		19.9									0822
Caracas	1962-64	STA	46	matern.deaths	ABO											0833
Caracas	1964	CS		RS, WM repr.age	ABO											1271
Caracas	1964	H		abo.adm	ABO		19.6	25								0833
Caracas	1964	CS		RS, WM repr.age	IND										Data: ccep	
Caracas	1964-72	H	471715	obs.adm	ABO		17.5*	22.0							*% of obs.adm.; Data: method	0004
Caracas	1964-72	H	471715	obs.adm	SE										Data: yearly, method	0004

UNSAFE ABORTION																	
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																	
Region, Country or Area	Year	Data Characteristics				Frequency						Mortality				Notes	Ref. no.
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths			
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies	Live Births	Women RepAge	Matern Deaths	Ref. no.								
VENEZUELA cont.																	
Caracas	1964-68	H	49652	abo.adm	ABO	20.1			0.2		41.2	Data: 1939-70, parity	1215				
Caracas	1969-70	H	21840	abo.adm	ABO	20.2			0.2		27.6	Data: 1939-70, parity	1215				
Caracas	1969-70	H	123	matern.deaths	SE						20.3	Data: 1939-70	1215				
Caracas	1973	H		abo.deaths	IND,SP						70	Concepcion Palacios Maternity	0081				
Caracas area	1960-64		242	matern.deaths	ABO						39	38.7	Data: 5 year intervals 1950-69	1271			
Caracas area	1960-64		242	matern.deaths	SE						35	34.7	Data: 5-year intervals 1950-69	1271			
Caracas area	1965-69		236	matern.deaths	ABO						36	44.8	Data: 5 year intervals 1950-69	1271			
Caracas area	1965-69		236	matern.deaths	SE						32	40.2	Data: 5-year intervals 1950-69	1271			
Hospitals	1976-78	H	899	abo.adm	IND	1.4										0202	
Hospitals	1976-78	H	899	abo.adm	PPIND	53.5						0.02	Data: socdem, med, resources	0202			
Maracaibo	1961-67	H	84	matern.deaths	SE						34	27.4	Data: age	0221			
Maracaibo	1961-67	H	84	matern.deaths	SE,HAE						40	32.1	Data: age	0221			
National	1968			pregnancies	IND,SP		19.6									0105	
National	1968-72	STA		abo.deaths	SP,ILL							3.4				1000	
National	1972	STA		matern deaths	ABO						23	24.2				0125	
National	1972	H		abo.adm	ABO		16.90						Social Security Hospitals			0088	
National	1973-77	STA		abo.deaths	SP,ILL							2.4	Data for four years			1000	
National	1978	STA		abo.deaths	ABO						13					0463	

B.R. 4300C SA.01.D9.F29V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -				Live Births	Women RepAge			
VENEZUELA cont. National	1983	STA	303	matern deaths	ABO							12		19.8		0191
EMRO																
EGYPT																
Alexandria	1962-71	H	29246	abo.adm	ABO		25.8H	53.7D							Shatby Hosp.	0174
Alexandria	1965	H		abo.adm	ILL,SP			58.8							Shatby Hosp.	0174
Alexandria	1965	H	2569	abo.adm	ABO		36.7	57.9D							University Hosp.	0075
Alexandria	1971 P	HS		pregnancies	ABO				28.4						Shatby Hosp.; retrosp. study	0174
Alexandria	1972 P	PP		pats, repr.age	ABO					38.5						0174
Alexandria	1972 P	PP		pats, repr.age	IND					25.7						0174
Alexandria	1974-77	HS	5171*	RS, abo.adm	ILL				1.0	0.8					*13'584 previous pregn.s (incl. 5 ther.abos)	0174
Alexandria	1974-77	HS	5171*	RS, abo.adm	ABO				28.9	22.1					*13'584 previous pregn.s (incl. 5 ther.abos); Data:socdem, med	0174
Alexandria	1974-77	HS	5171*	RS, abo.adm	ABO				78.7	43.5					*18'750 pregn.s (incl.18 ther. abos), incl. pres. pregn.	0174
Alexandria	1974-77	HS	5171	RS, abo.adm	ILL*	2.9									*admitted ill.; Data: socdem, method, med, method, med	0174
Alexandria	1974-77	HS	5031*	RS, previous abortees	ILL										* Appr.19'800 pregn.s; Data: socdem, ccep, method, med	0174
Alexandria	1974-77	HS	5031*	RS, previous abortees	ABO										*Appr. 19'800 pregn.s; Data: socdem, med, ccep, method	0174
Alexandria	1974-77	H		abo.adm	ABO				68.4	39.6						1046
Alexandria	1974-77	H		abo.adm	IND	5.6										1046
Alexandria	1974-77	H		abo.adm	ILL											1046
Alexandria	1974-77	H		abo.adm												1046
Alexandria	1974-77	H		abo.adm												1046
Alexandria	1974-77	H		abo.adm												

BR RCSOC SH.01.09.F30

WHO/MCH/80.14

U N S A F E A B O R T I O N
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -				Live Births	Women RepAge			
EGYPT cont. Alexandria	1978 P	CS	995	RS, W postpartum	ABO				16.5							1188
Cairo	1967	H	1840	abo.adm	ABO		33.2	49.60							Ain Shams Hosp.	0075
Cairo	1969	HS	500*	RS, abo.adm	IND			2.5	2.0						Retrosp.study; *2104 previous pregn.s; 84 ind%W; Data: age	0075
Cairo	1969	HS	500*	RS, abo.adm	ABO				28.9	22.4					Retrosp.study; *2104 previous pregn.s; 944 abos%W; Data: age, socdem, med, gest	0075
Cairo	1969	HS	610*	RS, fam.pl.pats	ABO				20.8	16.8					Retrosp.study; *3695 pregn.s; 1015 abos%W	0075
Cairo	1969	HS	610*	RS, fam.pl.pats	IND				6.9	5.5					Retrosp.study; *3695 pregn.s; 334 ind%W	0075
Cairo	1969	HS	300*	RS, del.adm	ABO				14.1	12.4					Retrosp.study; *1356 previous pregn.s; 560 abos%W; Data: age, socdem	0075
Cairo	1969	HS	300*	RS, del.adm	IND				3.5	3.1					Retrosp.study; *1356 previous pregn.s; 140 ind%W; Data:age	0075
Cairo	1969	PP	500*	RS, priv.pats, multiparous	ABO				25.6	20.4					Retrosp.study; *1247 pregn.s; 508 abos%W	0075
Cairo	1969	PP	500*	RS, priv.pats, multiparous	IND				8.1	6.4					Retrosp.study; *1247 pregn.s; 160 ind %W	0075
Cairo	1969	H	1620	abo.adm	ABO		36.5*	57.60				0.1			* % of obs.adm.; Data: med; Ksar-El-Aini Hosp.	0075
Cairo	1969	H	1620	abo.adm	SE	10.1	3.7					0.1				0075
Cairo	1971 P	PP	2600	priv.gyn.pats	IND					21.2						1358
Cairo	1971 P	PP	2600	priv.gyn.pats	ABO					38.5						1358
Cairo	1972 P	H		gyn+obs adm	IND		35.5								Cairo Univ. Hosp.	0174
Cairo	1973-74	H	388	abo.adm	IND, SP										El Galaa Hosp.	0081
Cairo	1974 P	H	388	abo.adm	IND	37.6									Data: age, med, parity, gest, ccep	1382

BR RSCD C SH. 04.09. F 30 V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.	
						as a Percent of			% of Women Ever/A	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths			
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions	Abortion	GYN OBS	Live Births	Pregnancies		Live Births	Women RepAge				
EGYPT cont. Cairo	1975-76	H	9	abo.deaths	ABO									9.8	Gala & Hussein Hosp.	1046	
Cairo	1979-83	H		abo.adm	SE	3.9											1046
Cairo	1980-84	H	3	abo.deaths	ABO									3.4		1046	
Cairo, Mansoura, Banha Hospital	1964-73		1158	matern.deaths	ABO									6.1		1155	
Menoufia	1972 P	H	800	abo+del adm	IND											0105	
Menoufia	1981-83	CS	437	matern.deaths	ABO									4		1084	
Menoufia	1981-83	CS	437	matern.deaths	SE, HAE									3.9		1151	
Menoufia Govenorate	1981-83	STA	385	matern.deaths	IND									1.6		1363	
Menoufia Govenorate	1981-83	STA	385	matern.deaths	ABO									5.5		1363	
National	1968-72	STA		abo.deaths	SP, ILL									1.1	Data for three years of period	1000	
National	1973	STA	1158	matern.deaths	ABO									6.1		0056	
National	1973	STA	71	abo.death	ABO*									6	*incl. 2 legal abo deaths	1156	
National	1973	STA	69	non-L abo.death	ABO									6.2		1046	
National	1973-77	STA		abo.deaths	SP, ILL									0.7	Data for three years of period	1000	
National	1979	CS		RS	ABO											0174	
National	1979	CS		RS	IND									10		0174	
National	1982 P	CS	12970	W,EP, 16+	IND									8.5	Data: R-U, pregn.wastage	1106	
National	1982 P	CS	12970	W,EP, 16+	IND, SP									10.1	1.4	Data: R-U, pregn.wastage	1106

BR ASOC SH.01.09.F31

U N S A F E A B O R T I O N
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

UNSAFE ABORTION																		
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																		
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.			
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.								
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -	Pregnancies		Case Fatality %	per 100,000 Live Births	per 100,000 Women RepAge	% of all Matern Deaths				
EGYPT cont.																		
National	1986 P	H	4	ind.abo	IND										5*	*4.1-6.1%	0060	
Shobra	1980-85	H		abo.deaths	ABO										5.7		1046	
Tanta	1971-73	H		abo.adm	ABO										0.9		1156	
Tanta	1971-73	H		septic abos	SE	13.6									5.7		1046	
Upper Egypt	1981-85		24	abo.deaths	ABO										5.2		1046	
Upper Egypt	1984-85	HS	73	matern.deaths	ABO										12	4.1 Prosp. study	0056	
Upper Egypt, 3 govern.*	1981-83	HS	386	matern.deaths	ABO										106	5.4 *Assiut, Suhag, Kena	1155	
Upper Egypt, Assiut	1981-83	H	105	matern.deaths	ABO										194	12.3	1155	
Upper Egypt, Kena	1981-83	H	83	matern.deaths	ABO										80	4.8	1155	
Upper Egypt, Suhag	1981-83	H	198	matern.deaths	ABO										49	2.0	1155	
Village, Al Beheira	1969-70	CS	132*	WM, pregnant	ABO											Prosp. study; *of 340 WM 15-45 Data: age, parity, gest Retrosp.study		
Village, Alexandria area	1970 P	CS		WM, 15-45	ABO											1191		
IRAN, ISLAMIC REP. O																		
Fars Province, S. Iran	1970-76	H	96	matern deaths	SE											7.3		1335
National	1972 P			ind.abos	IND												1067	
Shiraz	1963-69	H	96	matern.deaths	ABO												0585	
Teheran	1960	H	1446	abo.adm	ABO											Data: yearly 1960-67	1258	
Teheran	1967	H	7701	abo.adm	ABO											Data: yearly 1960-67	1258	

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths			
		Type of Data -	Number or Sample Size	Study Group	Type of Abortion	Admissions Abor	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge			
IRAN, ISLAMIC REP. O cont. Teheran	1968-69	HS	1009	abo.referrals	SP,IND					1.7				Data: age, parity, gest	1258	
Teheran	1968-69	HS	1009	abo referrals	PIND	43										1258
Teheran	1969-70	H		Fam.pl.records	IND									Lower middle class mainly	1067	
Teheran	1972	CS	452	W, pregnant	IND,SP				24.3					Pros. study; high socec	1067	
Teheran	1972	CS	452	W, pregnant	IND				13.1					Pros. study; high socec	1067	
Teheran	1973-74	HS	99*	abo.adm	IND			10.8	7.4					*469 prev. pregn.s; Data:age	0516	
Teheran	1973-74	HS	99*	abo.adm	SP,IND			72.8	41.4		2.4			*469 prev.pregn.s + pres. abo	0516	
IRAQ Baghdad	1964-70	H	5	abo.deaths	IND,SP									9.4 Karkh Maternity Hosp.	0081	
Basrah area	1980 P	CS	4813	W, repr.age	ABO				2.6	12.6				Data: age, parity, socdem, ccep, pregn. wastage	1270	
JORDAN Jerusalem	1964	H		abo.adm	IND	90	28.5							*admitted	1391	
Jerusalem	1967 P	PP	1000	priv.pats	ILL*					7.8						1391
Jerusalem	1967	H	1000	W, fam.pl.clin	ILL*					7.7						1391
Jerusalem	1967	PP	1000	priv.pats	ABO					22.5						1391
Jerusalem	1967	H	1000	W, fam.pl.clin	ABO					45.5						0174
National	1967 P	H		gyn+obs adm	ABO			31.7								
KUWAIT National	1969-73	H	18300	abo.adm	ABO			16.3	23.9			0.01	3	4.3 Data: yearly	0106	

UNSAFE ABORTION Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000				
						Admissions Abor-tion	GYN OBS	Live Births -				Live Births	Women RepAge	% of all Matern Deaths		
KUWAIT cont.																
National	1972 P	H	8000	abo.adm.	SP,ILL			25							0174	
National	1973-77	H	21018	abo.adm	SP,PIND			20.00		2.6	0.01	20			0389	
Private hospitals	mid 70s	H	1095	abo.adm	ABO			18.90							0389	
LEBANON																
Beirut	1961-71	H	3190	abo.adm	IND,SP						0.5			American Univ. Hosp.	0081	
Beirut	1971-82	H	45	matern.deaths	ABO							11		8.9		1309
Beirut	1971-82	H	45	matern.deaths	SE							6		4.4		1309
MOROCCO																
National, hospitals	1962	STA	20	abo.deaths	ABO							4				0777
PAKISTAN																
Hyderabad	1961-64	H	2091	abo.adm	SP,IND	19.9	50.00				0.2	960		5.6	Data: yearly	0010
Hyderabad	1961-66	H	108	matern.deaths	SP,IND									6.5		0010
Karachi	1979-83	H	3249	abos	ABO			70.00			0.5	3450		12.6		0061
Karachi	1979-83	H	127	matern.deaths	IND							650		2.4		0061
Karachi	1979-83	H	127	matern.deaths	SE,HAE							3230		11.8		0061
Saddar, Lahore	1963-65	CS	1447	WM 10-50,pregn.	ILL			7.1	5.7						Data: gest, soc.	0467
SAUDI ARABIA																
Riyadh	1978-80	H	29	matern.deaths	ABO							5		10.3		1308

BZ R5COC SH.01.09.F32 v

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics			Frequency					Mortality			Notes	Ref. no.		
					as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths				
		Type of Data	Number or Sample Size	Study Group	Admissions Abor	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge				
SUDAN Khartoum	1974	HS	1224	abo.adm	SE	0.4									0271	
Khartoum	1977 P	HS	2788	abo.adm	SE	0.4								Data: socdem, ccgp	0308	
Khartoum	1984-85	H	110	matern.deaths	ABO								7.3		1099	
TUNISIA National	1968	H	12590	L+ill.abos	ILL	82.2								Data: age, ccgp	1022	
National	1969	H	12621	L+ill.abos	ILL	77.3									1022	
EURO																
AUSTRIA National	1968-72	STA		abo.deaths	SP,ILL								0.3		1000	
National	1973-77	STA		abo.deaths	SP,ILL								0.3		1000	
BELGIUM Hospital	1969	H	501	abo.adm	PILL,SE	35.3										0394
Hospital	1979	H	182	abo.adm	PILL,SE	13.7										0394
National	1960-65			ill.abo deaths	ILL								0.5			0955
National	1968-72	STA		abo.deaths	SP,ILL								0.3			1000
National	1973-77	STA		abo.deaths	SP,ILL								0.1	Data for four years		1000
National	1979	E	20000	abos	IND									E all abos, in and outside Belgium; Data: age		0394
National	1985		10800	ind.abo in clinics	IND			16.1								1085

BR RCSOC SH.D1.09.F33

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000				
						Admissions	GYN OBS	Live Births -				Live Births	Women RepAge	% of all Matern Deaths		
BELGIUM cont.																
National	1985	E	15590	abos	IND										Abos in and outside Belgium	1133
BULGARIA	National	1966	17800	non-legal abos	ABO			13							Data: yearly 1957-66	1197
National	1967 P	E		illicit abos	ILL			1								1390
National	1968-72	STA		abo.deaths	SP,ILL											1000
National	1973-77	STA		abo.deaths	SP,ILL											1000
CZECHOSLOVAKIA	National	1960-61	E	11000	ill.abos	ILL				4						1096
National	1963	E	10000	illicit abos	ILL			4								1390
National	1966		25600	non-legal abos	ABO			11							Data: yearly 1957-66	1197
National	1968-72	STA		abo.deaths	SP,ILL											1000
National	1969	E	3500	ill.abos	ILL			2								0466
National	1973-77	STA		abo.deaths	SP,ILL										Data for three years	1000
DENMARK	National	1960	E	6000	ill.abos	ILL		7.8							Other E 10'000 (3'900 L)	0462
National	1964	E	13500*	ill.abos	ILL			15-19							*12'000-15'000 ill.abos; 4'000 legal abos	0872
National	1968-72	STA		abo.deaths	SP,ILL											1000
National	1971	E	2300	ill.abos	ILL			3							Change in law 1970	0462

BR RSCC SH.01.09.17

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A	Av. No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
						Admissions Abor	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge					
FINLAND National	1967 P	E	30000	criminal abos	ILL				38					0.2		1390		
	1968-72	STA		abo.deaths	SP,ILL									0.1	Data for three years	1000		
	1973-77	STA		abo.deaths	SP,ILL									0.4		1000		
FRANCE National	1968-72	STA		abo.deaths	SP,ILL									0.4	Data for four years	1000		
	1973-77	STA		abo.deaths	SP,ILL									0.2		1000		
GERMANY Hamburg National National	1963-67	STA	101	matern deaths	ILL									3	4.0		1352	
	1960-65			ill.deaths	ILL									0.9		0955		
	1967 P	E		criminal abos	ILL									0.5		1390		
	1968-72	STA		abo.deaths	SP,ILL									0.1	Data for four years	1000		
	1972-73	E	19000	ill.abos	ILL				100					0.2		1096		
	1973-77	STA		abo.deaths	SP,ILL									8.5		1000		
	1973-77	STA		abo.deaths	SP,ILL									8.2	Data: soc, parity	0087		
	1977		198	matern.deaths	ABO									14.2	Data: 1917-79	1355		
Niedersachsen	1960-65	STA	340	matern deaths	IND											0087		
Wuppertal	1967-79	H	14	matern.deaths	ABO													

BR RJDOC SH.01.09. F34

UNSAFE ABORTION Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																		
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
						Admissions Abortion	GYN OBS	Live Births				Live Births	Women RepAge					
GREECE																		
Athens	1966-68	HS	8312	del.adm excl. pri-grav. del.adm.	IND				28.9	2.0					Data: socdem, med	0323		
Athens	1969-70	H	4467		IND,SP				41.3							0818		
Athens	1969-70	H	4467	del.adm.	IND				20.6							0818		
National	1966-67	CS	6502*	WM, 20-49	IND			34.1	23.0	34.9	2.2				*21'276 pregn.s; Data: ccep, socdem, R-U, age; 752 ind.%W	1149		
National	1966-67	EA	80000*	ind.abos	IND			52							*60'000-100'000 ind.abos; 154'000 live births	1149		
National	1983	CS		W repr age	IND					21						0183		
National	1985 P	EA	200000	abos	IND			110								0183		
Rural North West	1985	CS	94	W,30-40,w.child	IND					31					Data: ccep	0120		
HUNGARY																		
National	1961	E	33600	sp+ill abos	SP,ILL			24								1390		
National	1966		33700	non-legal abos	ABO			24							Data: yearly 1957-66	1197		
National	1968	E	10000	illabos	ILL			6								0466		
National	1968-72	STA		abo.deaths	SP,ILL											1000		
National	1973-77	STA		abo.deaths	SP,ILL											1000		
IRELAND																		
National	1968-72	STA		abo.deaths	SP,ILL											1000		
National	1973-77	STA		abo.deaths	SP,ILL										Data for three years	1000		
ISRAEL																		
Haifa - Nazareth	1965 P	CS		W	IND				8.8	22.6					Data: ethn, parity	0510		

BR R520C SH.01.09.F34V

U N S A F E A B O R T I O N
 Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
						Admissions Abortion	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge					
ISRAEL cont.	1960's*	E		ind.abos	IND					33					*early 1960's; Data: age	1068		
National	1963	H		abo.adm, Jewish	ABO			23.9							Data: 1963-68	1068		
National	1963	H		abos non-Jewish	ABO			8.5							Data: 1963-68	1068		
National	1964	H		arab pats	IND										1-year data; Data: ethn, age	0510		
National	1964-66	H	13751	abo.adm, Jewish	IND		6.8H	27.1							Data: 1952-66	0510		
National	1964-66	H		abo.adm, non-Jewish	IND			7.8							Data: 1957-66	0510		
National	1968	H		abo.adm, Jewish	ABO			23.3							Data: 1963-68	1068		
National	1968	H		abos non-Jewish	ABO			9.3							Data: 1963-68	1068		
National	1968-72	STA		abo.deaths	SP,ILL										0.2	1000		
National	1973-77	STA		abo.deaths	SP,ILL										Data for three years	1000		
Tel-Aviv and Jaffa	1960	E		W, Jewish	IND					46.7					Based on H 1959-60	0510		
ITALY	1961 P	HS	350	RS, W obs.adm.	ILL			10.4D	8.1							0035		
Bari	1961 P	HS	350	RS, W obs.adm	ABO				21.8							0035		
Bari	1972	CS	1146	WM, 18-44	IND			18.8D	15.8	21.9	1.5					0035		
Milano	1972	CS	779	WM, 18-44	IND			18.5D	15.6	25.9	1.9					0955		
Naples	1960-65			ill.deaths	ILL										0.4	1000		
National	1968-72	STA		abo.deaths	SP,ILL										0.4			

BR RJOC SH.01.09.F.35

UNSAFE ABORTION																	
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																	
Region, Country or Area	Year	Data Characteristics				Frequency						Mortality				Notes	Ref. no.
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %			per 100,000	% of all Matern Deaths		
		-	-	-	-	Admissions Abor	GYN OBS	Live Births -	Pregnancies	-	Live Births	Women RepAge	-	-	-		
ITALY cont.																	
National	1969	CS	1538	WM, 18-44	IND			14.5		20.0	1.8					Data from 6 communities	0035
National	1973-77	STA		abo.deaths	SP,ILL											Data for three years	1000
National	1974		276	matern.deaths	ABO											Underest.	0070
National	1983	EA	99000	ill.abos	ILL			24.60	19.8	31.5	2.2						0275
Palermo	1972	CS	753	WM, 18-44	IND												0035
Rome	1958-68	PP	533	WM*, pregnant	IND			39.7			1.3					*from central/southern Italy	0035
Rome	1964	HS	1000	W,15-45,obs.adm	IND			40.2								Data: age	0035
Urban: Milano-Naples-Rome	1972	CS	2678	WM, 18-44	IND			20.60	17.1	26.2	1.8						0035
NETHERLANDS																	
National	1968-72	STA		abo.deaths	SP,ILL												1000
POLAND																	
National	1964	E	67066	sp+ill abos	SP,ILL			12									1390
National	1966		65500	non-legal abos	ABO			18								Data: yearly 1957-66	1197
National	1968-72	STA		abo.deaths	SP,ILL												1000
National	1973-77	STA		abo.deaths	SP,ILL												1000
PORTUGAL																	
National	1968-72	STA		abo.deaths	SP,ILL												1000
National	1973-77	STA		abo.deaths	SP,ILL											Data for three years	1000

BR RCSOC SH.01.09.F35 V

U N S A F E A B O R T I O N
 Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatal- ty %	per 100,000		% of all Matern Deaths				
						Admissions Abor- tion	GYN OBS	Live Births -	Preg- nanc- ies			Live Births	Women ReAge					
PORUGAL cont.												5		22.9	Data: yearly, parity, age, med	0053		
National	1979-83	STA	166	matern.deaths	ABO							6		34.8		0053		
National	1983	STA	23	matern.deaths	ABO, SE											0053		
National	1984 P	EA	150000	ill.abos	ILL											0313		
ROMANIA																		
National	1961		130	abo deaths	ABO							.7*				0982		
National	1965	STA	64	abo.deaths	ILL							1.5				0270		
National	1965			abo.deaths incl	ABO(L)							.9*				0982		
National	1966		83	.L abo deaths	ILL							3.8				0270		
National	1967			abo.deaths incl	ABO(L)							6.7				1000		
National	1968-72	STA		.L abo.deaths	SP, ILL							6.9				0270		
National	1970			abo.deaths incl	ABO(L)							4*				0982		
National	1971		364	.L abo deaths	ILL							8				0242		
National	1972	STA	370	abo.deaths	ABO							8.7				1000		
National	1973-77	STA		abo.deaths	SP, ILL							9.8				1000		
National	1978			abo.deaths	ABO							129		86		1138		
National	1984			matern.deaths	ABO							138		85.3		1139		
National	1988		505	abo.deaths	IND							0.2				1000		
SPAIN	National	1968-72	STA	abo.deaths	SP, ILL													

UNSAFE ABORTION																		
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																		
Region, Country or Area	Year	Data Characteristics				Frequency						Mortality				Notes	Ref. no.	
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fata- lity %	per 100,000		% of all Matern Deaths				
		Admissions Abor tion	GYN OBS	Live Births -	Preg nanc ies	Live Births	Women RepAge	Matern Deaths	Live Births	Women RepAge	Matern Deaths							
SPAIN cont.	1973-77	STA		abo.deaths	SP,ILL													
National	1988	E	105000	abos	IND											Data for four years	1000	
																Only 5% abos done in hosp.s	0387	
SWEDEN																		
National	1961-65	STA		ill.abo deaths	ILL												0128	
National	1966-70	STA		ill.abo deaths	ILL												0128	
Stockholm	1965	STA	2200	sp+ill abos	SP,ILL			9.8	8.2							Data: 1950-65	1132	
SWITZERLAND																		
National	1966	E	50000	ill.abos	ILL			45									0462	
National	1966	E	40000	ill.abos	ILL			37								Data: legal, cantonal	1162	
National	1968-72	STA		abo.deaths	SP,ILL												1000	
National	1970	E	20000	ill.abos	ILL			20								Data: legal, cantonal	1162	
National	1973-77	STA		abo.deaths	SP,ILL												1000	
National	1974	E	15000	ill.abos	ILL			18								Data: legal, cantonal	1162	
National	1980	E	13000	ill.abos	ILL			18								Data: legal, cantonal	1162	
National	1985	E	8000	ill.abos	ILL			11								Data: legal, cantonal	1162	
National	1986	E	8000	ill.abos	ILL			11								Data: legal, cantonal	1162	
TURKEY																		
Ankara	1966-67	HS	1388	gyn+obs pats	ABO						29	1.9					0144	

BR R5COC SH.01.09. F36 V

UNSAFE ABORTION

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A	Av. No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
						Admissions Abor	GYN OBS	Live Births -				Live Births	Women RepAge					
TURKEY cont.																0777		
Ankara	1967	H	2937	abo.adm.	ABO			26.2								Data: age	0777	
Ankara	1968 P	H	4940	abos	ABO			38.0	27.0	43	2.3					1000 abos %W	0144	
Ankara	1975	CS	396	WM, <46	ABO			23.0									0202	
Ankara	1976-78	H	649	abo.adm	IND	59.0										Data: socdem, med, resources	0202	
Ankara	1976-78	H	649	abo.adm	PPIND				17.4	14.7	36.6	1.9				Retrosp.study; Data: ed, ccep	0172	
Cubuk Rural Health Distr.	1977-78	CS	2272	RS, WM 15-44	IND, SP						16.6					Retrosp.study; Data: ed, ccep	0172	
Cubuk Rural Health Distr.	1977-78	CS	2272	RS, WM 15-44	IND				27.9	21.5	5.2A					1-year data; prosp.study	0172	
Cubuk Rural Health Distr.	1977-78	CS	2272	RS, WM 15-44	IND, SP				15.9	12.3	2.9A					1-year data; prosp.study	0172	
Cubuk Rural Health Distr.	1977-78	CS	2272	RS, WM 15-44	IND				6							Data: age	0172	
Etimesgut district (R)	1967	CS	498	WM repr.age	IND				60		64	2.7					0172	
Etimesgut district (R)	1971	CS	441	WM repr.age	IND, SP			7.7								Data: method, soc	0172	
Istanbul	1963-68	H	776	abo.adm	SE											Data:prov, reason; 69% ind.abos	0172	
Istanbul	1970	HS	168	fam.pl.pats	ABO												0144	
National	1963	CS	5100	W	IND												1109	
National	1963			WM, <45	IND												1121	
National	1963			ind.abos	IND												0144	
National	1968	CS	3068	W	ABO												0144	
National	1968	CS	3068	W	IND												0144	

BR RSCC SH. 04.09. F 37

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
						as a Percent of			% of Women Ever/A	Av.No. of Abo's. per W Abort.						
		Admissions	Abortion	GYN OBS	Live Births -	Pregnancies	Case Fatality %	per 100,000	% of all Matern Deaths	Live Births	Women RepAge	Matern Deaths	Matern Deaths	Matern Deaths		
TURKEY cont.																
National	1968	E	270000	abos	SP, IND		24		6.2A						Weighted E based on 1968 study	0172
National	1968	E	165000	ind.abos	IND		14								Weighted E based on 1968 study	0172
National	1968	CS	3284	WM, 15-44	SP, IND		26.2		6.5A						1-year data; Data: R-U, socdem, age	0172
National	1968	CS	3284	WM, 15-44	IND		11.8		2.9A						1-year data	0172
National	1968	EA	500000	abos	ABO				10A							0777
National	1970*			WM, repr. age	ABO				33						*Late 1960's and early 1970's	1036
National	1973	CS	4581	W	ABO		17.3		33.1	1.8					600 abos %W	0144
National	1973	E	116000	ind.abos	IND										E based on 1973 CS	0172
National	1973	CS	4581	RS, WM -45	IND		16.0		3.1A						1-year data	0172
National	1973	CS	4581	RS, WM -45	SP, IND		27.3		5.5A						1-year data; Data: R-U, socdem	0172
National	1973			ind.abos	IND		12									1121
National	1974-75	CS		WM, repr.age	ABO			14.4							Data: yearly 1974-83, ed	1036
National	1974-75	CS		WM, repr.age	IND			7.7							Data: yearly 1974-83, ed	1036
National	1975	CS	1521	WM, <44	ABO		17.2		33.1	2.1					700 abos %W	0144
National	1975	CS	1521	WM, <44	IND		7.9	6.7	13.9	2.2					304 ind %W	0144
National	1975	CS	1044	RS, WM <45	IND				33.1						RRT; Data: age, socdem, parity	1018
National	1975	CS	1521	RS, WM <45	ABO				32.5						Data: age, socdem, parity	1018
National	1977-78	CS		WM, repr.age	ABO			15.2							Data: yearly 1974-83, ed	1036

BR RJCOC SH.01.09.F37.V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/Abo.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -	Pregnancies	per W Abort.		Live Births	Women RepAge			
TURKEY cont.	1977-78	CS		WM, repr. age ind.abo's	IND IND			17	8.9						Data: yearly 1974-83, ed	1036
National	1978			WM, repr. age	ABO					34						1121
National	1978			W, repr. age	IND					16.8						1036
National	1978	E	300000	ind.abo's	IND											0281
National	1981	CS	7872115	W, EM, repr. age	ABO				25.6	20.1	4.6A					1036
National	1982-83	CS	7872115	W, EM, repr. age	IND				15.4	12.1	2.8A					1036
National	1982-83	CS	7872115	W, EM, repr. age	ABO						37					1036
National	1982-83	CS	7872115	W, EM, repr. age	IND						19					1036
National	1982-83	CS	7872115	W, EM, repr. age	IND						20					1109
National	1986 P			MW, <45	IND											1121
National, urban	1960-66	STA	3299	matern.deaths	ABO, SE											1121
National, urban	1967-74	STA	2183	matern.deaths	ABO, SE											1121
National, urban	1975-82	STA	735	matern.deaths	ABO, SE				20.9	17.1	41					0144
Sincan, Etimesgut	1971	CS	271	WM	ABO				22.6	38	2.1					0172
Sincan, Etimesgut	1972	CS	270	WM, 15-44	IND, SP				19.8	16.3	47					0144
Yenikent-Etimesgut	1971	CS	261	WM	ABO											1000
UNITED KINGDOM England and Wales	1963-67	A	44	ill+sp abo. deaths	ILL, SP											

B2 RXOC SH.OA.04.F38

UNSAFE ABORTION Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																		
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.		
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av. No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths				
						Admissions Abortion	GYN OBS	Live Births -	Preg nancies			Live Births	Women RepAge					
UNITED KINGDOM cont. England and Wales	1964-66		579	matern.deaths	ILL									16.8	73% abo deaths from ill.abo	0030		
England and Wales	1964-66	STA	455	matern.deaths	ABO									25.3		0059		
England and Wales	1965			abo.deaths ex.L	ABO									0.5	Data: yearly 1965-71	0270		
England and Wales	1967			abo.deaths ex.L	ABO									0.4	Data: yearly 1965-71	0270		
England and Wales	1967-69	STA	451	matern.deaths	ILL									3	16.4	86% review of matern. deaths	0059	
England and Wales	1967-69	STA	451	matern.deaths	ABO									5	25.9	86% review of matern. deaths	0059	
England and Wales	1968-72	STA		abo.deaths	SP,ILL									0.3		1000		
England and Wales	1969			abo.deaths ex.L	ABO									0.3	Data: yearly 1965-71	0270		
England and Wales	1969-70	STA		ill.abo deaths	ILL										AA 16 deaths	0313		
England and Wales	1970-72	STA	37	ill.abo deaths	ILL											0385		
England and Wales	1971			abo.deaths ex.L	ABO									0.2	Data: yearly 1965-71	0270		
England and Wales	1972-74	A	16	abo.deaths	ABO									0.2		0242		
England and Wales	1973-75	STA	10	ill.abo deaths	ILL											0385		
England and Wales	1973-74	STA	*	ill.abo deaths	ILL										*AA 5.5 deaths	0313		
England and Wales	1976-78	STA	10	ill.abo deaths	ILL											0385		
England and Wales	1979-81	STA	1	ill.abo deaths	ILL											0385		
London	1960-67	H	1746	abo.adm	IND	20.4						0.6			Data: annual, age, parity, socdem, gest, med, resources	1323		
London	1960-67	H	1746	abo.adm	SE	21.9						0.5				1323		

BR RCSOC SH.01.09.F 38V

UNSAFE ABORTION																	
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																	
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.	
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths				
						Admissions Abortion	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge				
UNITED KINGDOM cont.																	
National	1960	STA	310	matern deaths	ILL										9.7	0413	
National	1963	STA	239	matern.deaths	SP,ILL										20.5	1175	
National	1965	STA	221	matern deaths	ILL										9.5	0413	
National	1966	CS	3500	RS W<65	ILL											4.2	0314
National	1967 P	E		criminal abos	ILL											10	1390
National	1970	STA	146	matern deaths	ILL											7.5	0413
National	1970-72	STA	38	ill.abo deaths	ILL												0413
National	1974	STA	81	matern deaths	ILL											0.3	0413
Northern Ireland	1968-72	STA		abo.deaths	SP,ILL											0.1	1000
Northern Ireland	1973-77	STA		abo.deaths	SP,ILL												1000
Salford	1964-65	H	579	abo.adm	ILL	14.5											0468
Salford	1969-70	H	1014	abo.adm	ILL	6.3											0468
Scotland	1968-72	STA		abo.deaths	SP,ILL												1000
USSR	1987 P	E	13mil.	ill.abos	ILL												0204
National	1987	E	2500	ill.abos	ILL												Also 6.8 million legal abos
National	1987	E	2500	matern deaths	ABO*												*presumably incl. L.
YUGOSLAVIA	1964		50000	non-legal abos	ABO											Data: yearly 1959-64	
																1197	

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

UNSAFE ABORTION																	
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																	
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.	
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/Abo's.	Av.No. per W Abort.	Case Fatality %	per 100,000 Live Births	per 100,000 Women RepAge	% of all Matern Deaths			
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies												
BANGLADESH cont.																	
Dacca	1977	H	479	abo.adm	IND,SP							1.3				Medical College Hosp.	0081
Dacca	1977-80	H	2014	abo.adm	ILL	24.4						7.7				Undercount; Data:socdem, parity	0263
Dacca	1977-78	H	1003	abo.adm	IND	24.2						1.1	4.9			med, method, prov, resources	
Dacca	1977-78	H	1003	abo.adm	IND, SP							1.5	1.8			Underest; Data: soc, med, age,	0386
Dacca	1978	H	817	ind.abo adm	IND							47.1				parity, resources,ccep, method	0386
Dacca	1978 P	HS	479	abo.adm	IND	27.3						2.5	4.5			Data: soc, med, age, parity,	
Dacca	1978-79	HS	476	matern.deaths	IND											resources, method	0022
Dacca	1978-79	H	607	abo.adm	IND	6						21.2				Data:age, socdem, ccep, gest,	0515
Dacca	1980	H	612	ind.abo adm	IND											med, method, prov	
Dacca	1983-84	HS	300	MR clients	ABO				4.5	11.4	1.3	4.3	65	10	13.8	Survey of health centres;	0096
Four Upazilas*	1985-86	CS	6652	WM,10-49, pregn.	IND				1.5	1.4		1.6	82	13	17.2	Data: distr, age; * Gopalpur,	0197
Four Upazilas*	1985-86	CS	6652	WM,10-49, pregn.	IND,SP				5.0	4.5		1.6	129			Raipure, Singra, Godagari	
Jamalpur district, rural	1982-83	CS	58	matern deaths	SE							2.4	107		17.2	Data: distr, age; * Gopalpur,	0197
Jamalpur district, rural	1982-83	CS	9906	pregnancies	IND				4.4	4.2						Raipure, Singra, Godagari	0127
Khulna district	1978-79	HS	489	matern. deaths	IND								56	9	7.3	Follow-up of all deaths W10-49	0562
Matlab Thana	1967-68	CS	5802	w,10-49, pregn.	IND												0135
Matlab Thana	1967-68		33	matern.deaths	IND												1146
Matlab Thana	1976-85	CS	387	matern.deaths	IND,SP												

BR R5COC SH.01.09.F 40V

UNSAFE ABORTION
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	per 100,000		% of all Matern Deaths		
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies						Live Births	Women RepAge			
BANGLADESH cont.															
Matlab Thana	1976-85	CS	387	matern.deaths	IND						84	15	15.2	Data: socdem, med	0200
Matlab Thana	1976-85	CS	387	matern.deaths	ABO						99		18		1084
Matlab Thana	1982	STA	8468	pregnancies	IND		2.5	2.3		4.6	118		23.1		0113
Matlab Thana	1982	STA	8468	pregnancies	IND,SP		7.5	6.8		1.7	131		25.6		0113
Mirpur area	1985-86	CS	1656	W, EM	ABO		6.2		17.1	1.3					1398
Narayangong	1986-87	HS	215	MR clients	ABO		11.6		29.3	1.2				Data: socdem, age	1400
National	1978	E	21600	ind.abo deaths	IND						25.8	E based on study of 795 health centres		0135	
National	1978	E	780000	ind.abos	IND						7'800 deaths from abo.compl.; *Data from ABO1000			0085	
National	1978-79	HS	1933	matern. deaths	IND						1	Data provided by health workers at 795 centres; Data:geo,age, parity,socdem,prov,meth,med		0096	
National	1978-79	HS	1590	abo.compl.	ABO						31.3	Data: med, soc, prov, method; National health centres		0085	
National	1979	E	9700	abo.deaths	ILL							91% deaths non-medical abos		0022	
National	1982-83	E	163000	trad.abos	IND							E based on Jamalpur study; other E 204'000		0132	
National	1988 P	E	24000	matern.deaths	IND							*up to 1/3		1185	
Rajshahi Distr.	1978-79	HS	388	matern.deaths	IND							1.9	31.4 Survey of health centres;		0096
Tangail distr.	1982-83	CS	48	matern.deaths	SE							94	Data: subdistr.		0058
Tangail distr. (R)	1982-83	CS	48	matern.deaths	IND							81	16.7		1100
Urban	1978 P	H		abo.adm	ABO	50							14.6		0085
INDIA															
27 Teaching Centres	1978-79	H	1851	matern deaths	SE					0.4	107		14.3 Data: med, method		0043

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abor	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge		
INDIA cont.															
41 Teaching Centres	1978-81	H	4707*	matern deaths	ABO(L)						0.3	1090		15.1 *incl. L abo deaths (92/710)	0046
41 Teaching Centres	1978-81	H	4707*	matern deaths	ILL							880		12.2 *incl. 92 L abo deaths	0046
Alwar, Rajasthan	1974-79	CS	281*	W pregnant	ABO									*349 pregnancies	0051
Alwar, Rajasthan	1975-78	H	5534	obs.adm.	ABO		50.5	3.0	2.9						0051
Ambala, North India	1985-86	VAR	55	matern deaths	ABO							21		9.1 Rural areas, 774 villages	1345
Anantapur Distr.	1984-85	CS	270	obs.deaths	ABO							117		14* **% of obs. deaths	1084
Anantapur distr., Andhra Pradesh	1984-85	H	136	matern.deaths	SE									11.0 Urban 7.5%, rural 12.5%	0054
Anantapur distr., Andhra Pradesh	1984-85	STA	134	matern.deaths*	SE									17.2 *in home; rural	0054
Bangalore	1969	H	981	abo.adm	ABO		9.3H	10.7						Data: age, parity, socec, med	0295
Baroda	1970-72	H	730	aboadm	IND	10.2		1.1D	7.8			342D		Data: soc, method, med.	0021
Bombay State	1960			pregnancies	ABO				7.0						0306
Bombay State	1960			pregnancies	ABO										0306
Calcutta	1962	H	73	matern deaths	ABO			8.4 D			0.9	73 D		13.7 Data: yearly 1962-71; Eden Hosp	0079
Calcutta	1966-68	H	80	matern.deaths	ABO									8.8	0037
Calcutta	1966-68	H	80	matern.deaths	IND									2.5	0037
Calcutta	1968-70	H	59	matern.deaths	SE, HAE							39		11.9	1158
Calcutta	1969-72	H	6295	abo.adm	SE	14.9		9.5						Data: yearly, med	0080
Calcutta	1969-73	H	8029	abo.adm	ILL,SP						1			Data: yearly, med, age	0080

BP 1500C SH.01.09. F41

BIR RJCOC SH.01.09.F4VU

UNSAFE ABORTION
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.					
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies	Case Fatality %	per 100,000	% of all Matern Deaths	Live Births	Women RepAge					
INDIA cont.															
Calcutta	1969-71	H	199	matern deaths	IND						123D		19.6	Data: age, med, parity	0079
Calcutta	1971	H	66	matern.deaths	ABO						199D		28.8	Data: yearly 1962-71;Eden Hosp	0079
Calcutta	1972	H	496	abo.adm*/3 months	ABO						188		0.8	*excl. 126 MTP; Eden Hosp.	1091
Calcutta	1972	H	496	abo.adm*/3 months	ILL	5.4					94		7.4	*excl 126 MTP; Eden Hosp.	1091
Calcutta	1972-73	HS	350	spt+ind abo.adm.	IND	13.1							4.3	Data: socdem, med, age	0332
Calcutta	1972-73	H	1214	abo.adm	ILL	18.2							15.4	Data: soc, med, method, age	0391
Calcutta	1973	H	1734	abo.adm	SE	5.5									0080
Calcutta	1974	H	76	matern deaths	SE, HAE										0136
Calcutta	1974-80	H	129	matern deaths	ABO						269		25.6		1367
Calcutta	1974-80	H	129	matern deaths	SE						204		19.4		1367
Calcutta	1975-77	H	232	matern.deaths	SE						113		5.9		1378
Calcutta	1976	H	83	matern.deaths	ILL						162		12.9		0891
Chandigarh	1969-71	H	88	abo.adm	IND								13.7	P.G.I. Hosp.	0081
Chandigarh	1973-75	H	133	abo.adm	SE								17.2	P.G.I. Hosp.	0081
Imphal	1972-78	H	86	matern.deaths	ABO						147		0.4	Data: yearly	1380
Imphal	1976-85	H	128	matern.deaths	ABO								25	Data: method, reason	1187
Khanna, Punjab State	1960-64			pregnancies	ABO										0306
Madras	1967-71	H	10472	abo.adm	SE	5.9					53D		5.7	Data: yearly, med, parity, age, resources, method	1216

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
						as a Percent of				% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.					
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions	Abor-	GYN	Births	Live	Live Births	Women RepAge	per 100,000	% of all Matern Deaths		
INDIA cont. Madras	1967-71	H	10472	abo.adm	ABO				16.00						Data: yearly	1216
Madras	1974	H		obs.deaths	ILL										34* % of obs. deaths in Madras	1014
Madras	1974-75	H	393	matern deaths	ILL										12.7 4 hospitals	0047
Madras area	1977 P	CS		pregnancies	IND											0033
Madurai	1960-72	H	20778	abo.adm	ILL	9.8			2.70		15				7.6	0829
Madurai	1960-72	H	20778	sp,ill adm	SP,ILL										8.1 Data: parity	1014
Madurai	1965-70	H		matern deaths	SE										18.5	0107
Madurai	1971-73	H	3222	abo.adm,excl.L	SE	12.2	1.6 *	2.10							34 *% of obs.adm; Data:age,socec, prov, method, med, resources ; 1479 L abos	0107
Madurai	1971-73	H	3222	abo.adm,excl.L	ABO		13.5*	16.80							*% of obs.adm; 1479 L abos	0107
Madurai	1977-78	H	380	se abo.adm	SE										26.6 Erskine Hosp.	0081
Mysore	1967-71	H	310	matern deaths	ABO										14.2 Data: med	0100
Mysore	1967-71	H	310	matern deaths	SE,HAE										11.3 Also 2.6 million sp. abos.	0100
National	1964	E	3900000	ind.abos	IND											0306
National	1971			abos	ABO										+2 million sp. abos	0306
National	1973 P	E	4000000	ind.abos	IND											0391
National	1978-79	H	1157	matern.deaths	SE											1379
National	1990	E	10000	abo.deaths	ABO											1124
National, rural	1975	STA	170	matern.deaths	ABO										8.2 Data: age	1203

UNSAFE ABORTION Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																	
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.		
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths			
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -				Live Births	Women RepAge				
INDIA cont.																	
National, rural	1976	STA	163	matern.deaths	ABO									11.6	Data: age	1203	
National, rural	1977	STA	164	matern.deaths	ABO									7.9	Data: age	1203	
National, rural	1986	CS	176	matern deaths	ABO									8.0		1345	
New Delhi	1962	H	235	abo.adm	ABO										Data: age	0294	
New Delhi	1962	HS	110	RS, abo.adm	ABO										Data: soc, med, age, ccep	0294	
New Delhi	1962-69	H		matern.deaths	SE									23		0803	
New Delhi	1963	H		abo.adm	ABO											0294	
New Delhi	1973-77	H	2837	sp.abo.adm, excl.MTP	SE	6.7								21.0	Data: yearly, med; also 6418 M TP Also 6418 MTP	0803	
New Delhi	1973-77	H	2837	sp.abo.adm, excl.MTP	SP											0803	
New Delhi	1974-79	H	317	abo.adm	IND									6.3	Kasturba Hosp.	0081	
New Delhi	1975-83	H	573	matern deaths	ABO									12.3		1345	
North India	1975-77	H	196	matern deaths	ILL									1180	15.3		1402
North India	1978-80	H	207	matern deaths	ILL									1000	11.6		1402
North India	1981-83	H	170	matern deaths	ILL									380	7.1		1402
Pondicherry	1971-79	H	1958	abo.adm	SE	21.7								14.3		1234	
Pune	1980-85	H	113	matern deaths	ABO									10.6	Data: yearly, age, U-R, gest, method, resources	1345	
Punjab, distr. of	1970	PS	351*	ill.abos/month	ILL										*by 36 providers; Data: ed, gest, age, soc	1213	
Vellore	1964-73	H	26749	obs.adm.	SE	15.7	1.7*							25	*% of obs.adm	0072	

BL RJCOC SH. 01-09-F42 V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths			
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abor	GYN OBS	Live Births -	Pregnancies			Live Births	Women RepAge			
INDIA cont. Village, rural	1979 P	CS	200	RS, W	IND*,SP			14.1	12.1	32	1.4			*Only 1% admitted ind.abo	0730	
INDONESIA																
Bali	1980-82	CS	295	matern.deaths	ABO							50		7	1084	
Bali	1980-82	CS	295	matern.deaths	SE,HAE									6.8	1151	
Bali	1980-82	CS	279	matern.deaths	ABO									9.7	1152	
Bandung (West Java)	1974 P	H		abo.adm	ABO	20									*only 17 cases def. sp.abo	1075
East Java	1972	H	5600	abo.adm	ABO*	16*										1075
Jakarta	1972 P	H		abo.adm	ABO	20										1075
Jakarta	1972	H		abos	ABO*											1075
Jakarta	1972-74	H	1069	abo.adm	IND,SP											1077
Jakarta	1975	H		abos	ABO*											1077
Jakarta	1977 P	HS	893	abo.adm	SE	17.1										1077
Jakarta	1979 P	HS		abo.adm	IND	32.7										1075
National	1973 P	EA		pregnancies	ABO											1075
National	1975 P	EA	1152000	abos	ABO											0308
MYANMAR																
Rangoon	1978-82	H	44	matern deaths	ABO											1050
Rangoon	1983-87	H	3101	abo.adm	IND											1348

UNSAFE ABORTION Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths			
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abortion	GYN OBS	Live Births	Pregnancies	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000	Live Births	Women RepAge		
SRI LANKA																
Colombo	1984 P	EA	185000*	ill.abos	ILL										* >500 per day	0162
Colombo	1988	EA	150000	ind.abos	IND										E 500 per day	0274
Hospital	1984 P*	H	295085	ill.abos	ILL										*during 10 years (in 1981 30'552 ill.abos)	0162
THAILAND																
Bangkok	1963-64	HS	70	abo.adm	ABO											1074
Bangkok	1968-79	H	23628	abo.adm, excl.L	ABO			10.1D								1344
Bangkok	1968-78	H	21538	abo.adm, excl.L	ILL	20.9		2.1D				0.8	160		Data: yearly, region, socdem, reason, med, method, gest, age	1344
Bangkok	1969	H	1299	abo.adm	SE	20		1.8D								0105
Bangkok	1969	H	1299	abo.adm	ABO			9.0D								0105
Bangkok	1969-77	HS	865	ill abo.adm	ILL							0.6			Data: socdem, med, cost, gest, age	0265
Bangkok	1969-70	HS	144	abo.adm	ILL	16.7						0.7				1074
Bangkok	1969-70	H	139*	non-L abo.adm	ABO			17.5D				0.7	1260		*excl. 5 therapeutic; Data: age, med, resources	1256
Bangkok	1969-70	H	139*	non-L abo.adm	IND	30.9		5.4D				2.3	1260		*excl. 5 therapeutic; Data: age, med, resources	1256
Bangkok	1969-70	H	139*	non-L abo.adm	SE	17.2		3.0D				4.2	1260		*excl. 5 therapeutic; Data: age, med, resources	1256
Bangkok	1972-73	HS	1083	abo.adm	SE	11.7									Data: med, resources, socdem, age, parity	0320
Bangkok	1972-73	HS	1083*	abo.adm	SP, IND				12.8			1.3			*2823 pregnancies; Data: med, resources, socdem, age	0320
Bangkok	1972-73	H	3530	abo.adm	SE	11.8									Data: socdem,gest,parity,ccep, med,age	1306
Bangkok	1973	HS	1188	abo.adm	ILL	15						0.6			*incl.1% legal abos; Data: age socdem, ccep	1074

BR RJCOC SH.01.09. F 43 V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality			Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths	
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -				Live Births	Women RepAge		
THAILAND cont.															
Bangkok	1977-79	HS	897	abo.adm, excl.L*	PIND	44		60						*also 802 L abos	0309
Bangkok	1977-78	HS	897	abo.adm, excl.L*	IND	25		30						*also 802 L abos; Data: age, prov, method, soc, med, cost	0309
Chayapoom prov., rural	1979	E	17228	trad.abo.	IND			84						E based on 109 W 17-49 and 14/33 providers' caseload; Data: method, med, ccep, resources	0093
National	1968-72	STA		abo.deaths	SP,ILL										1000
National	1970	E	850000*	WM, 15-45	ILL									*800'000-900'000; Data: U-R	1074
National	1972-73	EA	215000*	W, 15-45	ILL									*200'000-230'000; E based on abo.adm and a 10% compl.rate	1074
National	1973-77	STA		abo.deaths	SP,ILL										1000
National	1983-84	HS	4950	abo.adm, excl.L*	ILL	74.7								*excl. 750 ther.abos	1343
National, rural	1978	EA	300000	ill.abos	ILL			24.5						Minimum E based on 81 prov in 51/643 distr	0284
Rural	1978	PS	81	abo.providers	ILL										0081
WPRO															
AUSTRALIA															
National	1964-66		45	abo.deaths	ABO									Data: 1964-84	1050
National	1967-69			matern.deaths	ILL										0033
National	1968-72	STA		abo.deaths	SP,ILL										1000
National	1970-72		25	abo deaths	ABO									Date: 1964-84	1050
National	1976-78		5	abo deaths	ABO									Date: 1964-84	1050
National	1982-84		1	abo.deaths	ABO									Date: 1964-84	1050

BR RSCOC SH.01.09.F44 V

UNSAFE ABORTION																	
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																	
Region, Country or Area	Year	Data Characteristics				Frequency						Mortality				Notes	Ref. no.
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of Admissions			GYN OBS	Live Births	Pregnancies	% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths	
		-	-	-	-	Abortion	-	-	-	-	-	-	-	Live Births	Women RepAge	-	-
CHINA North Taiwan	1970	CS	1000	WM, repr. age	IND							28.2				RRT	0462
	Taiwan	1964		pregnancies	ABO							9					0105
	Taiwan	1964	CS	14189	RS, WM 20-39	IND						9.8					0569
	Taiwan	1964	CS	4989	WM, 20-44	IND						9.1				Study 1967;Data:yearly 1964-67	0569
	Taiwan	1965	CS	3188	RS, WM 20-39	ABO						9				Data: age, socdem, ccep	0213
	Taiwan	1965	CS	815	RS, WM 35-39	ABO						13				Data: age, socdem, ccep	0213
	Taiwan	1965	CS		WM	ILL						10					1114
	Taiwan	1965	CS	3049	WM, repr.age	ABO						9.2					1250
	Taiwan	1965	CS	5360	RS, WM 20-44	IND						9.5	1.6				0569
	Taiwan	1966-67	CS	40000	W, 15-50	IND						8.9	7.7				0569
	Taiwan	1967	CS	4304	RS, WS 20-39	ABO						11				Data: age, socdem, ccep	0213
	Taiwan	1967	CS	1081	RS, WM 35-39	ABO						18				Data: age, socdem, ccep	0213
	Taiwan	1967	CS	4145	WM, repr.age	ABO						11.2					1250
	Taiwan	1967			pregnancies	ABO						12.3					0105
	Taiwan	1967	CS	4989	RS, WM 20-44	IND						12.3	1.6				0569
	Taiwan	1967	CS	4989	WM, 20-44	IND						12.9				Study 1967;data:yearly 1964-67	0569
	Taiwan	1968			pregnancies	ABO						20					0105

UNSAFE ABORTION																	
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																	
Region, Country or Area	Year	Data Characteristics				Frequency						Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths			
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies	Live Births	Women RepAge	Live Births	Women RepAge	Case Fatality %	per 100,000	Live Births	Women RepAge	Live Births	Women RepAge		
CHINA cont.																	
Taiwan	1970	CS	2495	RS, WM 20-39	ABO				12							Data: age, socdem, ccep	0213
Taiwan	1970	CS	651	RS, WM 35-39	ABO				19							Data: age, socdem, ccep	0213
Taiwan	1970	CS		WM	ILL				14								1114
Taiwan	1970	CS	2491	WM, repr.age	ABO				11.8								1250
Taiwan	1970	CS		WM, repr.age	ABO				13.8							Underest.; Data: ccep	0462
Taiwan	1973	CS	5541	RS, WM 20-39	ABO				18							Data: age, socdem, ccep	0213
Taiwan	1973	CS	1433	RS, WM 35-39	ABO				23							Data: age, socdem, ccep	0213
Taiwan	1973	PS	331	abo.providers	ILL			60-74									0081
Taiwan	1975 P	CS	1100	RS, W	ABO				28.2							RRT	0105
Taiwan	1976	CS	1782	RS, WM 20-39	ABO				20							Data: age, socdem, ccep	0213
Taiwan	1976	CS	446	RS, WM 35-39	ABO				29							Data: age, socdem, ccep	0213
Taiwan, Taichung City	1962	CS	2243*	RS, WM 20-39	ABO				12.0							*9976 pregn.s; Data: age, ccep	1329
Taiwan, Taichung City	1962	CS	2443*	RS, WM 20-39	IND				4.5							*9976 pregnancies	1329
Taiwan, Taoyuan	1971-72	CS	3259	W, 15-49	IND					15.5	2.1					Data: ccep	0910
Taiwan, rural	1966-67	CS		W, 15-50	IND			6.0								Data: town, large cities	0569
Taiwan, urban*	1966-67	CS		W, 15-50	IND			13.4								*Large cities; Data: R-U	0569
FIJI National	1969-76	STA	160	matern.deaths	ABO, ILL							17		13.8		Data: yearly, age, ethn., parity, geogr.	0016

B.R. PSCOC SH.01.09. F 45

UNSAFE ABORTION

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

UNSAFE ABORTION Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																	
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av. No. of Abo's. per W Abort.	Case Fatality %	per 100,000 Live Births	per 100,000 Women RepAge	% of all Matern Deaths			
		Type of Data -	Number or Sample Size	Study Group -	Type of Abortion	Admissions Abortion	GYN OBS	Live Births -	Pregnancies								
HONG KONG	1968-72	STA		abo.deaths	SP,ILL									0.2		1000	
National	1973-77	STA		abo.deaths	SP,ILL									0.1		1000	
JAPAN	1968-72	STA		abo.deaths	SP,ILL									0.1		1000	
National																	
MALAYSIA	1967-73	H		matern.deaths	SE								100		23.1	1070	
Hospital	1973-74	H	873	abo.adm	SP,IND		74		22.3								1070
Hospital	1973-74	H	873	abo.adm	IND	17.5	13		3.9								1070
Kuala Lumpur	1961-62	H	1000	abo.adm	ABO			14.70			1.6	0.7				Data: age, med	0293
Kuala Lumpur	1961-62	H	1000	abo.adm	SE	23.9		3.50				2.5					1255
Kuala Lumpur	1968-74	H	1699	abo.adm.	ABO			11.40	10.2			0.2	270		30.8	0095	
Kuala Lumpur	1968-69	H		abo.adm	SE	0.4											0105
Kuala Lumpur	1968-73	H	13	matern deaths	SE								23		23.1	1376	
Kuala Lumpur	1973-74	H	3921	pregnancies	IND				3.9								0105
Kuala Lumpur	1973-74	H	3921	pregnancies	IND,SP				22.3								0105
Kuala Lumpur	1976-77	H	3067	abo.adm	IND	7.8											0168
Kuala Lumpur	1976-77	H	3067	abo.adm	PIND	31.3											0168
Kuala Lumpur	1976-78	H	2157	abo.adm	IND	32.1						0.4					0202

BR RSCOC SH.01-09.1 F 115 V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths			
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abortion	GYN OBS	Live Births	Pregnancies			Live Births	Women RepAge			
MALAYSIA cont. Kuala Lumpur	1976-78	H	2157	abo.adm	PPIND	72.1									Data: socdem, med, resources *% of obs. deaths	0202 1084
Kuala Lumpur	1978-81	CS	51	obs.deaths	ABO			0.1		1		17		24*	Data:socioec, method, age, med	0223
Kuching	1978-80	H	100	ill.abos	ILL						2					1092
National	1966-67	CS		WM, 15-44	IND										1-year data; Data:1970-73, R-U , age	1092
National	1970	CS	9506	RS, WM 15-44	IND			6.3	5.4						1-year data; Data 1970-73, R-U , age	1092
National	1973	CS	9506	RS, WM 15-44	IND			19.0	14.7						*41'221 pregn.s; 167 ind %W;	1092
National	1974	CS	9506*	RS, WM 15-44	IND			4.3	3.9	10.7					Data: age, socdem, R-U, method prov, ccep	1092
National	1974	CS	9506*	RS, WM 15-44	IND,SP			10.3	9.2		2.5				*41'221 pregn.s;399 ind,sp %W Data: age, socdem, R-U	1092
National	1976	CS		WM, 15-44	IND										Data: region, yearly 1960-63	0921
Peninsular	1960-63	H	38348	abo.adm	SP,IND							0.2			Data: region, yearly 1960-63	0921
Peninsular	1960-63	H	38348	abo.adm	IND	9.2						1.3			Data: region, yearly 1964-71	0921
Peninsular	1964-67	H	36723	abo.adm	SP,IND			10.70	9.7			0.2	190		Data: region, yearly 1964-71	0921
Peninsular	1964-67	H	36723	abo.adm	IND	8.4		0.90	0.8			1.3	120		Data: region, yearly 1964-71	0921
Peninsular	1968-71	H	50009	abo.adm	SP,IND			13.60	11.9			0.2	240		Data: region, yearly 1964-71	0921
Peninsular	1968-71	H	50009	abo.adm	IND	6.3		0.90	0.7			1.6	130		Data: region, yearly 1964-71	0921
Peninsular	1972	H	14741	abo.adm	SP,IND							0.1			Data: region	0921
Peninsular	1972	H	14741	abo.adm	IND	7.3						0.7			Data: region	0921
Peninsular	1972	H	14741	abo.adm	SE,SP							1.8			All hospitals	1092

BR RCSOC SH.01.09.F 46

UNSAFE ABORTION

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

UNSAFE ABORTION																
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of				% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.		Case Fatality %		per 100,000	% of all Matern Deaths
		-	-	-	-	Admissions Abortion	GYN OBS	Live Births -	Pregnancies	Abort.	per W	Abort.	Live Births	Women RepAge		
MALAYSIA cont. Peninsular	1972	H	1076	se.adm	SE								14.1		All hospitals	1092
Sarawak	1978-80	H	100	ind abo.adm	IND								2		Data: socdem, med, method, resources	0344
West Malaysia	1975 P			pregnancies	SP,IND					30						1070
West Malaysia	1975 P			pregnancies	IND					14						1070
NEW ZEALAND																
National	1961-63	STA		matern deaths	ABO											1366
National	1968-72	STA		abo.deaths	SP,ILL											1000
National	1970-71	CS	1200	RS, W >15	ILL						1.1A					0355
National	1970-71	EA	6500	ill.abos	ILL						1.1A					0355
National	1970-71	EA	11000	ill.abo attempt	ILL						1.8A					0355
National	1976	CS	1260	RS, W>15	ABO						3.8					0388
PAPUA NEW GUINEA																
Hospital	1964-73	STA	142	matern.deaths	ABO								9.9			0027
Hospital	1964-73	STA	142	matern.deaths	ILL								6.3			0027
National	1971-72	STA	364	matern.deaths	ILL								1.1			0011
National	1971-72	STA	364	matern deaths	ABO								2.7	8/10 cases se		0011
National	1976-83	VAR	895	matern.deaths	ABO								4.0			1173

BR RCSOC SH-01.09. F 46 V

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Admissions Abortion	GYN OBS	Live Births -	Pregnancies							Live Births	Women RepAge			
PHILIPPINES																
Cabanatuan	1976	H	485	abo.adm	ABO											1285
Cabanatuan	1976	HS	395	RS, abo.adm	IND	11.6	20.5									1285
Cavite	1980	CS		pregnancies	IND				17							0228
Cavite prov., 5 barrios	1976	CS	676	all WM, 15-49	IND											0612
Hospital	1984	H	12855	pregnancies	IND					27.2	17	1.3				0228
Hospitals	1964-65		190	matern deaths	SE											0228
Laguna	1967-69	CS		pregnancies	IND					1.2						0612
Laguna prov.	1967-69	CS		W, EM, reprage	IND						30					0228
Luzon	1980	CS		pregnancies	IND					33.4						0228
Manila	1969-70	H		pregnancies	IND					25.8						0228
Manila	1976	H	1523	abo.adm	ABO											1285
Manila	1976	HS	1072	RS, abo.adm	IND	27	15.8									1285
Manila	1978	H		W, 20-29,pregn.	IND					26.9						0228
Manila	1978	H		W, 30-34,pregn.	IND					11.6						0228
National	1968-72	STA		abo.deaths	SP,ILL											1000
National	1973-77	STA		abo.deaths	SP,ILL											1171
National	1975	STA	1753	matern.deaths	ABO											0228
National	1985-86	H		matern deaths	IND											

BR R30C SH.01.001.F.CP

B R R SOC SH.01-09. F 47 V

U N S A F E A B O R T I O N
 Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality				Notes	Ref. no.
						as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths		
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	Admissions Abor	GYN OBS	Live Births	Pregnancies			Live Births	Women RepAge		
PHILIPPINES cont. Rural Area	1979 P	CS		W interviewed	IND					17				Data: method	0392
Selected Areas	1979	PS	106	abo.providers	ILL									Data:prov, method; 12 to 1'800 clients/year, average 156	0342
Selected Areas	1979	CS	286	W, 17-50 abort.	ILL						1.6			Data: method, ccep, reason	0342
Sta Rosa, Laguna	1963-67	CS	4787*	all W, EM, 15-45	ABO				8.5	12.9	1.2			Period data, study 1968-69;	1342
Sta Rosa, Laguna	1963-67	CS	835*	20% RS, W, EM	ABO				8.5	28.5	1.5			*8'473 pregnancies	1342
Sta Rosa, Laguna	1963-67	CS	619*	W, EM, 15-45abort	ABO			80.8	43.7		1.2		Period data, study 1968-69;	1342	
REPUBLIC OF KOREA														*4'090 pregnancies	
Kang Wha island	1975-77	CS	1106*	WM, pregnant	IND			20.6	15.8					*1'647 pregn.s; Data: yearly, age, parity, socec	1342
Kang Wha island	1975-77	CS	917	WM, pregnant	IND			36.7	25.6					*2576 pregn.s; Retrosp. study;	1278
Kang Wha island	1975-77	CS	1106*	WM, pregnant	ABO**			30.8	23.6	32.6	1.7			Data: age	1278
National	1960	E	93000	ind.abos	IND					1.5A				Prosp.study(917/1106W followed through pregnancy); Data: age	1278
National	1964	CS		WM, <44	IND					7				socdem parity, gest	
National	1965	CS		WM, repr.age	IND					11				Retrosp.study; *2576 pregn.s;	1278
National	1966	CS		WM, 20-44	IND					13				**incl. stillbirths; Data: age	0464
National	1967	CS		WM, repr.age	IND					20				Data:R-U, yearly 1964-67, 1971	1069
National	1968	CS		WM, 20-44	IND					16				Data: ccep	0462
National	1970	E*	331000	ind.abos	IND					4.5A				Data: R-U	0464
														*other E 344000	0464

U N S A F E A B O R T I O N

Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons

Region, Country or Area	Year	Data Characteristics				Frequency				Mortality			Notes	Ref. no.	
						as a Percent of			% of Women Ever/A Abort.						
		Type of Data -	Number or Sample Size	Study Group -	Type of Abor-tion	Admissions Abor-tion	GYN OBS	Live Births -	Preg-nanc-ies	Case Fata-lity %	per 100,000	Live Births	Women RepAge	% of all Matern Deaths	
REPUBLIC OF KOREA cont.															
National	1970	CS		WM, repr. age	IND					26					Data: ccep 0462
National	1970	E	331985	ind.abos	IND										Data: yearly 1960-70 1069
National	1970	E		W	ABO										1621 abos %.W; Data:R-U, 1960-70 1251
National	1971	CS	6285	W, EM, 15-54	IND					24.4					Data: age, R-U 0464
National	1971	CS	4932	W, EM, 20-44	IND					27.9					Data: R-U; yearly 1965-71; 602 ind %.W 0464
National	1971	CS		WM, <44	IND					24					Data:R-U, yearly 1964-67, 1971 1069
National	1971	E		WM, 15-44	IND					26					E based on CS 1103
National	1971	E		WM, 15-44	ABO					30					E bsed on CS 1103
National	1973	E		WM, 15-44	ABO					30					1023
National	1974			W, 15-44	IND					30					
National	1974	CS	4867	WM 1x	IND					31	1.9				Data: ccep, parity 1311
National	1974	CS	1967*	WM, 15-49	IND					31	1.9				*23'800 pregn.s; Data: ccep 1105
National	1976	E		WM, 15-44	ABO					39					E based on CS 1103
National	1978	E		WM, 15-44	ABO					48					E based on CS 1103
National, rural	1971	CS	3757	W, EM, 15-54	IND					17.2					Data: age 0464
National, urban excl.Seoul	1971	CS	1416	W, EM, 15-54	IND					32.8					Data: age, R-U 0464
Seoul	1960's		58	matern.deaths	IND						0.04				0105
Seoul	1960-61	H	591	W, 20-40	IND					34.9					0459
Seoul	1961			WM, 20-44	IND					17					0105

BR RSCOC SH.01.09.F 48

B2 R3COC SH.01.09.1 48V

UNSAFE ABORTION																
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A Abort.	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000		% of all Matern Deaths		
		Admissions Abor	GYN OBS	Live Births -	Pregnancies							Live Births	Women RepAge			
REPUBLIC OF KOREA cont.	Seoul	H	2497	gyn+obs pats	IND				25.8							0459
Seoul	1963	WM, 45	IND			55										0105
Seoul	1963	E	55000	ind.abos	IND				49							0459
Seoul	1964	H	1000	fam.pl.pats	IND											0459
Seoul	1968	WM, 45	IND			70			45.3							0105
Seoul	1968-69	WM, 20-44	IND													0105
Seoul	1970	WM, 20-44	IND			770										0105
Seoul	1970	E	110000*	ind.abos	IND											0105
Seoul	1970	abos	ABO			75			7.5A							1314
Seoul	1971	CS	1112	W, EM, 15-54	IND											0464
Seoul	1977-78	PS	533000*	ind.abos	IND				275			23.5A				1314
Seoul	1980-82	HS	620	W, 13-24, pregn	IND							18.7	1.2			0476
Seoul, Sungdong Gu	1961	CS	3204	RS, WM, 20-44	IND				21.1	16.6	5.2A					0459
Seoul, Sungdong Gu	1962	CS	3204	RS, WM, 20-44	IND				37.6	25.6	8.6A					0459
Seoul, Sungdong Gu	1963	CS	3204	RS, WM, 20-44	IND				49.0	31.2	13.0A					0459
Seoul, Sungdong Gu	1964	CS	3204	RS, WM, 20-44	IND				14.7	12.1	25.1	1.9				0459
Seoul, Sungdong Gu	1969	CS	2228	RS,WM, 20-44, employed	IND				74.8	40.0	17.6A					0458
Seoul, Sungdong Gu	1970	CS	2228	RS,WM, 20-44, employed	IND				33.8	24.0	43.2	2.4				0458

UNSAFE ABORTION																
Frequency and Mortality of Abortion not Provided through Approved Facilities and/or Persons																
Region, Country or Area	Year	Data Characteristics				Frequency					Mortality				Notes	Ref. no.
		Type of Data	Number or Sample Size	Study Group	Type of Abortion	as a Percent of			% of Women Ever/A	Av.No. of Abo's. per W Abort.	Case Fatality %	per 100,000	% of all Matern Deaths			
		-	-	-	-	Admissions Abortion	GYN OBS	Live Births -	Pregnancies	-	Live Births	Women RepAge	Live Births	Matern Deaths	-	-
SINGAPORE	1968-72	STA		abo.deaths	SP,ILL							0.9			Data for four years	1000
National	1973-77	STA		abo.deaths	SP,ILL							0.4				1000
National	1964-69	H	20277	abo.adm	SE	7.2		0.6			2.3	15			Data: yearly	0030
Singapore	1964-70	AA		matern.deaths	ABO,ILL								20-25	Most ill.		0030
Singapore	1968-70	STA	51	matern deaths	ILL							6		15.7		0217
Singapore	1968-70	STA	9265	abo.adm excl.L	IND,SP		6.7D				0.2	11D	29.4	16.9% L adm; Data: age		0217
Singapore	1970	H	3097	abo.adm	SE	4.5		0.4			2.2	8				0030
Singapore	1971-73	STA	35	matern deaths	ILL							5		22.9		0217
Singapore	1971-73	STA	5927	abo.adm excl.L	IND,SP		4.1D				0.2	9D	37.1	67.2% L adm; Data: age		0217
Singapore	1974-76	STA	26	matern deaths	ILL							1		3.8		0217
Singapore	1974-76	STA	5368	abo.adm excl.L	IND,SP		4.2D				0.2	7D	34.6	86.7% L adm; Data: age		0217

Abbreviations:

* = data in note column
 A = per annum, 1 year data
 ABO = abortion, unspecified, non-legal
 ABO(L) = abortion, unspecified (incl. legal)
 CS = community study
 D = deliveries
 E = estimate
 EA = estimated annual
 G = gynaecological admission
 H = hospital data
 HAE = abortion haemorrhage

HS = hospital study
 ILL = illegal abortion
 IND = induced abortion, non-legal
 P = year of publication
 PIN = probably induced and induced abortion (non-legal)
 PP = private practice
 PPIND = induced, possibly and probably induced (non-legal)
 PS = provider study
 SE = septic abortion
 SP = spontaneous abortion
 STA = statistical source
 VAR = various sources

10. LIST OF DATA SOURCES

- AB00001 Aggarwal, V.P. and Mati, J.K.G. Review of abortions at Kenyatta National Hospital, Nairobi. East African Medical Journal, 57(2): 138-143 (1980)
- AB00002 Aggarwal, V.P. and Mati, J.K.G. Epidemiology of induced abortion in Nairobi, Kenya. Journal of Obstetrics and Gynaecology of Eastern & Central Africa 1(2): 54-57 (1982)
- AB00004 Aguero, O. et al. Mortalidad materna en la maternidad Concepcion Palacios, 1964-1972. Ginecologia Obstetrica de Mexico, 35(211): 509-520 (1974)
- AB00005 Akingba, J.B. Abortion, maternity and other health problems in Nigeria. Nigerian Medical Journal, 7(4): 465-471 (1977)
- AB00006 Ampofo, D.A. Causes of maternal death and comments: Maternity Hospital, Accra 1963-67. West African Medical Journal, 18(3): 75-81 (1969)
- AB00007 Ampofo, D.A. The dynamics of induced abortion and the social implications in Ghana. Ghana Medical Journal, 9(4): 295-302 (1970)
- AB00008 Armon, P.J. Maternal deaths in the Kilimanjaro region of Tanzania. Transactions of the Society of Tropical Medicine and Hygiene, 73(3): 284-288 (1979)
- AB00009 Arruda, J.M. Maternal child health-family planning survey, Pernambuco State, Brazil - 1980. Department of Health and Human Services, Public Health Services. (1981)
- AB00010 Aziz, S.A. Maternal mortality in non-booked patients in a teaching institution in southern region of Pakistan. Pakistan Medical Review, 3: 54-62 (1968)
- AB00011 Babona, G. et al. Maternal mortality in Papua New Guinea 1971 and 1972. Papua New Guinea Medical Journal, 17(4): 331-334 (1974)
- AB00015 Barford, D.A. and Parkes, J.R. Maternal mortality: a survey of 118 maternal deaths and the avoidable factors involved. South African Medical Journal, 51(4): 101-105 (1977)
- AB00016 Bavadra, T.V. et al. Maternal mortality in Fiji 1969-1976. Fiji Medical Journal, 6(1): 4-11 (1978).
- AB00019 Beria, J.U. Back-street abortion in Brazil. The Lancet, 6 April, (1983).
- AB00021 Bhatt, R.V. and Soni, J.M. Criminal abortions in Western India. Journal of Obstetrics and Gynaecology of India, 23(3): 243-246 (1973)
- AB00022 Bhuiyan, S.N. and Burkhardt, M.C. Maternal and public health benefits of menstrual regulation in Chittagong. International Journal of Gynaecology and Obstetrics, 20: 105-109 (1982)
- AB00023 Binkin, N. et al. Illegal abortion deaths in the United States: why are they still occurring? Family Planning Perspectives, 14(3): 163-167 (1982)
- AB00025 Brown, I. Maternal mortality: a survey of maternal deaths occurring during 1976. Central African Journal of Medicine, 24(10): 212-214 (1978)
- AB00027 Campbell, G.R. Maternal mortality at Gonka Base Hospital. Papua New Guinea Medical Journal, 17(4): 335-341 (1974)
- AB00030 Cheng, M.C. Changing trends in mortality and morbidity from abortion in Singapore: 1964 - 1970. Singapore Medical Journal, 12(5): 256-258 (1971)
- AB00033 Chowdhury, T.A. Bibliography in human reproduction, family planning and population dynamics: annotated articles and unpublished work in the South East Asia Region: morbidity and mortality due to pregnancy and childb. New Delhi, India, World Health Organization, South East Asia Region. 11: (1977).
- AB00035 Colombo, B. La diffusione degli aborti illegali in Italia. Milano, Italy, Vita e Pensiero. (1977).

AB00036 Courtney, L.D. Maternal parity, age, haemoglobin level mortality rate, labour and complications in a tropical centre. *Journal of the Irish Medical Association*, 67(6): 159-161 (1974)

AB00037 Dawn, C.S. et al. Avoidable factors in maternal deaths. *Journal of the Indian Medical Association*, 59(3): 101-104 (1972)

AB00040 Grech, E.S. et al. Maternal mortality in Uganda. *International Journal of Gynaecology and Obstetrics*, 7(6): 263-277 (1969)

AB00041 Guzman-Serani, R. et al. Epidemiologia des aborto hospitalizado en Valdivia. *Revista Medicale de Chile*, 109(11): 1099-1106 (1981)

AB00043 Bhasker Rao, K. Maternal mortality in India - a FOGSI study. In: *Third International Seminar on Maternal Mortality*, Delhi, Oct. 1980. Madras, India, Maternal Mortality Committee, FOGSI. 14-22 (1981)

AB00046 Bhasker Rao, K. Report of the maternal mortality committee of the FOGSI, 1978-1981. (Unpublished document). (1984)

AB00047 Bhasker Rao, K. and Malika, P.E. A study of maternal mortality in Madras city. *Journal of Obstetrics and Gynaecology of India*, 27(6): 876-880 (1977)

AB00049 Binkin, N. et al. Women hospitalized for abortion complications in Mali. *International Family Planning Perspectives*, 10(1): 8-12 (1984)

AB00051 Datta, K.K. et al. Morbidity patterns amongst rural pregnant women in Alwar, Rajasthan - a cohort study. *Health and Population-Perspectives and Issues*, 3(4): 282-292 (1980)

AB00053 Araujo, M. da P. Maternal mortality in Portugal. In: *Interregional Meeting on the Prevention of Maternal Mortality*. Geneva 11-15 November 1985. (Unpublished WHO document no. FHE/PMM/85.9.6). (1985)

AB00054 Bhatia, J.C. A study of maternal mortality in Anantapur district, Andhra Pradesh, India. Bangalore, India, Indian Institute of Management. (1986)

AB00055 Farnot, U.C. Maternal mortality in Cuba. In: *Interregional Meeting on the Prevention of Maternal Mortality*. Geneva, 11-15 November 1985. (Unpublished WHO document no. FHE/PMM/85.9.14). (1985)

AB00056 Abdullah, S.A. et al. Maternal mortality in upper Egypt. In: *WHO Interregional Meeting on the Prevention of Maternal Mortality*, Geneva 11-15 November 1985. (Unpublished WHO document no FHE/PMM/85.9.18). (1985)

AB00058 Alauddin, M. Maternal mortality in rural Bangladesh. The Tangail District. *Studies in Family Planning*, 17(1): 13-21 (1986)

AB00059 Editorial. Maternal deaths. *British Medical Journal*, 3(829): 714-715 (1972).

AB00060 Bathija, H. Background information for the meeting to identify research priorities on induced abortion. (Mimeographed document dated 9.2.86) WHO/HRP. 15: (1986)

AB00061 Ahmad, Z. Maternal mortality in an obstetric unit. *Journal of the Pakistan Medical Association*, 35(8): 243-248 (1985)

AB00064 Harrison, P. On the septic ward. *People*, 4(3): 12-13 (1977).

AB00070 International Planned Parenthood Federation. Abortion. *People*, 5(2): (1975).

AB00071 International Planned Parenthood Federation. Report to donors. October 1983. Programme and financial statements 1982-1984. London, United Kingdom, International Planned Parenthood Federation, (1983)

AB00072 Issac, V. and Hemalathatt, H. Abortion and renal failure. *Journal of Obstetrics and Gynaecology of India*, 26(5): 657-661 (1976)

ABO0074 Jubiz, H.A. et al. Comparative maternal mortality during the two periods 1963-1967 and 1968-1972. Revista Colombiana de Obstetricia y Gynecologia, 27(3): 129-136 (1976)

ABO0075 Kamal, I. et al. A study of abortion in Cairo University Hospital. IN: Omran, A.R., ed. Egypt. Population problems and prospects. University of Carolina at Chapel Hill. (1973)

ABO0079 Konar, M. et al. Abortion mortality: ten years' survey in Eden Hospital with critical analysis of last 3 years. Journal of Obstetrics and Gynaecology of India, 23(4): 436-442 (1973)

ABO0080 Lahiri, D. and Konar, M. Abortion hazards. Journal of the Indian Medical Association, 66(11): 288-294 (1976)

ABO0081 Liskin, L.S. Complication of abortion in developing countries. Population Reports, 7(ser. F): (1980)

ABO0083 Macpherson, T.A. A retrospective study of maternal deaths in the Zimbabwean black. Central African Journal of Medicine, 27(4): 57-60 (1981)

ABO0084 Makokha, A.E. Maternal mortality - Kenyatta National Hospital, 1972-1977. East African Medical Journal, 57(7): 451-460 (1980)

ABO0085 Measham, A.R. et al. Complications from induced abortion in Bangladesh related to types of practitioner and methods and impact on mortality. The Lancet, 1: 199-202 (1981)

ABO0087 Mendling, W. and Heinrich, D. Die Muttersterblichkeit in der Rheinischen Landesfravenklinik Wuppertal von 1917 bis 1979. Geburtshiefe und Fravenheilkunde, 41: 204-207 (1981)

ABO0088 Molina Cartes, R. et al. Caracteristicas del aborto en Chile. Guadernos Medico-Sociales (Santiago), 19(1): 5-18 (1978)

ABO0090 Morales, M.A. and Montoya, G.M. Analisis de la mortalidad materna en la region metropolitana de 1973 a 1977. Revista Chilena de Obstetricia y Ginecologia, 43(6): 312-321 (1978)

ABO0091 Mtimavalye, L.A.R. Reproductive health care among women in Africa: current trends and the future. Journal of Obstetrics and Gynaecology of Eastern and Central Africa. 1(2): 48-53 (1982)

ABO0092 Mtimavalye, L.A.R. et al. Maternal mortality in Dar es Salaam, Tanzania 1974-1977. East African Medical Journal, 57(2): 111-118 (1980)

ABO0093 Narkavonnakit, T. and Bennett, T. Health consequences of induced abortion in rural northeast Thailand. Studies in Family Planning, 12(2): 58-65 (1981)

ABO0094 National Academy of Sciences. Legalized abortion and the public health. Washington, D.C., National Academy of Sciences, Institute of Medicine, May. (1975)

ABO0095 Ng, K.H. and Sinnathuray, T.A. Maternal mortality from septic abortions in University Hospital, Kuala Lumpur from March 1968 to February 1974. Medical Journal of Malaysia, 30(1): 52-54 (1975)

ABO0096 Obaidullah, M. et al. Induced abortion in rural Bangladesh. Rural Demography, 8(1): 89-120 (1981).

ABO0097 Ojo, O.A. and Savage, V.Y. A ten-year review of maternal mortality rates in the University Hospital, Ibadan, Nigeria. American Journal of Obstetrics and Gynecology, 118(4): 517-522 (1974)

ABO0098 Okojie, S.E. Induced illegal abortion in Benin City, Nigeria. International Journal of Gynaecology and Obstetrics, 14(6): 517-521 (1976)

ABO0099 Omu, A.L. et al. Adolescent induced abortion in Benin City, Nigeria. International Journal of Gynaecology and Obstetrics, 19(6): 495-499 (1981)

ABO0100 Patharajaiah, M.P. and Parvathamma. Study of maternal mortality in Cheluvamba Hospital, Mysore. Journal of Obstetrics and Gynaecology of India, 25(5): 665-670 (1975)

AB00102 Peru, Ministerio de Salud. El aborto en los establecimientos de salud del Peru. Lima, Peru, Direccion General de Salud, Materno Infantil y Poblacion. (1980)

AB00103 Population Crisis Committee. World abortion trends. Population, 9: (1982).

AB00105 Potts, M. et al. Abortion. Cambridge, United Kingdom, Cambridge University Press, Cambridge. (1977)

AB00106 Naim, A. and Hassan, H. Obstetric features in Kuwait: a reappraisal. Journal of the Kuwait Medical Association, 8(3): 125-134 (1974)

AB00107 Philips, F.S. and Grouse, N. Septic abortion - three year study 1971-1973. Hazards of septic abortion as compared to medical termination of pregnancy at government Erskine Hospital, Madurai. Journal of Obstetrics and Gynaecology of India, Journal of Obstetrics and Gynaecology of India, 652-656 (1975)

AB00108 Melrose, S.B. Maternal deaths at King Edward VIII Hospital, Durban. South African Medical Journal, 65: 161-165 (1984)

AB00110 Monreal, T. Determinant factors in the illegal abortion trends in Chile. Boletin de la Oficina Sanitaria Pan Americana, 86(3): 206-218 (1979)

AB00113 Lindpainter, L.S. et al. Maternal mortality in Matlab Thana, Bangladesh 1982: final report for research protocol 83-021(P) of the Community Service research Working Group, International Centre for Diarrhoeal Disease Research. International Centre for Diarrhoeal Diseases Research, undated document.

AB00115 Merrick, T.W. Fertility and family planning in Brazil. International Family Planning Perspectives, 9(4): 110-119 (1983)

AB00117 Population Institute. Illegal abortion : Latin America's quiet epidemic. Popline, 6(11): 2-4 (1984).

AB00118 International Bank for Reconstruction and Development. Mauritius. Population sector review. Report no. 4486 MAS. Washington, IBRD. (1983)

AB00120 Lovel, H. and Bakoula, C. Lack of family planning leading to induced abortion in rural Greece. IPPF Medical Bulletin, 19(3): 1 (1985)

AB00122 Price, T.G. Preliminary report on maternal deaths in the southern highlands of Tanzania in 1983. Journal of Obstetrics and Gynaecology of Eastern & Central Africa 3: 103-110 (1984)

AB00123 Mtimavalye, L.A.R. et al. Survey on institutional maternal deaths in 4 regions of Tanzania, July 1983 - December 1984, preliminary report. In: WHO Interregional Meeting on the Prevention of Maternal Mortality, 11-15 Nov. 1985. (Unpublished document).

AB00124 Kwast, B.E. et al. Report on maternal health in Addis Ababa. Addis Ababa, Ethiopia, Swedish Save The Children Federation. (1984)

AB00125 Monreal, T. El aborto como problema de salud publica. (Paper written for IPPF). Lima, Peru, (1978)

AB00126 Lamptey, P. et al. Abortion experience among obstetric patients at Korle-Bu hospital, Accra, Ghana. Journal of Biosocial Science, 17(2): 195-203 (1985)

AB00127 Khan, A.R. et al. Maternal mortality in rural Bangladesh. The Jamalpur district. Studies in Family Planning, 17(1): 7-12 (1986)

AB00128 Hogberg, U. Maternal mortality in Sweden. Umea, Sweden, Umea University. (1985).

AB00129 Justesen, A. An analysis of maternal mortality in Muhimibili Medical Centre, Dar es Salaam, July 1983 to June 1984. Journal of Obstetrics and Gynaecology of Eastern & Central Africa 4: 5-8 (1985)

AB00132 Khan, A.R. et al. Induced abortion in a rural area of Bangladesh. Studies in Family Planning, 17(2): 95-99 (1986)

- AB00135 Rochat, R.W. et al. Maternal and abortion related deaths in Bangladesh, 1978-79. International Journal of Gynaecology and Obstetrics, 19: 155-164 (1981)
- AB00136 Chowdhury, R.N.N. Maternal deaths due to haemorrhage. Journal of Indian Medical Association, 67(7): 157-160 (1976)
- AB00140 Sanchez Torres, F. Illegal abortion in Latin America. Draper Fund Report, 9: 14-15 (1980).
- AB00144 Tezcan, S. Health problems of Turkish women. In: Abadan-Unat, N. ed. Women in Turkish society. E.J. Brill, Leyden. 96-107 (1981)
- AB00151 Van Coeverden de Groot, H.A. et al. Maternal mortality (letter). South African Medical Journal, 51(15): 491 (1977)
- AB00152 Vaughan, J.E. Maternal mortality at Grey's and Northdale Hospitals, Pietermaritzburg (letter). South African Medical Journal, 58: 102 (1980)
- AB00154 Williams, L.L. Some observations on maternal mortality in Jamaica. West Indian Medical Journal, 22(1): 1-14 (1973)
- AB00161 Rodriguez Silva, F. Natalidad mortalidad infantil y mortalidad materna. Chile 1964-1977. Revista Chili Obstetrica Gynecologica, 44(4): 140-145 (1979)
- AB00162 Wanigasundara, M. Sri Lanka abortions cause concern. People, 11(2): 37 (1984).
- AB00166 Segbo, M.P. Catastrophe a Ouga. Sages Femmes, 9(1): 23-25 (1985).
- AB00168 Sinnathuray, T.A. et al. Pattern of acute pelvic inflammatory disease in abortion-related admissions. American Journal of Obstetrics and Gynecology, 868(7): 868-871 (1980)
- AB00170 Wanjala, S. et al. Mortality due to abortion at Kenyatta National Hospital, 1974-83. In: Ciba Foundation Symposium, Abortion Medical Progress and Social Implication, Pitman, London 115: 41-53 (1985)
- AB00171 Tshibangu, K. et al. Avortement clandestine, probleme de sante publique a Kinshasa (Zaire). Journal de Gynecologie Obstetrique et Biologie Reproduction, 13(7): 759-763 (1984)
- AB00172 Tezcan, S. et al. Abortion in Turkey. Hacettepe University Institute of Community Medicine, Ankara, Turkey. (1980)
- AB00173 Radhakeesoon, B. Impact of government family planning and child health services in Mauritius. Dundee, (Unpublished MPH thesis). Department of Community Medicine, University of Dundee. (1985)
- AB00174 Toppozada, H.K. Epidemiology of abortion in Alexandria. Alexandria Medical Journal, 26(1,2): 1-167 (1980)
- AB00180 Crowther, C. Prevention of maternal deaths: a continuing challenge. Central African Journal of Medicine, 32(1): 11-14 (1986)
- AB00182 Genasci, L. Brazil to launch national programme. People, 13(3): 25 (1986).
- AB00183 Hamand, J. Abortion - a way of life in Greece. People, 12(3): 19-21 (1985).
- AB00187 Onanga, B. et al. Determinants and consequences of pregnancy wastage in Zaire. Research Triangle Park, North Carolina, USA, Family Health International. 37 (1986)
- AB00188 Kwast, B.E. et al. Maternal mortality in Addis Ababa, Ethiopia. Studies in Family Planning, 17(6): 288-301 (1986)
- AB00190 Greenwood, A. et al. A prospective study of pregnancy in a rural area of the Gambia, West Africa. Bulletin of World Health Organization, 65(5): 635-644 (1987)

AB00191 Pan American Health Organization. Mortalidad materna. Washington, USA, PAHO. Scientific Reports 48: (1986)

AB00192 Tietze, C. and Henshaw, S.K. Induced abortion. A world review 1986. 6th edition. New York, USA, Alan Guttmacher Institute. (1986)

AB00195 Adetero, O.O. Septic induced abortion at Ilorin, Nigeria: an increasing gynaecological problem in developing countries. Asia-Oceania Journal of Obstetrics and Gynaecology, 12(2): 201-205 (1986)

AB00197 Alauddin, F. Pregnancy outcome and neo-natal mortality in four upazilas of Bangladesh. Dhaka, Bangladesh, BAMANEH. (1986)

AB00200 Koenig, M.A. et al. Maternal mortality in Matlab, Bangladesh, 1976-85. Studies in Family Planning, 19(2): 69-80 (1988)

AB00202 Figa-Talamancas, I. et al. Illegal abortion: an attempt to assess its costs to the health services and its incidence in the community. International Journal of Health Services, 16(3): 375-389 (1986)

AB00204 Ryan, M. Illegal abortions and the Soviet health service. British Medical Journal, 294: 425-426 (1987)

AB00209 Viel, B. The health consequences of illegal abortion in Latin America. In: Zatuchni, et al. Pregnancy termination: Procedures, safety and new developments, Harper and Row, London, United Kingdom.

AB00213 Sun, T.H. et al. Trends in fertility, family size preference and family planning practice: Taiwan, 1961-76. Studies in Family Planning, 9(4): 54-70 (1978)

AB00217 Lim, L.S. et al. Abortion deaths in Singapore 1968-76. Singapore Medical Journal, 20(3): (1979).

AB00219 Chelala, C.A. Mortalidad materna en las Americas. PAHO Draft, (1987).

AB00221 Suarez-Herrera, R. Maternal mortality in Maracaibo 1962 to 1967. Revisita de Obstetricia y Ginecologia de Venezuela, 28(4): 521-544 (1968)

AB00223 Teo Yu Keng, M. et al. Septic induced abortion- A report of 100 cases in Sarawak. Medical Journal of Malaysia, 37(4): 322-325 (1982)

AB00224 Narone, J.N. et al. Criminal abortions as seen in the University Teaching Hospital, Lusaka. Medical Journal of Zambia, 15(3): 80-84 (1981)

AB00228 de la Rosa II, M.J. Induced abortion: Is it really a problem? Paper presented to the National Conference on Safe Motherhood, September 3-4, 1987.

AB00229 Locko-Mafouta, C. et al. L'avortement clandestin a Brazzaville. Medecine d'Afrique Noire, 33(3): 199-214 (1986)

AB00230 World Health Organization. Pan American Health Organization. Elementos basicos para el estudio y para la prevencion de la mortalidad materna. Washington, USA, PAHO, Programa salud materno-infantil. (1987)

AB00231 Rodriguez, F. et al. Mortalidad materna en Chile. Revista Chilena de Obstetricia y Gynecologia, 35(5): 229-240 (1970)

AB00233 Tisne, L. et al. Extension del Programa de atencion integral de la mujer en el area oriente de Santiago y descenso de la morbilidad materna y perinatal. Relacion con algunos indicadores socioeconomicos de Chile. Revista Chilena de Obstetricia y Ginecologia, 40(5): 246-277 (1975).

AB00236 Colombia. Servicio de Salud del Valle. Red perinatal valle del Cauca: enfoque integral para intervenciones en salud materna y recien nacido. Cali, APRISA and CEPADS. (1987)

AB00237 Chile, Republica de. Caracteristicas de la mortalidad materna y rol de la atencion de salud en su prevencion. Paper presented at WHO/PAHO Workshop on Maternal Mortality Research, Sao Paulo, April 1988. Unpublished document.

AB00242 Tietze, K. and Bongaarts, J. The demographic effect of induced abortion. *Obstetrical and Gynecological Survey*, 31(10): 699-709 (1976)

AB00247 Rochat, R.W. et al. An epidemiological analysis of abortion in Georgia. *American Journal of Public Health*, 61(3): 543-552 (1971)

AB00253 Polgar, S. and Fried, E.S. The bad old days: clandestine abortions among the poor in New York City before liberalization of the abortion law. *Family Planning Perspectives*, May, 8(3): 125-127 (1976)

AB00263 Khan, A.R. et al. Risks and costs of illegally induced abortion in Bangladesh. *Journal of Biosocial Science*, 16: 89-98 (1984)

AB00265 Pongthai, S. et al. Illegally induced abortion: observation at Ramathibodi Hospital. *Journal of Medical Association Thailand*, 67(2): 50-53 (1984)

AB00266 Mhango, C. et al. Reproductive mortality in Lusaka, Zambia, 1982-1983. *Studies in Family Planning*, 17(5): 243-251 (1986)

AB00267 Olukoya, A.A. Pregnancy Termination: Results of a Community-Based study in Lagos, Nigeria. *International Journal of Gynaecology and Obstetrics*, 25: 41-46 (1987)

AB00268 Boerma, J.T. The magnitude of the maternal mortality problem in Sub-Saharan Africa. *Social Science and Medicine*, 24(6): 551-558 (1987)

AB00270 Edstrom, K.G.B. Health aspects of induced abortion. Bucharest, Romania, Paper presented at the Population Tribune, 18-30 August, 1974. 5 (1974)

AB00271 Rushwan, H.M.E. et al. Three-center study on incomplete abortions in Khartoum, Sudan. A preliminary report. *International Fertility Research Program Conference Paper* 30 (1975)

AB00274 Abeywickrema, D. KAP Study on Abortion in Sri Lanka. Sri Lanka, Family Planning Association of Sri Lanka. 3 (1988)

AB00275 Spinelli, A. et al. Legal abortion in Italy - 1983. Rome, Italy, Annual report on Legal Abortion in Italy - 1983. 19 (1985)

AB00280 Kwast, B. et al. Epidemiology of maternal mortality in Addis Ababa: a community based study. *Ethiopian Medical Journal*, 23(7): 1-15 (1985)

AB00281 Akin, A. Turkish experiences on abortion. Ankara, Turkey, Department of Community Medicine, Hacettepe University Medical School Ankara. 14 (1986)

AB00284 Narkavonnakit, T. Abortion in Rural Thailand: a Survey of Practitioners. *Studies in Family Planning*, 10(8/9): 223-229 (1979)

AB00286 Grimes, D.A. et al. Fatal septic abortion in the United States, 1975-1977. *Obstetrics and Gynecology*, 57(6): 739-744 (1981)

AB00293 Choon, H.S. Abortion - a survey of 1000 cases. *The Medical Journal of Malaya*, 18(4): 282-287 (1963).

AB00294 Anand, D. Clinico-epidemiological study of abortion. *Indian Journal of Public Health*, 9(2): 52-58 (1965)

AB00295 Rao, H.K. et al. A study of abortion cases in Bangalore city hospitals. *The Journal of Family Welfare*, (Bombay), 18(2): 81-87 (1971)

AB00299 Viel, B. Results of a family planning program in the western area of the city of Santiago. *American Journal of Public Health*, 59(10): 1898-1909 (1969)

AB00300 Requena, M.B. and Monreal, T. Evaluation of induced abortion control and family planning programs in Chile. *Milbank Memorial Fund Quarterly*, 46(3,2): 191-217 (1968)

AB00301 Mendoza-Hoyos, H. Research studies on abortion and family planning in Colombia. Milbank Memorial Fund Quarterly, 46(3,2): 223-234 (1968)

AB00303 Armijo, R. and Monreal, T. The problem of induced abortion in Chile. Milbank Memorial Fund Quarterly, 43(4,2): 263-280 (1965)

AB00305 Fortney, J.A. The use of hospital resources to treat incomplete abortions: examples from Latin America. Public Health Reports, 96(6): 574-579 (1981)

AB00306 Dutta, R. Abortion in India, with particular reference to West Bengal. Journal of Biosocial Science, 12: 191-200 (1980)

AB00308 Rushwan, H. et al. Contraceptive practice after women have undergone 'spontaneous' abortion in Indonesia and Sudan. International Journal of Gynaecology and Obstetrics, 15: 241-249 (1977)

AB00309 Chaturachinda, K. et al. Abortion: an epidemiologic study at Ramathibodi Hospital, Bangkok. Studies in Family Planning, 12(6/7): 257-262 (1981)

AB00311 Sainz, S.G. Abortion research in Latin America. Studies in Family Planning, 7(8): 211-217 (1976).

AB00313 Francome, C. How many illegal abortions? British Journal of Criminology, 16(4): 389-392 (1976).

AB00314 Goodhart, C.B. Estimation of illegal abortions. Journal of Biosocial Science, 1: 235-245 (1969).

AB00320 Chi, I.C. et al. Incomplete abortions in Accra and Bangkok University hospitals 1972-1973. International Journal of Gynaecology and Obstetrics, 13: 148-161 (1975)

AB00321 Walker, G.J.A. et al. Maternal mortality in Jamaica. The Lancet, March, 486-488 (1986).

AB00323 Pentelakis, S.N. et al. Influence of induced and spontaneous abortion on prematurity and birth-weight. American Journal of Obstetrics and Gynaecology, 116(6): 799-805 (1973)

AB00332 Bose, C. A comparative study of spontaneous and self-induced abortion cases in married women. Journal of Indian Medical Association, 73(3/4): 56-59 (1979)

AB00341 Gold, J. et al. A cluster of septic complications associated with illegal induced abortions. Obstetrics and Gynecology, 56(3): 311-315 (1980)

AB00342 Gallen, M. Abortion in the Philippines: a study of clients and practitioners. Studies in Family Planning, 13(2): 35-45 (1982)

AB00344 Keng, T.Y.M. et al. Septic induced abortion - a report of 100 cases in Sarawak. Medical Journal of Malaysia, 37(4): 322-325 (1982)

AB00355 Facer, W.A.P. et al. Abortion in New Zealand. Journal of Biosocial Science, 5: 151-158 (1973).

AB00362 Kahan, R.S. et al. The effect of legalized abortion on morbidity resulting from criminal abortion. American Journal of Obstetrics and Gynecology, 121(1): 114-116 (1975)

AB00366 Seward, P.N. et al. The effect of legal abortion on the rate of septic abortion at a large country hospital. American Journal of Obstetrics and Gynecology, 115(3): 335-338 (1973)

AB00374 Lwanga, C. Abortion in Mulago Hospital, Kampala. The East African Medical Journal, 54(3): 142-148 (1977)

AB00385 Newton, T. and Currie, E. New health team - no friends of abortion rights. The Newspaper of the Abortion Law Reform Association, 44: (1986)

AB00386 Begum, S.F. Monitoring incomplete abortion care at Dacca Medical College. 205-217

AB00387 El Pais. 105.000 mujeres abortan cada año en Espana. El Pais, 25 July, (1988).

AB00483 Abernathy, J.R. et al. Estimates of induced abortion in urban North Carolina. *Demography*, 7(1): 19-29 (1979)

AB00491 Akinla, O. Abortion in Africa. In: Hall, R.E., ed. *Abortion in a changing world. Proceedings of an International Conference, Hot Springs, Virginia*. Columbia University Press, N.Y., 1: 291-301 (1970)

AB00501 Ampofo, D.A. 330 cases of abortion treated at Korle Bu Hospital: the epidemiological and medical characteristics. *Ghana Medical Journal*, 9(3): 156-162 (1970)

AB00507 Armijo, R. and Monreal, T. Epidemiology of provoked abortion in Santiago, Chile. In: Muramatsu, M. and Harper, P.A., eds. *Population dynamics: international action and training programmes*, John Hopkins Press, Baltimore, 137-160 (1965)

AB00510 Bach, R. Abortion in Israel. In: Hall, R.E., ed. *Abortion in a changing world New York, Proceedings of an International Conference, Hot Springs, Virginia, November 17-20*. Columbia University Press, N.Y., 1: 274-283 (1970)

AB00514 Bates, J.E. and Zawadzki, E.S. *Criminal abortion: a study in medical sociology*. Charles C.Thomas. Springfield, Illinois. 250p (1964)

AB00515 Begum, F. et al. Experience with abortion related admissions in Dacca Medical College Hospital. *Bangladesh Fertility Research Programme*, Dacca, Bangladesh. Technical Report, 8: 14 (1978)

AB00516 Behjatnia, Y. Consultant report: incomplete abortions treated at Jahanshah Saleh Hospital in Teheran, Iran from May 14, 1973 to April 30, 1974. *Acta Medica Iranica*, 21(1): 53-67 (1978)

AB00519 Berquo, E.S. et al. Levels and variations in fertility in Sao Paulo. *Milbank Memorial Fund Quarterly*, 46(3): 167-185 (1968)

AB00522 Bhuiyan, N. et al. Characteristics of abortion cases admitted in Chittagong Medical College Hospital in 1978. Dacca, Bangladesh, Presented at the Annual Contributors' Conference of Bangladesh Fertility Research Programme. Technical Report, 33: 21 (1979).

AB00550 Cates, W. and Rochat, R.W. Illegal abortions in the United States: 1972-1974. *Family Planning Perspectives*, 8(2): 86-90 (1976)

AB00562 Chen, L.C. et al. Maternal mortality in rural Bangladesh. *Studies in Family Planning*, 5(11): 334-341 (1974)

AB00569 Chow, L.P. Abortion in Taiwan. In: Hall, R.E., ed. *Abortion in a changing world. Vol. 1. Proceeding of an International Conference, Hot Springs, Virginia*. Columbia University Press, New York. 251-259 (1970)

AB00585 Daneshbod, K. et al. Survey of maternal deaths in south Iran: analysis of 96 autopsies. *Journal of Obstetrics and Gynaecology of the British Commonwealth*, 77: 1103-1108 (1970)

AB00612 Flavier, J.M. and Chen, C.H.C. Induced abortion in rural villages of Cavite, the Philippines: knowledge, attitudes and practice. *Studies in Family Planning*, 11(2): 65-71 (1980)

AB00616 Galbinski, A. Contribution to the study of epidemiology of induced abortion. *Journal Brasileiro de Ginecologia*, 71(4): 201-208 (1971)

AB00622 Gaslonde, S. Preliminary analysis of data on abortion from Latin American surveys. Centro Latinoamericano de Demografia CELADE, Santiago, Chile. 118(A): 102 (1973)

AB00623 Gaslonde, S. Studies on fertility and abortion in Asuncion, Bogota, Buenos Aires, Lima and Panama City. In: PAHO & Trans. Fam. Res. Inst.. Epid. of abortion and practices of fertility regulations in Latin America. Washington, D.C. PAHO. Scientific Publication, 306: 9-25 (1975).

AB00625 Gaslonde Sainz, S. Abortion research in Latin America. *Studies in Family Planning*, 7(8): 211-217 (1976)

AB00668 International Planned Parenthood Federation. *Family Planning in Chile: a profile of the development of policies and programmes*. IPPF, London. 25pp (1980)

AB00388 Kirkwood, B.J. et al. Abortion experiences among New Zealand women. New Zealand Medical Journal, 90: 294-297 (1979)

AB00389 Mostafa, A.A. and Barakat, K.I. The abortion load in the Kuwait Maternity Hospital: five years' study. Journal of the Kuwait Medical Association, 13(2): 93-95 (1979)

AB00391 Chatterjee, P. Induced abortion and its hazards. Journal of Indian Medical Association, 69(8): 173-175 (1977)

AB00392 Gallen, M. Abortion choices in the Philippines. Journal of Biosocial Science, 11: 281-288 (1979).

AB00394 Vekemans, M. and Dohmen, B. Induced abortion in Belgium: clinical experience and psychosocial observations. Studies in Family Planning, 13(12): 355-364 (1982)

AB00397 Ellerbrock, T.V. et al. Abortion surveillance, 1982-1983. Morbidity Mortality Weekly Report, 36(1SS): 11-42 (1987)

AB00401 Tyler, C.W. The public health implications of abortion. Annual Review of Public Health, 4: 223-258 (1983)

AB00413 Francome, C. Estimating the number of illegal abortions. Journal of Biosocial Science, 9(4): 467-479 (1977)

AB00416 Paiewonsky, D. El aborto en la Republica Dominicana. Santo Domingo, Dominican Republic, CIPAF. 118 (1988)

AB00448 The Abortion Law Reform Association, London. A character for choice - now is the time. Breaking Chains. (48): 1-8 (1988)

AB00455 Belgharbi, L. Rapport sur la situation socio-sanitaire des femmes et des enfants en Republique Gabonaise. Ministere de la Sante Publique et de la Population. Gabon. Document du travail, 93 (1986)

AB00458 Hong, S.B. Changing patterns of induced abortion in Seoul, Korea. Dong-A Publishing Co., Seoul, Korea. 1-115 (1971)

AB00459 Hong, S.B. Induced abortion in Seoul, Korea. Dong-A Publishing Co., Seoul, Korea. Induced abortions in Seoul, Korea 1-91 (1966)

AB00462 Van der Tak, J. Abortion, fertility and changing legislation: an international review. Lexington Books, Lexington, Mass, USA. 141 (1974)

AB00463 Pan American Health Organization. Health of women in the Americas. Washington, USA, PAHO, Scientific Publication No.488. 157 (1985)

AB00464 Hong, S.B. and Watson, W.B. The increasing utilization of induced abortion in Korea. Seoul, Korea, A monograph in the 1971 Fertility-Abortion Survey. 1-181 (1976)

AB00466 David, H.P. Family planning and abortion in the socialist countries of Central Europe. The Population Council, New York, USA. 1-306 (1970)

AB00467 Awan, A.K. Provoked abortions amongst 1447 married women. Maternity and Child Welfare Association of Pakistan, Lahore, Pakistan. 86 (1969)

AB00468 Lane, J. Report of the Committee on the working of the abortion act. Volume 1. Report. Her Majesty's Stationery Office, London, U.K. 1: 287 (1964)

AB00471 Center for Disease Control. Abortion Surveillance 1976. Annual summary 1976, US Department of Health, Education Welfare, Atlanta, Georgia. 1-49 (1978)

AB00476 Chang, H.K.K. et al. The medical outcome and psychosocial factors in relation to adolescent child birth in Seoul, Korea and the research findings' follow-up activities. Korea Institute for Population and Health. 87

AB00669 International Planned Parenthood Federation. Family Planning in Colombia: a profile of the development of policies and programmes. IPPF, London. 47pp (1979)

AB00673 Jabeen, S. et al. A study of the abortion related cases admitted in Sir Salimullah Medical College Hospital, Dacca, Bangladesh, Technical Report No.35. 16 (1979)

AB00706 Larsen, J.V. Induced abortion. South African Medical Journal, 53(2): 853-857 (1978).

AB00730 Mathur, H.N. et al. Analytical study of abortions in rural community. Journal of Obstetrics and Gynaecology of India, 29(3): 620-622 (1979)

AB00761 Morris, L. et al. Contraceptive use and demographic trends in El Salvador. Studies in Family Planning, 10(2): 43-52 (1979)

AB00772 Morris, L. et al. Contraceptive prevalence in Paraguay. Studies in Family Planning, 9(10/11): 272-279 (1978)

AB00773 Nasah, B.T. Aetiology of infertility in the Came Roune. Nigerian Medical Journal, 8(5): 452-456 (1978)

AB00777 Nazer, I.R. Abortion in the Near East. In: Hall, R.E. ed. Abortion in a changing world. Vol.1 (Proceedings of an International Conference, Hot Springs, Virginia) Columbia University Press, New York, 267-273 (1970)

AB00799 Ordonez, B.R. Induced abortion in Mexico City: summary conclusions from two studies conducted by the Mexican Social Security Inst.. In: PAHO and TFRI. Epidemiology of abort. and pract. of fert. regul. in L.America. PAHO, Washington, D.C. Scientific Publication, 306: 26-29 (1975).

AB00803 Padubidri, V. and Kotwani, B.G. Septic abortions: 5 years review. Journal of Obstetrics and Gynaecology of India, 29(3): 593-597 (1979)

AB00818 Papaevangelou, G. et al. The effect of spontaneous and induced abortion on prematurity and birth-weight. Journal of Obstetrics and Gynaecology of the British Commonwealth 80(5): 418-422 (1973)

AB00822 Puffer, R.R. and Griffith, G.W. Maternal deaths. In: Puffer, R.R. and Griffith, G.W. Patterns of urban mortality. Report of the Inter-American Investigation of Mortality. Washington, D.C., PAHO. Scientific Publication, 151: 169-182 (1976)

AB00827 Ramirez, E.C.E. et al. The preferred risk of illegal abortion in the Dominican Republic. In: David, H.P. et al. eds. Abortion in psychosocial perspective: trends in transnational research. Springer, New York, USA. 225-237 (1978)

AB00829 Rao, K.B. Maternal mortality in a teaching hospital in southern India: a 13-year study. Obstetrics and Gynecology, 46(4): 397-400 (1975)

AB00833 Requena, B.M. Abortion in Latin America. In: Hall, R.E. ed. Abortion in a changing world. Vol.1 (Proceedings of an International Conference, Hot Springs, Virginia) Columbia University Press, New York. 338-352 (1970)

AB00863 Santamaría, P.L.E. Induced abortion in the Maternal Child Institute. Revista Colombiana de Obstetricia y Ginecología, 21(2): 137-139 (1970)

AB00866 Guido, C., et.al. Analisis de 2746 Abortos Atendidos en el Hospital General de Managua. International Surgery, 56(2): 125-127 ((1971)

AB00868 Santee, B. A prospective abortion study in Santiago, Chile. In: PAHO and TFRI. Epidemiology of abortion and practices of fertility regulation in Latin America: selected reports. Washington, D.C., PAHO. Scientific Publication, 306: 30-38(1975).

AB00872 Schwarz, R.H. Septic abortion. Philadelphia, Pennsylvania, Lippincott Philadelphia, Pennsylvania J.B. 1-22 (1968)

AB00874 Fox,L.P., Abortion Deaths in California. Am. J. Obst. & Gynec., 98: 645-653 ((1967)

AB00875 Rice-Wray, E. The Provoked Abortion - A Major Public Health Problem. Am. J. Public Health, 54(2): 313-321 ((1964)

AB00877 Schor, N., Investigacao sobre ocorrencia de aborto em pacientes de Hospital de Centro Urbano do Estado de Sao Paulo, Brasil. Revista de Saude Publica, 24(2): 144-151 ((1990)

AB00891 Sikdar, K. and Konar, M. Trends of maternal mortality in Eden Hospital during 1976. Journal of the Association of Medical Women in India, 69(2): 50-55 (1979)

AB00910 Su, K.H., Chow, L.P. Induced abortion and contraceptive practice: an experience in Taiwan. Studies in Family Planning, 7(8): 224-230 (1976)

AB00921 Thambu, J.A.M. Abortions: government hospitals, Peninsular Malaysia, 1960-1972. Medical Journal of Malaysia, 29(4): 258-262 (1975)

AB00953 Velez Ramirez, O. 1229 cases of abortion in the Caldas University Hospital. Revista Colombiana de Obstetricia y Ginecologia, 21(2): 147-170 (1970)

AB00954 Viada, R. et al. Medical and socio-demographic implications of abortion at Felix Bulnes Hospital in Santiago. Reproduccion, 3(1/2): 33-42 (1976)

AB00955 Viel, B. The demographic explosion: the Latin American experience. Irvington, New York. 249p (1976)

AB00957 Viel, B. The sequelae of non hospital abortions. In: Halt, R.E. ed. Abortion in a changing world. Vol. 1 (Proceedings of an International Conference, Hot Springs, Virginia. Columbia University Press, New York. 226-242 (1970)

AB00982 Zimmerman, M. Abortion law and practice: a status report. Population Reports, Series E 3: (1976).

AB01000 Tietze, C. Induced abortion: A World Review. 1981 4th ed., A Population Council Fact Book Population Council, New York, USA. (1980)

AB01009 Rodriguez, J. et al. Avoidable mortality and maternal mortality in Cali, Colombia. In: Interregional Meeting on the Prevention of Maternal Mortality, Geneva, 11-15 November. Geneva, Unpublished WHO document No. FHE/PMM/85.9.8 (1985)

AB01014 Bhasker, R.K. Maternal mortality in a teaching hospital in southern India. Obstetrics and Gynecology, 46(4): 397-400 (1975)

AB01017 Narone, R.K. et al. A study of 'spontaneous' abortions in Zambia. Journal of Obstetrics and Gynaecology of East and Central Africa, 2: 150-153 (1983)

AB01018 Tezcan, S. and Omran, A.R. Prevalence and reporting of induced abortion in Turkey: two survey techniques. Studies in Family Planning, 12(6/7): 262-271 (1981)

AB01019 Islam, S. Case studies of indigenous abortion practitioners in Rural Bangladesh. Studies in Family Planning, 13(3): 86-93 (1982)

AB01022 International Planned Parenthood Federation. A strategy for abortion management. Report of an IPPF Africa Regional Workshop. IPPF, London, December 1978. 172pp (1978)

AB01023 International Planned Parenthood Federation. Korea profile. Family planning policies and programmes. IPPF, London, October 1979. 77pp (1979)

AB01032 Adrien, S. Amelioration de la vie familiale en Republique Populaire du Congo. AFR/MCH/77 Unpublished WHO document, (1977)

AB01036 Institute of Population Studies, Hacettepe University (Ankara), 1983. Turkish Fertility Contraceptive Prevalence and Family Health Status Survey, Ankara Turkey. (1987)

AB01040 Avendano, O. El aborto como problema de salud publica en Chile. Cuadernos Medico-Sociales, 16(1): 30-35 (1985)

ABO1041 Bailey, P.E., et al. A hospital study of illegal abortion in Bolivia. PAHO Bulletin, 22(1): 27-41 (1988)

ABO1042 Briley, H. Campaigning in Argentina. People, 15(4): 24 (1988).

ABO1043 Center for Disease Control. Abortion surveillance, United States, 1984-1985, Morbidity and Mortality Weekly Report, 38(SS-2): (1989)

ABO1046 El-Mouelhy, M.T. Maternal mortality in Egypt. Cairo Family Planning Association, unpublished, (1987)

ABO1050 Ma Khin Kyi. Maternal mortality at the Women's and Children's Hospital, South Okkalapa (1978-1982). Australia and New Zealand Journal of Obstetrics and Gynaecology, 28(1): 36-40 (1988)

ABO1055 Rosenfeld, A. Abortion: the neglected problem. People, 15(4): 4 (1988).

ABO1057 Unuigbe, J.A., et al. Abortion-related morbidity and mortality in Benin City, Nigeria, 1973-85. International Journal of Gynaecology and Obstetrics, 26: 435-439 (1988)

ABO1067 Ayman, T. Iran. In: Psychosocial Aspects of Abortion in Asia. Proceedings of the Asian Regional Research Seminar on Psychosocial Aspects of Abortion. Kathmandu, Nepal, 26-29 November 1974. Family Planning Association of Nepal, American Inst. for Research. (1975)

ABO1068 Peled, T. Israel. In: Psychosocial Aspects of Abortion in Asia. Proceedings of the Asian Regional Research Seminar on Psychosocial Aspects of Abortion. Kathmandu, Nepal, 26-29 November 1974. Family Planning Association of Nepal, American Inst. for Research. (1975)

ABO1069 Lee, S.J. Republic of Korea. In: Psychosocial Aspects of Abortion in Asia. Proceedings of the Asian Regional Research Seminar on Psychosocial Aspects of Abortion. Kathmandu, Nepal, 26-29 November 1974. Family Planning Association of Nepal, American Inst. for Research. (1975)

ABO1070 Puvan, I.S. Malaysia (West). In: Psychosocial Aspects of Abortion in Asia. Proceedings of the Asian Regional Research Seminar on Psychosocial Aspects of Abortion. Kathmandu, Nepal, 26-29 November 1974. Family Planning Association of Nepal, American Inst. for Research. (1975)

ABO1074 Cook, M.J., Leoprapai, B. Thailand. In: Psychosocial Aspects of Abortion in Asia. Proceedings of the Asian Regional Research Seminar on Psychosocial Aspects of Abortion. Kathmandu, Nepal, 26-29 November 1974. Family Planning Association of Nepal, American Inst. for Research. (1975)

ABO1075 Samoerno, D., Sadli, S. Indonesia. In: Psychosocial Aspects of Abortion in Asia. Proceedings of the Asian Regional Research Seminar on Psychosocial Aspects of Abortion. Kathmandu, Nepal, 26-29 November 1974. Family Planning Association of Nepal, American Inst. for Research. (1975)

ABO1077 Samil, R.S. Commentary on menstrual regulation as a health service: challenges in Indonesia. Int. J. Gynecol. Obstet., 3: 29-32 (1989)

ABO1084 Feature Article. The Impact of Unsafe Abortion in the Developing World. Outlook, 7(3): (1989).

ABO1085 International Reference Center for Abortion Research. Abortion USA. Transnational Family Research Institute. Abortion Research Notes, 18(3-4): 1-6 (1989)

ABO1086 Kwast, B.E., et.al. Confidential Enquiries into Maternal Deaths in Addis Ababa, Ethiopia 1981-1983. Journal of Obstetrics & Gynaecology of Eastern and Central Africa 8: 75-82 (1989)

ABO1091 Ray, A. A Comparative Study of Spontaneous Abortion and Medical Termination of Pregnancy. In: Wadia, S.A.B. Medical and Socio-economic Aspects of Abortion. Seminar organised by Family Planning Ass. of India Calcutta, November 25-27, 1972. Calcutta, November 25-27, 1972. (1973).

ABO1092 Sinnathuray, T.A., et al. Report on Maternal Health and Early Pregnancy Wastage in Peninsular Malaysia. Feder. of Fam. Plan. Assoc., Malaysia and Int. Develop. Res. Centre, Canada. (1977)

ABO1096 Frejka, T. Induced Abortion and Fertility: A Quarter Century of Experience in Eastern Europe. Population and Development Review, 9(3): 494-520 (1983)

ABO1097 Kenya. A Report by the Director of Medical Services on Status of Health in Kenya 1979. Ministry of Health, Nairobi, Kenya. (1982)

ABO1099 Baldo, M.H. Maternal Mortality in Sudan. Interregional Meeting on Prevention of Maternal Mortality. Geneva, 11-15 November 1985. FHE/PMM/85.9.5 (1985)

ABO1100 Nural Alam, A.H.M. Prevention of Maternal Mortality in Bangladesh. Interregional Meeting on Prevention of Maternal Mortality. Geneva, 11-15 November 1985. FHE/PMM/85.9.15 (1985)

ABO1102 International Planned Parenthood Federation Illegal abortion in Latin America. International Planned Parenthood Federation, London. IPPF Medical Bulletin, (1982)

ABO1103 Westoff, C.F. Abortions Averted by Sterilization in Korea: 1977 - 1978. International Family Planning Perspectives, 6(2): 60-64 (1980)

ABO1105 Choi, E.H., et al. Abortion and Contraception in The Korean Fertility Transition. Journal of Population and Health Studies, 2(1): 71-87 (1982)

ABO1106 Gomaa, R.A., et al. Health Profile of Egypt. A.R.E. Ministry of Health. Newsletter. April, 3(4): (1982)

ABO1107 Cardoso, U.F. Maternal Mortality in Cuba. Interregional Meeting on the Prevention of Maternal Mortality. Geneva, 11-15 November 1985. WHO FHE/PMM/85.9.14 (1985)

ABO1109 Kamaci, M., Mermut, S. Turkey: Pressures on Employment, Housing, Education and Health Care. Journal, (1986)

ABO1114 Van der Tak, J. Impact of Changing Abortion Legislation and Practice on Fertility Trends. In: David, H.P. (ed). Abortion Research: International Experience. Lexington Books, Lexington, Mass, USA. 4: 40-53 (1974)

ABO1121 Akin, A. Maternal Mortality in Turkey. Interregional Meeting on the Prevention of Maternal Mortality. Geneva 11-15 Nov., 1985. (1985)

ABO1122 Hollebach, P.E., et al. Fertility Determinants in Cuba. International Family Planning Perspectives, 10(1): 12-20 (1984)

ABO1124 Health. Risk factors in abortion. The Hindu, May 20: 19 (1990).

ABO1132 Huldt, L. Outcome of Pregnancy when Legal Abortion is Readily Available. The Lancet, March 2: 467-468 (1968)

ABO1133 Vekemans, M., Verhaegen, B. Enquête sur le nombre d'interruptions volontaires de grossesse pratiquées en Belgique en 1985 (Survey of the number of voluntary pregnancy interruptions practiced in Belgium in 1986). Rev. Med. Brux., 8: 21-25(1987).

ABO1138 David, H. Background. Romania ends compulsory childbearing. Entre Nous, 14/15 9-10 (1990).

ABO1139 Jeanblanc, A. A brighter future for three million Romanian women? Entre Nous, 14/15 5 (1990).

ABO1146 Fauveau, V., et al. Causes of maternal mortality in rural Bangladesh, 1976-85. Bulletin of the World Health Organization, 66(5): 643-651 (1988)

ABO1149 Valaores, V.G., et al. Postwar Abortion Experience. Studies in Family Planning, 46: 10-16 (1969).

ABO1150 Requena, M.B. Social and Economic Correlates of Induced Abortion in Santiago, Chile. Demography, 2: 33-49 (1965)

ABO1151 Fortney, J.A. et al. Maternal Mortality in Indonesia and Egypt. Interregional meeting on Prevention of Maternal Mortality. Geneva, 11-15 November 1985. FHE/PMM/85.9.13 (1985)

ABO1152 Fortney, J.A. et al. Causes of death to women of reproductive age in two developing countries. Population Research and Policy Review, 6: 137-148 (1987)

ABO1155 Abdullah, S.A., et al. Maternal Mortality in Upper Egypt. WHO Inter-regional Meeting on Prevention of Maternal Mortality. Geneva, 11-15 November, 1985. (1985)

ABO1156 El-Movelly, M.T. Maternal Mortality in Egypt. Cairo Family Planning Association, Unpublished. (1987)

ABO1158 Guha, M. Maternal Mortality. Journal of Obstetrics and Gynaecology of India, 22(3): 254-261 (1972).

ABO1160 Cervantes, R., et al. Muerte Materna y Muerte Perinatal en Los Hospitales del Peru. Peru Ministerio de Salud, Lima. (1988)

ABO1161 Adetoro, O.O. A 15-year study of illegally induced abortion mortality at Ilorin, Nigeria. Int. J. Gynecol. Obstet., 29: 65-72 (1989)

ABO1162 Stamm, H., et al. Schwangerschaftsabbruch in der Schweiz 1982 bis 1986. Schweiz. Rundschau Med. (PRAXIS), 79(9): 229-234 (1990)

ABO1164 Munoz Aguero, W., et al Maternal mortality. Review of cases for a period of 30 years, 1950-1959 Rev. Chil. Obstet. Ginecol., 45(3): 156-169 (1980)

ABO1168 Viel, P.B., Campos, W. La Experiencia Chilena de Mortalidad Infantil y Materna, 1940-1985. Perspectivas Internacionales en Planificacion Familiar, Spec.Issue (1987)

ABO1171 Philippines, National Economic and Development Authority. Vital Statistics Report 1975. National Census and Statistics Office, NEDA - APO Unit. (1979)

ABO1173 Mola, G., Atiken, I. Maternal Mortality in Papua New Guinea 1976-1983. Papua New Guinea Medical Journal, 27(2): 65-71 (1984)

ABO1175 Peel, J., Potts, M. Textbook of contraceptive practice. Cambridge University Press. 13: 169-209 (1969)

ABO1177 Walker, J.A., et al. Maternal Mortality in Jamaica. A confidential inquiry into all maternal deaths in Jamaica 1981-1983. Interregional Meeting on Prevention of Maternal Mortality. Geneva, 11-15 November, 1985. FHE/PMM/85.9.10 (1985)

ABO1183 Sanchez Torres, F. Mortalidad Materna en el Instituto Materno Infantil, de Bogota (1971 - 1973). Rev. Col. Obst. y Ginec., Nov.-Dec., (1974)

ABO1184 Bhuiyan, N. Characteristics of Tubectomy clients of Chittagong Medical University. Unpublished Paper. (1978)

ABO1185 Kamal, G.M. (eds.) Septic Abortion -- Bangladeshi women want to get rid of it. MR Newsletter, 4(1): 1-3 (1988)

ABO1186 Lopez Ruiz, R. Morbidity and mortality in the maternity pediatric institute - Concepcion Villavecs de Acosta - in 1965 and 1966. Rev. Colomb. Obstet. Ginecol., 19(4): 269-281 (1968)

ABO1187 Devi, Y.L., Singh, J. Maternal Mortality. A Ten Years Study in R.M.C. Hospital: IMPHAL Journal of Obstetrics and Gynaecology of India, 37(1): 90-94 (1987)

ABO1188 Kamel, N.M., et al. The Antenatal Care in Alexandria. Extent of Coverage and Pattern of Attendance. The Bulletin of the High Institute of Public Health, Alexandria, 8(2): 353-373 (1978)

ABO1190 Guiloff Fishe, E., et al. Family Planning Programs: World Review 1974. Chile Studies in Family Planning, 6(8): 267-268 (1975)

ABO1191 Kamel, W.H., et al. Pregnancy Wastage in a Rural Community in Egypt. Cairo Univ. Press. The Egyptian Popul.& Fam. Plan. Review., 7(1): 11-20 (1974)

ABO1197 Mehlan, K-H. Abortion in Eastern Europe. In: Hall, R.E. (ed.) Abortion in a Changing World Columbia University Press, New York and London, 1970. 1: 302-314 (1970)

ABO1203 India, Ministry of Home Affairs, Office of Registrar General Vital Statistics of India 1976 (16th issue), New Delhi 3(12): (1982)

ABO1213 Bhatia, J.C. Abortionists and Abortion Seekers. Indian Journal of Social Work, 34(3): 275-285 (1973)

ABO1215 Aguero, O., Torres, J. Frecuencia y Letalidad del Aborto. Revista de Obstetricia y Ginecologia de Venezuela, 32(1): 3-15 (1972)

ABO1216 Rajasekharan, N., Vijaya, R. Some Observations on Septic Abortion (Analysis of 617 cases - from January 1967 to June 1971). Journal of Obstetrics and Gynaecology of India, 23: 47-54 (1973)

ABO1217 Monreal, T.P. Fecundidad, Aborto y Nivel de Vida En Mujeres Mapuches. Rev. Med. Chile, 100: 1273-1286 (1972)

ABO1220 Nichols, D. et al. Sexual Behavior, Contraceptive Practice, and Reproductive Health Among Nigerian Adolescents. Studies in Family Planning, 17(2): 100-106 (1986)

ABO1224 Nichols, D., et al. Sexual Behavior, Contraceptive Practice, and Reproductive Health Among Liberian Adolescents. Studies in Family Planning, 18(3): 169-176 (1987)

ABO1230 Bullough, C.H.W. Analysis of Maternal Deaths in the Central Region of Malawi. The East African Medical Journal, 58(1): 25-36 (1981)

ABO1234 Mehta, B., et al. Abortion and M.T.P. Cases - A Study of Hospital Admissions From 1971 to 1979 Indian Journal of Public Health, 26(1): 38-41 (1982)

ABO1235 Grech, E.S. Obstetric Deaths in Lusaka. Medical Journal of Zambia, 12(2): 45-53 (1978).

ABO1239 Hickey, M.U., Kasonde, J.M. Maternal Mortality at University Teaching Hospital, Lusaka. Medical Journal of Zambia, 11(3): 74-78 (1977)

ABO1244 Hogberg, U. Maternal Mortality - A World Wide Problem. Int. J. Gynaecol. Obstet., 23: 463-470 (1985)

ABO1249 Carrasco, E. Incidence of Abortion, Fertility and Contraception in Latin America. In: International Population Conference, Liege 1973. Union Internationale pour l'Etude Scientifique de la Population, 2: 297-313 (1974)

ABO1250 Freedman, R., et al. Trends in Family Size Preferences and Practice of Family Planning: Taiwan, 1965-1970. Studies in Family Planning, 3(12): 281-296 (1972)

ABO1251 Chang, K.S., et al. East Asia Review, 1972. Korea (South) Studies in Family Planning, 4(5): 107-111 (1973)

ABO1255 Hooi , S.C. Abortion - A Survey of 1,000 Cases. The Medical Journal of Malaya, 18(4): 282-287 (1963)

ABO1256 Rattakul, P. Septic Abortion, The Scourge of Modern Obstetrics. Journal of the Medical Association of Thailand, 54(5): 312-319 (1971)

ABO1258 Jalali, G.H., et al. Study of Abortion at Farah Maternity Hospital, Teheran. Iranian Journal of Public Health, 2(4): 212-218 (1974)

ABO1264 Hall, M-F. Family Planning in Lima, Peru. Milbank Memorial Fund Quarterly, 43(4): 100-116 (1965).

ABO1265 Requena, M.B. Studies of Family Planning in the Quinta Normal District of Santiago. The Use of Contraceptives. Milbank Memorial Fund Quarterly, 43(4): 69-99 (1965)

ABO1268 Armagnac, C., Retel-Laurentin, A. Relations Between Fertility, Birth Intervals, Foetal Mortality and Maternal Health in Upper Volta. Population Studies, 35(2): 217-235 (1981)

AB01270 Al-Saigh, B.R., et al. The Problem of Pregnancy Wastage From an Epidemiological Perspective: an Exploratory Study in Basrah. The Medical Journal of Basrah University, 3(1): 19-41 (1980)

AB01271 El Aborto Social. Boletin de Salud Publica, April, (1974).

AB01272 Kouwakanou, J.D.H. Contribution a l'Etude des Avortements Provoques. A propos de 707 cas recenses a la maternite du C.N.H.U. de Cotonou. Doctoral thesis, Universite Nationale du Benin, 292: (1986)

AB01276 Bhatia, J.C., Neumann, A.K. Social Correlates of Foetal Mortality in Rural Ghana. The Journal of Family Welfare, 28: 46-57 (1982)

AB01277 Imoedemhe, D.A.G., et al. Intestinal Injuries Following Induced Abortion. Int. J. Gynaecol. Obstet., 22: 303-306 (1984)

AB01278 Park, T.K. An Analysis of All Pregnancy Outcomes in a Rural Korean Community. Yonsei Medical Journal, 20(2): 170-182 (1979)

AB01282 Canto de Cetina, T.E., et al. Aborto incompleto: caracteristicas de las pacientes tratadas en el Hospital O'Horan de Merida, Yucatan. Salud Publica de Mexico, 27(6): 507-513 (1985)

AB01284 Monreal, T., et al. Abortos hospitalizados en El Salvador. Salud Publica de Mexico, 19(3): 387-395 (1977)

AB01285 Valenzuela, A.V., Jara, I. Abortions in Two Philippine Hospitals. J. of the Philippines Medical Association, Nov.-Dec: 379-390 (1978)

AB01286 Norambuena, J.C.C., et al. Aborto. Analisis y Evolucion de los Egresos Hospitalarios por Aborto en el Area de Talcahuano 1970-1976. Cuadernos Medico Sociales, 5-10 (1980)

AB01287 Crowther, C., Verkuyl, D. Characteristics of Patients Attending Harare Hospital with Incomplete Abortion. Central African Journal of Medicine, 31(4): 67-70 (1985)

AB01295 Yoseph, S., Kifle, G. A six-year Review of Maternal Mortality in a Teaching Hospital in Addis Ababa. Ethiopian Medical Journal, 26: 115-120 (1988)

AB01306 Koetsawang, S., et al. Study of Spontaneous Abortion in Thailand. Int. J. Gynaecol. Obstet., 15: 361-368 (1978)

AB01308 Chattopadhyay, S., et al. Maternal mortality in Riyadh, Saudi Arabia. British Journal of Obstetrics and Gynaecology, 90: 809-814 (1983)

AB01309 Mashini, I., et al. Maternal Mortality in the American University of Beirut Medical Center - AUBMC, 1971-1982. Int. J. Gynaecol. Obstet., 22: 275-279 (1984)

AB01311 Donaldson, P.J., et al. Abortion and Contraception in the Korean Fertility Transition. Population Studies, 36(2): 227-236 (1982)

AB01314 Hong, S., Tietze, C. Survey of Abortion Providers in Seoul, Korea. Studies in Family Planning, 10(5): 161-163 (1979)

AB01323 Bateman, D.E.R. Cases of Abortion Treated at the Lambeth Hospital, 1960-1967. J. Obstet. Gynaec. Brit. Cwlth., 75: 1169-1172 (1968)

AB01324 Brown, I. Maternal Mortality: A survey of Maternal Deaths Occurring During 1976. The Central African Journal of Medicine, 24(10): 212-214 (1978)

AB01329 Jain, A.K. Fetal Wastage in a Sample of Taiwanese Women. Milbank Memorial Fund Quarterly, 47(3): 291-306 (1969)

AB01330 Utian, W.H. The Cause of Death Following Abortion: An Analysis of 28 Consecutive cases at Groote Schuur Hospital. J. Obstet. Gynaec. Brit. Cwlth., 75: 705-712 (1968)

AB01332 Barro, A. Criminal abortion deaths, illegitimate pregnancy deaths, and suicides in pregnancy. Am. J. Obst. & Gynec., 98(3): 356-367 (1967)

AB01334 Karchmer, S., et al. Studies on Maternal Mortality in Mexico. Int. J. Gynaecol. Obstet., 14: 449-454 (1976)

AB01335 Borazjani, G., et al. Maternal Mortality in South Iran: A Seven-Year Survey. Int. J. Gynaecol. Obstet., 16(1): 65-69 (1978)

AB01336 Oduntan, S.O., Odunlami, V.B. Maternal Mortality in Western Nigeria. Tropical and Geographical Medicine, 27: 313-316 (1975)

AB01342 Valenzuela, A.V. Abortion in Filipino Women. J. of the Philippine Medical Association, 46(11): 655-667 (1970)

AB01343 Koetsawang, A., Koetsawang, S. Nation-Wide Study on Health Hazard of Illegally Induced Abortion. Mahidol University, Bangkok, Thailand. (1987)

AB01344 Koetsawang, S. Incidence of abortion in Sirirai Hospital Bangkok from 1968-1979. Mahidol University, Bangkok, Thailand. (1980)

AB01345 Kumar, R., et al. Maternal mortality inquiry in a rural community of North India. Int. J. Gynecol. Obstet., 29(4): 313-319 (1989)

AB01346 Picaud, A., et al. La mortalite maternelle au Centre Hospitalier de Libreville (1984-1987). J. Gynecol. Obstet. Biol. Reprod., 18(4): 445-450 (1989)

AB01348 Kyi, M.K. Maternal Mortality at the Workers' Hospital, Rangoon (1983-1987). Aust. and N.Z. Journal of Obstetrics and Gynaecology, 28(3): 242-243 (1988)

AB01351 Montgomery, T.A., et al. Maternal Deaths in California, 1957-1962. California Medicine, 100(6): 412-421 (1964)

AB01352 Rosenfield, A. Maternal Mortality in Developing Countries. An Ongoing but Neglected 'Epidemic'. JAMA, 262(3): 376-379 (1989)

AB01355 Hilfrich, H.J., Siedentopf, H.G. Bericht über 340 mutterliche Todesfälle. Zeit. Geburts. Gynak., Gottingen, 167: 262-285 (1967)

AB01358 Toppozada, H.K., Toppozada, M.K. Experience with Abortion in a Private Practice. In: Omran, A. (ed). Egypt: Population Problems & Prospects. Carolina Population Centre. University of North Carolina at Chapel Hill, North Carolina. 403-408(1973).

AB01363 Kady, A.A., et al. Obstetric deaths in Menoufia Governorate, Egypt. British Journal of Obstetrics and Gynaecology, 96(1): 9-14 (1989)

AB01364 Cooreman, B.F., et al. Maternal deaths at Pelonomi Hospital, Bloemfontein, 1980-1985. S. African Medical Journal, 76(1): 24-26 (1989)

AB01366 Shepherd, J.M., Benny, P.S. Septic Abortion in Wellington 1960-1979. New Zealand Medical Journal, 97: 322-324 (1984)

AB01367 Mitra, J., Khara, B.N. Maternal Mortality - A Review of the current status in a Teaching Institution. Journal of Obstetrics and Gynaecology of India, 33: 209-213 (1983)

AB01368 Leke, R.J. Outcome of pregnancy and delivery at the Central Maternity Central Hospital Yaounde. Annales Universitaires Sciences de la Sante, 4(1): 322-330 (1987)

AB01369 Tshibangu, K., et al. Avortement clandestin, probleme de sante publique a Kinshasa (Zaire). J. Gynecol. Obstet. Biol. Reprod., 13(7): 759-763 (1984)

AB01372 De Siqueira, F.A.A., et al. Mortalidade Materna No Brasil, 1980. Rev. Saude publ. S. Paulo, 18: 448-465 (1984)

AB01374 Okoisor, A.T. Maternal Mortality in the Lagos University Teaching Hospital. Nigerian Medical Journal, 8(4): 349-354 (1978)

AB01376 Kong, H., Ng, K.H. Maternal Mortality in University Hospital Kuala Lumpur, Malaysia. The Medical Journal of Malaysia, 28(4): 226-228 (1974)

AB01378 Sikdar, K., Konar, M. Maternal Mortality From Sepsis. Journal of Obstetrics and Gynaecology of India, 29: 1149-1154 (1979)

AB01379 Bhasker Rao, K. Maternal Mortality in India - A Cooperative Study. The Journal of Obstetrics & Gynaecology of India, 30(6): 859-864 (1980)

AB01380 Lakshmi, Y., Singh, J. A Seven Years Review of Maternal Mortality at District and Regional Medical College Hospitals Imphal - MANIPUR. Analysis of some of the causative factors. Journal of Obstetrics and Gynecology of India, 31: 267-271(1981).

AB01382 Kashlan, K.E., et al. Induced Abortions Recorded Spontaneous in Hospital Admission. The Egyptian Population and Family Planning Review, 7(2): 79-85 (1974)

AB01383 Herrera Moore, M. Aborto y Planificacion Familiar. Cuadernos Medico - Sociales, 14(2): 9-19 (1973).

AB01384 Crowther, C.A. Maternal deaths at Harare Maternity Hospital during 1983. S. African Medical Journal, 69(3): 180-182 (1986)

AB01388 Mati, J.K.G. Abortion in Africa. In: Family Welfare and Development in Africa. Proceedings of the IPPF Africa Regional Conference. IPPF, London. (1977)

AB01390 Novak, F. Abortion in Europe. In: Hankinson, R. et al. (eds). Proceedings of the 8th International Conference of the IPPF. Santiago, Chile 9-15 April, 1967 IPPF, London. (1967)

AB01391 Nazer, I.R. Abortion in the Near East. In: Hankinson, R. et al. (eds). Proceedings of the 8th International Conference of the IPPF. Santiago, Chile 9-15 April, 1967 IPPF, London. (1967)

AB01392 Armijo, R. Abortion in Latin America. In: Hankinson, R. et al. (eds). Proceedings of the 8th International Conference of the IPPF. Santiago, Chile 9-15 April, 1967 IPPF, London. (1967)

AB01393 Overstreet, E.W. Abortion in North America. In: Hankinson, R. et al. (eds). Proceedings of the 8th International Conference of the IPPF. Santiago, Chile 9-15 April, 1967 IPPF, London. (1967)

AB01394 Frank, O. The Demand for Fertility Control in sub-Saharan Africa. Studies in Family Planning, 18(4): 181-201 (1987)

AB01397 Chowdhury, G.A. Baseline Survey of the Bolora Project Area. Bangladesh Women's Health Coalition, Dhaka, Bangladesh. (1986)

AB01398 Chowdhury, G.A. Baseline Survey of the Mirpur Project Area. Bangladesh Women's Health Coalition, Dhaka, Bangladesh. (1986)

AB01399 Chowdhury, G.A. A study on Socio-Demographic Characteristics of 300 MR Clients in Mirpur Coalition Clinic, Dhaka. October 1983 - March 1984. Bangladeshi Women's Health Coalition, Dhaka, Bangladesh. (1984)

AB01400 Chowdhury, G.A. A Study of Post-MR Contraceptive use by Clients of Coalition Clinic Narayangong. November 1986 - March 1987. Bangladesh Women's Health Coalition, Dhaka, Bangladesh. (1988)

AB01402 Sengupta, A., Gode, A.G. The Study of Maternal Mortality and Morbidity in a North Indian Hospital - A 9 Years Review. Journal of Obstetrics and Gynaecology of India, 37: 394-399 (1987)